

**Louis Klein**


**Miasms and Nosodes - Volume 2**

Sample text

[Miasms and Nosodes - Volume 2](#)

from [Louis Klein](#)

editor: Narayana Verlag



In the [Narayana Webshop](#) you will find all German and English books on homeopathy, alternative medicine and healthy living.

Copyright:

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tel. +49 7626 9749 700

Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)

<https://www.narayana-verlag.de>

Narayana Verlag is a publisher of books on homeopathy, alternative medicine, and healthy living. We publish works by top-class, innovative authors such as Rosina Sonnenschmidt, Rajan Sankaran, George Vithoulkas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus, and Dinesh Chauhan.

Narayana Verlag organizes homeopathy seminars. World-renowned speakers such as Rosina Sonnenschmidt, Massimo Mangialavori, Jan Scholten, Rajan Sankaran & Louis Klein inspire up to 300 participants.

# TABLE OF CONTENTS

|                        |                                                  |                 |
|------------------------|--------------------------------------------------|-----------------|
| <b>PART 1</b>          | <b>GUIDELINES FOR MIASMS AND NOSODES</b>         | <b>.....1</b>   |
|                        | Identifying the Continuum of Diseases and Miasms | .....3          |
|                        | Miasms and Stages on the Periodic Table          | .....14         |
| <b>PART 2</b>          | <b>INDIVIDUAL MIASMS AND NOSODES</b>             | <b>.....51</b>  |
| <b>BACILLALES</b>      |                                                  | <b>.....52</b>  |
|                        | Staphylococcinum                                 | .....53         |
| <b>CHLAMYDIALES</b>    |                                                  | <b>.....73</b>  |
|                        | Chlamydia trachomatis Nosode                     | .....75         |
|                        | Chlamydia pneumoniae Nosode                      | .....92         |
|                        | Chlamydia psittaci Nosode                        | .....95         |
| <b>LACTOBACILLALES</b> |                                                  | <b>.....99</b>  |
|                        | Streptococcinum Nosode                           | .....104        |
|                        | Pneumococcinum Nosode                            | .....120        |
|                        | Other Bacillales Nosodes                         | .....133        |
|                        | Lactobacillus acidophilus Nosode                 | .....135        |
|                        | Lactobacillus reuteri Nosode                     | .....138        |
|                        | Streptococcus agalactiae Nosode                  | .....139        |
| <b>MYCOPLASMATALES</b> |                                                  | <b>.....143</b> |
|                        | Ureaplasma urealyticum Nosode                    | .....147        |
|                        | Mycoplasma pneumoniae Nosode                     | .....155        |

|                                     |            |
|-------------------------------------|------------|
| <b>NEISSERIALES .....</b>           | <b>167</b> |
| The Sycotic Miasm.....              | 169        |
| Flavus .....                        | 178        |
| Medorrhinum.....                    | 186        |
| Meningococcinum.....                | 210        |
| Sycotic Compound .....              | 218        |
| Thuja occidentalis.....             | 221        |
| Sulphuricum .....                   | 225        |
| <b>RHIZOBIALES .....</b>            | <b>231</b> |
| Brucellosis Nosode .....            | 234        |
| Bartonella henselae Nosode.....     | 251        |
| <b>SPIROCHAETALES .....</b>         | <b>253</b> |
| The Syphilitic Miasm.....           | 256        |
| Syphilinum .....                    | 262        |
| Mercurius Remedies .....            | 292        |
| Borrelia (Lyme Disease) Nosode..... | 301        |
| Leptospira interrogans Nosode.....  | 321        |
| <b>VIBRIONALES .....</b>            | <b>337</b> |
| The Cholera Miasm.....              | 339        |
| The Cholera Nosode .....            | 356        |

# Identifying the Continuum of Diseases and Miasms

Ask most conventional doctors about a particular disease and they will immediately talk about the pathological symptoms. Ask a homeopath about a disease and you may get a more complex answer (much to the chagrin of orthodox medical professionals). For homeopaths, disease is a continuum that starts prior to the pathology manifesting. This chapter will focus on, and discuss this continuum extensively in a practical way.

Within this concept, there may be no dividing line for the homeopathic mind between non-pathological and pathological symptoms. In our repertories, you will find both types of symptoms, and homeopaths may treat them with similar emphasis in order to solve a particular case.

Even so, the distinction between pathological and non-pathological symptoms is very important in recognizing how well the treatment is working and also the challenge and even dangers that are being presented by the patient's condition. Knowing the state of pathology is also important in order to follow up effectively and to assess if the remedy is working. The key is that, as practitioners, we use the patient's general state to find the homeopathic remedy *simillimum* in order to help the patient effectively deal with the disease state. You know the remedy is working when the patient's pathology is better and health is restored. Yet the actual process of determining a solution for the patient lies within the continuum and the overall state of the patient.

This continuum is also part of the miasmatic picture. As homeopaths, we say that there is an energetic connection to prior generations' disease histories that is beyond even genetic predisposition. This is the miasmatic impetus, which lends itself to how the patient deals with both challenging life problems and also other disease manifestations.

Starting with Hahnemann, homeopaths have said that disease starts with an energetic shift resulting in a change in the disposition or a change of state. I've lectured and written about this extensively, including in the first volume of *Miasms and Nosodes*, where I gave a definition along these lines: Disposition shapes each person's unique way of responding to events. It includes the consistent positive and negative attributes that form our attitudes and actions.

Positive **and** negative – this does not sound like pathology or disease! Yet in many ways it is essential to understand the overall disposition presented in a remedy, a nosode, or a miasm in order to help the patient. The more

we understand the dispositional features of a remedy the more likely we are to help **prevent** pathology from even manifesting.

Disease starts with a change of state reflected most prominently in the mind, and then problems and challenges develop for an individual, eventually resulting in actual pathology. The core of this change of state and the whole continuum has to be understood in order for a homeopath to understand the patient and grasp the solution by matching to the homeopathic remedy.

This is also what I call the context of the **totality** of symptoms rather than simply using a small subset of symptoms, or keynotes, that have traditionally been used in certain fossilized homeopathic circles. This tracing of the picture prior and during pathology I have found to be the most reliable way to identify and distinguish each nosode or remedy from the other.

Hahnemann expanded his context of prescribing when he published his theoretical work on miasms following over a decade of active, practically-oriented research into the origins of chronic disease and ways to further improve the success rate of homeopathic treatments. Five years before the appearance in 1828 of his first volume of *Chronic Diseases* he had confided his excitement over his ongoing discoveries to a senior government official, Dr. Baumgartner:

By thousands of trials and experiences as well as by uninterrupted meditation I have at last attained my object. Of this invaluable discovery, of which the worth to mankind exceeds all else that has ever been discovered by me, and without which all existent homeopathy remains defective or imperfect, none of my pupils as yet know anything.

[Bradford, *The Life and Letters of Dr. Samuel Hahnemann*, p 174]

This larger materia medica context, supplementing his remedy provings and prescribing guidelines, has been expanded in ways that create a beautiful and effective tapestry of natural interrelationships and categorization. Hahnemann's younger contemporary Boenninghausen used information from the miasmatic treatises and teachings to draw up rubrics of remedies applying to each meta-miasm. And modern homeopathy continues to utilize and extend these categorizations.

It has been emphasized in these two volumes that although miasms and nosodes are energetic resonances of disease matter, the materia medica and the methods used to select remedies focus more on the state of the patient than the specific disease pathology. As noted, pathological

symptoms do have value, especially in helping to identify and to confirm remedy choices and as important warning signs for monitoring treatment.

The rest of this chapter aims to set out and clarify methodologies to evaluate both these pathological and non-pathological states. Chapter 2 continues by illustrating how the periodic table can be used as an additional tool for understanding remedies and patients within a categorized, interrelated array.

In subsequent chapters in Part 2, I attempt to help you perceive and identify specific miasms directly in their fullest extent, and give individual indications for a range of particular homeopathic nosodes.

My suggestion is to touch lightly on all new information on first view, and to return after you have attempted to utilize some of it. The second time it will become clearer.

## **Discerning the Miasm and Nosode**

The pair of books *Miasms and Nosodes Volumes 1 and 2* is an attempt to put forward a more robust homeopathic materia medica of miasms and nosodes that will help give you more confidence in prescribing nosodes within homeopathic treatment of chronic disease.

Many times, miasms and nosodes are part of a substrate in the overall picture and treatment of a patient. What I mean by that is that the miasmatic quality of a case mostly has to do with hereditary factors and other general peripheral elements in the case history that are not always very clear, yet may have great impact on the rest of the case.

Eventually a nosode may be needed, but not always as the first or even second prescription. By the time it is required the case may no longer have the robust symptomatology and dispositional indications that were present in the beginning. For the purposes of prescribing, the case may be fragmented and a nosode may be prescribed with just a few indicative symptoms and modalities present.

In his book *Chronic Diseases*, Hahnemann stated that even with the use of proven homeopathic remedies, many times “non-venereal chronic diseases” returned after treatment. He then went on to say that the homeopath will encounter symptoms, which are actually “some separate fragment of a more deep-seated original disease” [Vol. 1, p 5].

This fragmented symptom situation is one of the indications for a nosode. It is another way of saying the symptoms do not add up to a cohesive picture and that there is a “paucity of symptoms.”

# The Cholera Nosode

## Homeopathic abbreviation

*Choler. or Vibrio-c.*

## Commentary

I discussed the Cholera **miasm** in the previous commentary touching only briefly on the nosode yet much about the discussion of the miasm can be applied to the nosode. In this commentary we can now turn our attention in a more focused way to the homeopathically potentized *Cholera Nosode* or the energetic resonance of cholera. I am discussing the use of this homeopathic remedy in the context of chronic disease while emphasizing that acute cholera is a serious, life-threatening condition where the patient should be immediately hospitalized and receive emergency medical care.

Many of the depictions of cholera epidemics had the angel of death – a skeletal figure with a scythe flying or floating over crowds of dead and dying people. Hahnemann himself used this term [*Lesser Writings*, p 761], and interestingly, I have found one of the strongest indications for the *Cholera Nosode* is what I would call “the presence of the angel of death.” It is a sensation or delusion of the **angel of death** in black-hooded male or female skeletal form or something similar – deathly beings, or creepy, shadowy entities. There can be nightmares of similar malign presences in their home or around them.

There may be visions or feelings of such dark powers lurking ominously around the individual or the home, chasing them, or even threatening to spirit away loved ones or belongings. These apparitions and images can occur in nightmares or in waking hours, causing a sense of deep dread and despair with a feeling of impending disaster.

They may think that their possessions are about to be taken from them or that their children will be abducted by these dark forces. (This also appears in many remedies made from spider venoms and other groups of remedies).

Such horrific images and presences may also be found in remedies from the Solanales plant family such as *Stramonium* and others. However, the *Cholera Nosode* has primarily a feeling of dread, **impending doom and impending loss** in response to the visions and dreams, whereas Solanales remedies have primarily a feeling of fear and **terror**.

Here are some of the dreams from a 30-year-old patient with postpartum depression who responded well to the *Cholera Nosode*:

I have a dream that I'm seeing silhouettes that aren't there when I pass rooms, things moving in my peripheral vision, bodies in pools of water, blood, death. And just a haunting, crawling feeling of dread.

But I'm the only one seeing these things. And I'm trapped there, I'm trying to protect my kids from the evil – they are sleeping upstairs on another floor and I can't get to them, or they've been abducted and I get a call that they've been found but it doesn't look good.

This same patient had previously benefited from *Veratrum album* as she had a history of severe vomiting while giving birth to her child. She also had relayed that many years prior, while visiting in India, she was hospitalized with severe diarrhea and vomiting. It was not diagnosed as cholera but had all the hallmarks of the acute disease.

As mentioned, the main feeling is one of deep trepidation, but there can be a fear that they will be attacked physically or emotionally in an unpredictable or unpreventable way. This comes from a feeling that they could lose everything (like the Typhoid miasm), driving a pathological need to hold on. In addition, they have a great need to safeguard their emotional and physical environment and possessions, demonstrating the miasm's quality of conserving and keeping possession.

Of course, like other nosodes, you think of *Cholera Nosode* in a chronic case when there is a history of cholera, whether with the patient or in the family history and where well-indicated remedies fail to work. You can follow up with the nosode after a remedy in the Cholera miasm works. As well, my experience tells me that someone may have had cholera in their past history but the diagnosis wasn't accurately made; instead, what you hear about is a very severe gastrointestinal acute in the past.

I find it important in treating patients who participate in ultra-conservative religious practises. We also discussed in the commentary on the Cholera miasm how the disposition of a patient needing the nosode has all the features of **Stage 11**, with conservative reactivity and holding on.

On an emotional level this may arise from growing up in a religious environment that emphasized apocalyptic consequences. It could also be as a result of being in a family where there was always a pervasively hostile environment, such as imminent or actual divorce, or parents with beliefs and actions that threw everything into disorder. When emotional stress happens, such as in a relationship, the response is to cramp up both emotionally and somatically. There can also be a history of being in a relationship where the spouse has cheated and therefore the patient needs to be constantly on guard, preparing for the worst. They fear that as

They can easily feel controlled and then quickly develop resentment and anger. This irascible quality echoes the purging in the miasm: they will be dismissive of friends or even their spouse under stressful circumstances or if they feel their standing is threatened. They can aggressively attack others and purge them from their carefully-built social assemblage.

There can also be periods of dark depressions and incapacitating fatigue. In this phase of the *Cholera Nosode* they become cynical and pessimistic, disgusted with life. This nihilism can come from a dysfunctional family, and may lead to a diagnosis of bipolar disorder (manic depression).

The coldness is there but it can alternate with flushes of heat. The coldness can go to more extreme sensations of freezing, numbness, and icy sensations. They may suffer from fibromyalgia along with coldness.

There is also a sensation of being scratched by an animal.

You may see a history of seizures, as well as skin symptoms like poison ivy reactions. This is a remedy that can follow *Cuprum* and *Camphora* where convulsions are the main symptomatology. A history of severe diarrhea and vomiting (even a history of cholera) may also be found. They will then have a strong gag reflex and easy vomiting.

As mentioned in the discussion about the miasm, severe constipation may also arise, as well as the classic severe, watery diarrhea or chronic bouts. This constipation is part of the conservation or cramping. There can be severe cramping with stool, and they can go days without a stool. In some ways, they feel better, especially emotionally, when constipated, as if the conservation is a good thing.

## Clinical Focus Guide

### Mind and Disposition Focus

#### Angel of death, death personified

Angel of death, dreams of angel of death or feeling of angel of death around them

Ominous, associated with the devil, hell, and dying

Sees figures – a black-hooded man or woman with a scythe, skeleton or broomstick

Visions or dreams of ghosts or deathly apparitions

Feeling of doom with visions

Taken by the devil

#### Dark

Dark, creepy nightmares or visions

Dark shadowy entities or unseen powers approach or pursue them

Sense of a dark presence  
Especially during pregnancy  
Dark depression

**Doom**

Overwhelming impending doom  
Everything seems disastrous  
Apocalypse

**Fear someone is going to take them away and kill them**

**Fear of spiders**

**Community, social position**

Loss of  
Holding on to  
Member of religious community

**Seeking out the strongest group or individual**

**Following the rules**

Indignation if not followed  
Rituals  
Perfectionist  
Obsessive compulsive disorder  
Right and wrong

**Emotional cramping**

**Evangelical**

Very religious  
About social position  
About national or local group  
About a new technique or perspective  
A teacher or guru of unique ideas  
Being put down and fear loss of position

**Irritable, irascible**

**Purging**

From anger or resentment  
By autocratic regimes, especially of foreign persons, or of non-supporters  
Work position tenuous, mass firing  
Of the devil

**Flow**

Of wealth (affluence)  
Profusion of ideas and thoughts

**Vertigo**

Motion sickness

Incapacitating nausea, even vomiting on trains, airplanes

**Seizures, convulsions, spasmodic**

With coldness

With falling

From expression of emotion

**Dysmenorrhea**

Fainting during menses

## **Selections from Traditional and Contemporary Homeopathic Sources**

None.

## **Relationships**

See the Cholera miasm chapter above.

## **References**

### ***Vibrionales***

Todar, K. 2008–2012. *Online Textbook of Bacteriology*. ‘*Vibrio cholerae* and Asiatic Cholera.’ <http://www.textbookofbacteriology.net/cholera.html> (Viewed online May 21 2020).

Wikipedia website. *Vibrionaceae*. <http://en.wikipedia.org/wiki/Vibrionaceae> (Viewed online May 21 2020).

### ***Cholera Miasm***

#### **Homeopathic Sources**

Clarke, J. H. [1900]. *A Dictionary of Practical Materia Medica*. Volume 3. (Reprinted 2004). B. Jain, New Delhi.

Hahnemann, H. [1852]. *The Lesser Writings of Samuel Hahnemann*. Tr. R. Dudgeon. (Reprinted 2002). B. Jain, New Delhi.

Kent, J. T. [1905]. *Lectures on Materia Medica*. 4th edition. (Reprinted 2002). B. Jain, New Delhi.

Klein, Louis. 2009. *Miasms and Nosodes: Origins of Disease*. Volume 1. Narayana Publishers, Kandern, Germany.

# INDEX

## A

abscess 111, 126, 282  
acid reflux 94  
acne 63, 109, 114  
acrodermatitis chronica atrophicans 313  
acute hemolytic anemia 328  
acute viral miasm 23  
ADD 77, 80, 88, 293, 298  
addictions 189, 288, 362  
adenovirus 151  
ADHD 77, 80, 88, 293  
albuminuria 330  
alcoholism 189, 288, 362  
allergy 162, 180, 184, 203, 216  
alopecia areata 271, 280, 290  
alopecia totalis 271, 280  
Alzheimer's disease 41  
Amyloid miasm 40  
anal fissure 282, 289  
anemia 163  
aneurysm 282, 289  
angina pectoris 134, 289  
angiocholecystitis 330  
angioedema 239  
ankylosing spondylitis 132  
anorexia 239, 243  
antibiotic resistance 59  
aphasia 283, 286  
aphthae 246  
appendicitis 114  
arteriosclerosis 175  
arthritis 85, 89, 114, 133, 175, 202, 243, 313  
Asperger's 49, 298  
asthma 122, 124, 158, 160, 163, 175, 183, 202, 205, 219, 226, 268, 282, 286  
ataxia 276, 283  
atheroma 92, 94, 163, 284  
atypical pneumonia 144, 155, 159

auditory hallucinations 275  
autism 49, 138, 142, 298  
autoimmune disorders 57, 298  
autoimmune hemolytic anemia 160  
avian chlamydiosis 95  
azotemia 330

## B

Bacillales 52  
bacillary angiomatosis 232  
Bacillus anthracis 52  
Bacillus cereus 52  
Bacillus thuringiensis 52  
bacteremia 120, 182, 232  
bacteria pleomorphism miasm 26  
Baker's cysts 313  
balanitis 132  
Bang's disease 241  
bejel 276  
Bell's palsy 271, 281, 319  
benign prostatic hypertrophy 80, 89  
beta-lactam antibiotics 60  
bipolar disorder 359  
blepharitis 175  
blindness 125  
boils 60, 109, 114, 117, 128  
Borrelia burgdorferi 254, 301, 312  
Borrelia miasm 45, 319  
borreliosis 305, 313  
botulinum miasm 42  
Bowel Nosode miasm 45  
bowel nosodes 220  
brittle finger nails 90  
bronchiectasis 124  
bronchitis 124, 157, 163  
bronchopneumonia 116, 124  
Brucella melitensis 235  
brucellosis 232, 234-236, 238, 241, 244, 250

buboes 86, 286  
 bubonic plague 344  
 bulimia 362  
 Burkholderiales 168, 232

## C

Campylobacter jejuni 338  
 cancer 57, 90, 184, 338  
 Cancer miasm 27, 39  
 carbuncles 117, 128  
 cardiovascular disease 92  
 Carrion's disease 232  
 cataract 96  
 cat scratch disease 232, 251  
 cellulitis 60, 104, 111, 114, 126, 297  
 cephalosporins 60  
 cerebral palsy 298  
 cervical cancer 153  
 cervicitis 84, 151, 289  
 chemosis 280  
 childhood illnesses 158  
 chlamydia 75, 80, 85-86, 89-90, 147, 151, 198, 242  
 Chlamydiaceae family 74  
 Chlamydia miasm 40-42  
 Chlamydia pecorum 86  
 Chlamydia pneumoniae 74, 92  
 Chlamydia psittaci 74, 86, 95  
 Chlamydia trachomatis 74-75, 83  
 cholera 223, 338-340, 352-353, 356-357  
 Cholera miasm 25, 37, 260, 339-344, 348-351, 356-358, 363  
 chorioamnionitis 150  
 chronic fatigue syndrome 216, 243, 362  
 chronic kidney disease 114, 184  
 cleft palate 270  
 Clostridium perfringens 52  
 Clostridium perfringens miasm 29  
 Colibacillum miasm 45  
 colitis 63, 137  
 congenital syphilis 276  
 conjunctivitis 63, 81, 83-86, 90, 94, 96, 111, 198, 203, 208, 213, 289, 300, 323, 330

constipation 204, 246  
 corneal ulceration 86, 280  
 corns 175  
 Corynebacterium miasm 31  
 cough, chronic 163  
 cranial nerve disorders 163  
 Creutzfeldt-Jakob disease 41  
 Crohns disease 137  
 croup 124  
 cyclothymia 245  
 cystitis 89, 117, 132, 208, 219  
 cysts 90, 109, 114

## D

deafness 271, 276, 280  
 dehydration 362  
 dementia 276, 280  
 dental caries 100, 125, 135, 289  
 DES (diethylstilbestrol) 89  
 deviated nasal septum 175  
 diabetes 136, 189  
 diarrhea 159, 204, 219  
 Diplococcus pneumoniae 120  
 diplopia 280  
 dissociative disorders 56  
 duodenal ulcer 338  
 dwarfishness 284, 299  
 dysentery 63, 119, 298  
 dysmenorrhea 125, 132, 289, 347-348, 363

## E

ectopic pregnancy 80, 85, 89, 198  
 eczema 63, 114, 116, 202, 272, 290  
 emphysema 124, 163  
 encephalitis 160, 211, 215, 330  
 endocarditis 58, 60, 100, 126, 182, 213, 232  
 endometriosis 149, 153, 184  
 endophthalmitis 182  
 enteritis, staphylococcal 63  
 Enterobacteriales 338  
 Enterococcus faecalis 101, 103  
 Enterococcus faecium 101  
 Enterococcus proteiformis 103

## Index

enuresis 153, 289, 298  
epicarditis 270  
epidemics 7-8, 24, 60, 210, 241, 322,  
339-340, 348, 353, 356  
epididymitis 80, 84-85, 89, 151, 198,  
208, 247  
epilepsy 114, 285, 347  
epistaxis 330  
Ericaceae 319  
erysipelas 104, 109, 111, 114  
erythema 133  
erythema migrans 309, 312  
erythema multiforme 160  
essential tremor 63, 294  
ethmoiditis 289  
Ewing sarcoma 282  
exostoses 285

## F

Fabaceae 232  
fever  
intermittent, recurrent 247  
fibroid tumors 239  
fibroma 289  
fibromyalgia 64, 137, 238, 247, 298,  
329, 359, 362  
fistula 284  
lacrimal ducts 63  
Fitz-Hugh-Curtis Syndrome 85  
food poisoning 60-61  
frigidity 289  
funisitis 150

## G

gallstones 175  
gardnerella 242  
gastric fever 241  
gastric ulcer 116, 338  
gastroenteritis 338  
Gibraltar fever 241  
glaucoma 96, 125  
glomerulonephritis 110, 114  
goiter 175, 297  
gonorrhea 83, 147, 151, 168, 175, 198,  
205, 219, 221, 262

Graves' disease 184  
Guillain-Barré syndrome 329

## H

Haemophilus influenzae 127, 144, 242,  
338  
headache 90, 202, 215, 246, 270, 280,  
286  
Helicobacteraceae 338  
Helicobacter pylori 338  
hemiplegia 329  
hemolytic anemia 160, 163  
hemorrhage 119, 125, 328  
hemorrhagic fever 328  
hemorrhoids 282, 289  
hepatitis 226, 328  
herpes 163, 286, 290, 318, 329-330  
herpes simplex virus 151  
Herpes Zoster miasm 32  
HIV 85, 127  
hives 184, 203  
Hodgson's disease 289  
hydrothorax 299  
hyperazotemia 328  
hyperbilirubinemia 330  
hypercholesterolemia 94, 163  
hyperglycemia 137  
hyperlipidemia 175  
hypertension 94, 96, 163, 175  
hyperthyroidism 175  
hypoglycemia 136-137  
hypovolemic shock 340, 352, 362

## I

iatrogenic diseases 288  
ichthyosis 290  
idiopathic membranous nephropathy  
324, 328  
impetigo 60, 63, 69, 104, 109, 111,  
114-115  
impotence 276, 289  
infertility 80, 149, 153, 198  
influenza 7, 60, 118, 127-128, 266  
insomnia 275  
interstitial keratitis 276

involuntary urination 80  
 irido-cystitis 289  
 iritis 271, 280, 300  
 irritable bowel syndrome 135, 137  
 ischemic heart disease 175  
 Ixodes 312  
 Ixodes pacificus 314  
 Ixodes scapularis 314

## J

jaundice 226, 326, 328, 330

## K

keratitis 289, 300  
 keratoderma 290  
 kidney failure 328  
 kidney stones 184  
 Klebsiella pneumoniae 132  
 Koenig's disease 289

## L

lactic acid 102  
 lactic acid bacteria 100-101, 135  
 Lactobacillales 100, 135  
 Lactobacillus acidophilus 101-102  
 Lactococcus lactis 101  
 laryngitis 175, 208, 289  
 Leguminosae 232  
 Leprosy miasm 45, 307  
 Leptospira interrogans 321, 325-326  
 leptospirosis 321, 323, 325-326  
 Leptospirosis miasm 29, 324  
 lichen planus 175, 290  
 lichen sclerosus 298  
 Lobstein's disease 289  
 Lyme disease 232, 251, 254, 258, 302, 304, 306, 308, 310-311  
 lymphadenitis 115  
 lymphadenopathy 232  
 lymphogranuloma venereum 83, 85

## M

malaria 10-11, 16, 127, 275  
 Malaria miasm 29, 324

malnutrition 127  
 Malta fever 241  
 manganese 306  
 mastitis 60, 116, 140, 216  
 mastoiditis 111, 113  
 measles 158, 163  
 Measles miasm 28  
 Mediterranean fever 241  
 Menière's disease 289  
 meningitis 60, 100, 126-127, 151, 168, 182, 210-211, 215, 275-276, 313, 321, 326, 329  
 meningococcal septicemia 168  
 meningococcemia 210  
 Meningococcus 210  
 mesenchymatosis 208  
 methicillin 60  
 microbiome 7  
 Micrococcus pneumoniae 120  
 Micrococcus scarlatinae 105  
 migraine 133, 202, 212, 214, 216, 246  
 milky disease 52  
 miscarriage 80, 89, 149, 239, 243, 247, 276, 286  
 mitral valve regurgitation 270  
 monasticism 49  
 mononucleosis 108, 113  
 motion sickness 363  
 MRSA (Methicillin-resistant Staphylococcus aureus) 54, 59  
 Munchausen syndrome 361  
 myalgia 243, 247, 329  
 Mycobacterium paratuberculosis (Johne's disease) miasm 46  
 Mycobacterium tuberculosis 121  
 Mycoplasma genitalium 144, 147, 150-151, 158  
 Mycoplasma hominis 150  
 Mycoplasma miasm 34  
 Mycoplasma mycoides 158  
 Mycoplasma pneumoniae 144, 155, 158  
 Mycoplasmatales 143-144  
 myocarditis 270  
 myopia 280  
 myxomas 297

## N

narcissism 152  
nasal polyps 208  
necrotizing fasciitis 103-104, 111  
*Neisseria flava* 168, 178  
*Neisseria gonorrhoeae* 86, 151, 168-169, 186, 197  
*Neisseriales* 17, 36, 147, 168-169, 177, 196, 212, 218, 223, 227  
*Neisseria meningitidis* 168, 182, 210  
*Neisseria mucosa* 168  
nephritis 202  
neurofibromatosis 175  
neurosyphilis 275  
Nicolas-Favre disease 289  
nongonococcal urethritis 84  
non-Hodgkin lymphoma 313  
nystagmus 322, 329

## O

obsessive compulsive disorder 268  
ocular adnexal lymphoma 95  
ocular hypertension 114  
oliguria 330  
onychorrhexis 290  
onyxis 290  
ophthalmia 208  
ophthalmia neonatorum 86, 90, 280  
opisthotonos 346  
orchitis 208, 239  
osteoarthritis 118, 247  
osteochondritis 289  
osteomyelitis 60, 64, 126, 243  
osteopsathyrosis 289  
osteosarcoma 282, 286  
otitis 289  
otitis media 100, 126, 175, 215  
otosclerosis of Bezold 289  
ovaritis 289  
ozena 208, 271, 281, 286, 289

## P

*Paenibacillus* 52  
Paget's disease 289

pancreatitis 163, 330  
PANDAS 109  
pandemics 24  
Papaveraceae 327  
paralysis 276, 284, 329  
Parkinson's disease 63, 294  
paronychia 117  
parrot disease 289  
Pasteurales 338  
pectus excavatum 272  
Pediatric Autoimmune Neuropsychiatric Diseases Associated with *Streptococcus* 108, 113  
peliosis hepatis 232  
pelvic inflammatory disease 80, 84, 89, 144, 149, 198, 202  
pemphigus 290  
penicillin 60, 110, 128, 144, 256  
perforated septum 281  
pericarditis 63, 126, 163, 270  
periostitis 276  
peripheral arteritis 270  
peripheral neuropathy 163  
peritonitis 126, 182  
personality disorder 147  
petechiae 330  
phlebitis 63, 270  
pinta 276  
plague 242  
pleural effusion 163  
pleurisy 117  
Pneumococcal vaccines 120  
*Pneumococcinum miasm* 42  
*Pneumococcus* 120  
pneumonia 60, 85, 92-93, 96, 100, 122, 124, 126, 132, 151, 157, 159, 163, 213, 326  
Polio miasm 43  
polyarthritis 134  
postpartum fever 144  
post-streptococcal glomerulonephritis 105, 112, 134  
post-treatment Lyme disease syndrome 313  
pregnancy and postpartum infections 144  
premature birth 80, 89, 149

priapism 208  
 Prion miasm 40  
 probiotics 100-101, 136  
 proctitis 84  
 proctocolitis 86  
 prostatitis 80, 89  
 protozoan babesiosis 313  
 Pseudomonadales 338  
 Pseudomonas 353  
 psittacosis 95  
 psoriasis 63, 109, 114, 133, 175, 290  
 Psoric miasm 6, 25, 176, 188  
 psychosis 347  
 ptosis 286  
 puerperal fever 110  
 pyelonephritis 144  
 pyuria 153

## **Q**

quinsy 105, 118

## **R**

Rabies miasm 24  
 rachitis 289  
 Raynaud's disease 270, 349  
 rectitis 289  
 rectocolitis 289  
 Reiter's syndrome 77, 81, 84-85, 89, 195, 202  
 renal dysfunction 160  
 respiratory viruses 127  
 Reye syndrome 94  
 rheumatic fever 68, 104, 110, 112, 118  
 rheumatism 118, 202, 286  
 rheumatoid arthritis 247, 282  
 Rhizobiales 232, 251  
 rice-water stools 352  
 rickettsial anaplasmosis 313  
 ringworm 175  
 Ringworm miasm 26

## **S**

sadomasochism 148  
 salpingitis 151

scarlet fever 100, 103-104, 110-112, 118, 133  
 Scheuermann's disease 289  
 schizoaffective disorder 161  
 schizophrenia 347, 350  
 sciatica 122, 184, 215, 319  
 seizures 359  
 sepsis 100, 108  
 septic arthritis 126, 182, 198  
 septicemia 151, 210, 338  
 Sever's syndrome 289  
 sexually transmitted infection (STI) 84, 197  
 sialorrhoea 289  
 sickle cell disease 324, 329  
 sinusitis 60, 126, 183, 203, 213  
 Sjogren's syndrome 135, 137  
 Spanish flu 8  
 sphenoiditis 289  
 Spirochaeta interrogans 321  
 Spirochaetales 254, 302, 331  
 spirochetes 255, 322, 326  
 spondyloarthropathies 132  
 staphylococcal scalded skin syndrome 60, 81, 90-91  
 Staphylococcus 109, 111  
 Staphylococcus albus 60  
 Staphylococcus aureus 52-54, 112  
 Staphylococcus epidermidis 53, 60  
 Staphylococcus haemolyticus 53  
 Staphylococcus miasm 39  
 Staphylococcus simulans 53  
 steatomas 195  
 sterility 289  
 Stevens-Johnson syndrome 160, 163  
 stillbirth 149, 151, 276  
 strabismus 289, 300  
 strep throat 100, 104-105, 111-113, 133  
 streptococcal toxic shock syndrome 104, 112-113  
 Streptococcus 109  
 Streptococcus agalactiae 100, 139  
 Streptococcus erysipelatos 105  
 Streptococcus faecalis 103, 168  
 Streptococcus hemolyticus 105  
 Streptococcus/Micrococcus zymogenes 103

*Streptococcus pneumoniae* 100, 103, 120, 126  
*Streptococcus pyogenes* 53, 100, 103-105, 109-112, 133  
*Streptococcus thermophilus* 101  
*Streptococcus viridans* 104  
stroke 276  
styes 60, 280  
Sycotic miasm 17, 24, 36, 169-170, 172-174, 176-177, 181-182, 188, 190, 192, 195-197, 205, 214, 225, 258, 260, 272, 299  
syphilis 256, 258, 262, 270-271, 281, 284, 292, 312  
Syphilitic miasm 17, 46-47, 176, 256-263, 270-274, 292, 299, 303, 349-350

**T**

tabes dorsalis 270, 275-276, 283  
Taiwan acute respiratory agent (TWAR) 92  
tenesmus 298  
tenosynovitis 198  
Tetanus miasm 33-34, 362  
thrombocytopenia 134, 163  
thrush 175  
ticks 312  
tics 109, 114, 268, 279  
tinnitus 215, 275, 319  
tonsillectomy 69, 113, 116  
tonsillitis 105  
Tourette's syndrome 109, 268, 279  
toxemia 113, 119  
toxic epidermal necrolysis 160  
toxic shock syndrome 59-60  
Toxoplasmosis miasm 37  
tracheobronchitis 144, 159, 163  
trachoma 75, 83, 86  
transaminasemia 330  
transverse myelitis 329  
trench fever 232  
*Treponema pallidum* 254, 256, 262

*treponemes* 254, 275, 326  
*Trichomonas vaginalis* 151  
trigeminal neuralgia 114, 117, 288  
Trypanosomiasis (sleeping sickness) miasm 48  
Tubercular miasm 44  
tuberculosis 175, 354  
tumor 284  
typhoid 244, 275  
Typhoid miasm 25, 342, 350, 357  
typhus 275

## U

ulcerative colitis 271, 298, 347  
undulant fever 241  
*Ureaplasma urealyticum* 144, 147, 150  
urethritis 84, 144, 151, 208  
urinary tract infections 60, 149  
urticaria 133

## V

vaginitis 289  
vancomycin 60  
vertigo 246, 275, 289  
*Vibrio cholerae* 338-339, 341  
Vibrionaceae 338  
Vibrionales 337-339, 351, 353, 363  
*Vibrio parahaemolyticus* 338  
*Vibrio vulnificus* 338  
vomiting 159

## W

walking pneumonia 155  
warts 175, 202, 220, 223, 285, 300  
Weil's disease 329  
whooping cough 242

## Y

yaws 276  
*Yersinia* miasm 34, 308

# TABLE OF CONTENTS

|                        |                                                  |                 |
|------------------------|--------------------------------------------------|-----------------|
| <b>PART 1</b>          | <b>GUIDELINES FOR MIASMS AND NOSODES</b>         | <b>.....1</b>   |
|                        | Identifying the Continuum of Diseases and Miasms | .....3          |
|                        | Miasms and Stages on the Periodic Table          | .....14         |
| <b>PART 2</b>          | <b>INDIVIDUAL MIASMS AND NOSODES</b>             | <b>.....51</b>  |
| <b>BACILLALES</b>      |                                                  | <b>.....52</b>  |
|                        | Staphylococcinum                                 | .....53         |
| <b>CHLAMYDIALES</b>    |                                                  | <b>.....73</b>  |
|                        | Chlamydia trachomatis Nosode                     | .....75         |
|                        | Chlamydia pneumoniae Nosode                      | .....92         |
|                        | Chlamydia psittaci Nosode                        | .....95         |
| <b>LACTOBACILLALES</b> |                                                  | <b>.....99</b>  |
|                        | Streptococcinum Nosode                           | .....104        |
|                        | Pneumococcinum Nosode                            | .....120        |
|                        | Other Bacillales Nosodes                         | .....133        |
|                        | Lactobacillus acidophilus Nosode                 | .....135        |
|                        | Lactobacillus reuteri Nosode                     | .....138        |
|                        | Streptococcus agalactiae Nosode                  | .....139        |
| <b>MYCOPLASMATALES</b> |                                                  | <b>.....143</b> |
|                        | Ureaplasma urealyticum Nosode                    | .....147        |
|                        | Mycoplasma pneumoniae Nosode                     | .....155        |

|                                     |            |
|-------------------------------------|------------|
| <b>NEISSERIALES .....</b>           | <b>167</b> |
| The Sycotic Miasm.....              | 169        |
| Flavus .....                        | 178        |
| Medorrhinum.....                    | 186        |
| Meningococcinum.....                | 210        |
| Sycotic Compound .....              | 218        |
| Thuja occidentalis.....             | 221        |
| Sulphuricum .....                   | 225        |
| <b>RHIZOBIALES .....</b>            | <b>231</b> |
| Brucellosis Nosode .....            | 234        |
| Bartonella henselae Nosode.....     | 251        |
| <b>SPIROCHAETALES .....</b>         | <b>253</b> |
| The Syphilitic Miasm.....           | 256        |
| Syphilinum .....                    | 262        |
| Mercurius Remedies .....            | 292        |
| Borrelia (Lyme Disease) Nosode..... | 301        |
| Leptospira interrogans Nosode.....  | 321        |
| <b>VIBRIONALES .....</b>            | <b>337</b> |
| The Cholera Miasm.....              | 339        |
| The Cholera Nosode .....            | 356        |

# Identifying the Continuum of Diseases and Miasms

Ask most conventional doctors about a particular disease and they will immediately talk about the pathological symptoms. Ask a homeopath about a disease and you may get a more complex answer (much to the chagrin of orthodox medical professionals). For homeopaths, disease is a continuum that starts prior to the pathology manifesting. This chapter will focus on, and discuss this continuum extensively in a practical way.

Within this concept, there may be no dividing line for the homeopathic mind between non-pathological and pathological symptoms. In our repertories, you will find both types of symptoms, and homeopaths may treat them with similar emphasis in order to solve a particular case.

Even so, the distinction between pathological and non-pathological symptoms is very important in recognizing how well the treatment is working and also the challenge and even dangers that are being presented by the patient's condition. Knowing the state of pathology is also important in order to follow up effectively and to assess if the remedy is working. The key is that, as practitioners, we use the patient's general state to find the homeopathic remedy *simillimum* in order to help the patient effectively deal with the disease state. You know the remedy is working when the patient's pathology is better and health is restored. Yet the actual process of determining a solution for the patient lies within the continuum and the overall state of the patient.

This continuum is also part of the miasmatic picture. As homeopaths, we say that there is an energetic connection to prior generations' disease histories that is beyond even genetic predisposition. This is the miasmatic impetus, which lends itself to how the patient deals with both challenging life problems and also other disease manifestations.

Starting with Hahnemann, homeopaths have said that disease starts with an energetic shift resulting in a change in the disposition or a change of state. I've lectured and written about this extensively, including in the first volume of *Miasms and Nosodes*, where I gave a definition along these lines: Disposition shapes each person's unique way of responding to events. It includes the consistent positive and negative attributes that form our attitudes and actions.

Positive **and** negative – this does not sound like pathology or disease! Yet in many ways it is essential to understand the overall disposition presented in a remedy, a nosode, or a miasm in order to help the patient. The more

we understand the dispositional features of a remedy the more likely we are to help **prevent** pathology from even manifesting.

Disease starts with a change of state reflected most prominently in the mind, and then problems and challenges develop for an individual, eventually resulting in actual pathology. The core of this change of state and the whole continuum has to be understood in order for a homeopath to understand the patient and grasp the solution by matching to the homeopathic remedy.

This is also what I call the context of the **totality** of symptoms rather than simply using a small subset of symptoms, or keynotes, that have traditionally been used in certain fossilized homeopathic circles. This tracing of the picture prior and during pathology I have found to be the most reliable way to identify and distinguish each nosode or remedy from the other.

Hahnemann expanded his context of prescribing when he published his theoretical work on miasms following over a decade of active, practically-oriented research into the origins of chronic disease and ways to further improve the success rate of homeopathic treatments. Five years before the appearance in 1828 of his first volume of *Chronic Diseases* he had confided his excitement over his ongoing discoveries to a senior government official, Dr. Baumgartner:

By thousands of trials and experiences as well as by uninterrupted meditation I have at last attained my object. Of this invaluable discovery, of which the worth to mankind exceeds all else that has ever been discovered by me, and without which all existent homeopathy remains defective or imperfect, none of my pupils as yet know anything.

[Bradford, *The Life and Letters of Dr. Samuel Hahnemann*, p 174]

This larger materia medica context, supplementing his remedy provings and prescribing guidelines, has been expanded in ways that create a beautiful and effective tapestry of natural interrelationships and categorization. Hahnemann's younger contemporary Boenninghausen used information from the miasmatic treatises and teachings to draw up rubrics of remedies applying to each meta-miasm. And modern homeopathy continues to utilize and extend these categorizations.

It has been emphasized in these two volumes that although miasms and nosodes are energetic resonances of disease matter, the materia medica and the methods used to select remedies focus more on the state of the patient than the specific disease pathology. As noted, pathological

symptoms do have value, especially in helping to identify and to confirm remedy choices and as important warning signs for monitoring treatment.

The rest of this chapter aims to set out and clarify methodologies to evaluate both these pathological and non-pathological states. Chapter 2 continues by illustrating how the periodic table can be used as an additional tool for understanding remedies and patients within a categorized, interrelated array.

In subsequent chapters in Part 2, I attempt to help you perceive and identify specific miasms directly in their fullest extent, and give individual indications for a range of particular homeopathic nosodes.

My suggestion is to touch lightly on all new information on first view, and to return after you have attempted to utilize some of it. The second time it will become clearer.

## **Discerning the Miasm and Nosode**

The pair of books *Miasms and Nosodes Volumes 1 and 2* is an attempt to put forward a more robust homeopathic materia medica of miasms and nosodes that will help give you more confidence in prescribing nosodes within homeopathic treatment of chronic disease.

Many times, miasms and nosodes are part of a substrate in the overall picture and treatment of a patient. What I mean by that is that the miasmatic quality of a case mostly has to do with hereditary factors and other general peripheral elements in the case history that are not always very clear, yet may have great impact on the rest of the case.

Eventually a nosode may be needed, but not always as the first or even second prescription. By the time it is required the case may no longer have the robust symptomatology and dispositional indications that were present in the beginning. For the purposes of prescribing, the case may be fragmented and a nosode may be prescribed with just a few indicative symptoms and modalities present.

In his book *Chronic Diseases*, Hahnemann stated that even with the use of proven homeopathic remedies, many times “non-venereal chronic diseases” returned after treatment. He then went on to say that the homeopath will encounter symptoms, which are actually “some separate fragment of a more deep-seated original disease” [Vol. 1, p 5].

This fragmented symptom situation is one of the indications for a nosode. It is another way of saying the symptoms do not add up to a cohesive picture and that there is a “paucity of symptoms.”

# The Cholera Nosode

## Homeopathic abbreviation

*Choler. or Vibrio-c.*

## Commentary

I discussed the Cholera **miasm** in the previous commentary touching only briefly on the nosode yet much about the discussion of the miasm can be applied to the nosode. In this commentary we can now turn our attention in a more focused way to the homeopathically potentized *Cholera Nosode* or the energetic resonance of cholera. I am discussing the use of this homeopathic remedy in the context of chronic disease while emphasizing that acute cholera is a serious, life-threatening condition where the patient should be immediately hospitalized and receive emergency medical care.

Many of the depictions of cholera epidemics had the angel of death – a skeletal figure with a scythe flying or floating over crowds of dead and dying people. Hahnemann himself used this term [*Lesser Writings*, p 761], and interestingly, I have found one of the strongest indications for the *Cholera Nosode* is what I would call “the presence of the angel of death.” It is a sensation or delusion of the **angel of death** in black-hooded male or female skeletal form or something similar – deathly beings, or creepy, shadowy entities. There can be nightmares of similar malign presences in their home or around them.

There may be visions or feelings of such dark powers lurking ominously around the individual or the home, chasing them, or even threatening to spirit away loved ones or belongings. These apparitions and images can occur in nightmares or in waking hours, causing a sense of deep dread and despair with a feeling of impending disaster.

They may think that their possessions are about to be taken from them or that their children will be abducted by these dark forces. (This also appears in many remedies made from spider venoms and other groups of remedies).

Such horrific images and presences may also be found in remedies from the Solanales plant family such as *Stramonium* and others. However, the *Cholera Nosode* has primarily a feeling of dread, **impending doom and impending loss** in response to the visions and dreams, whereas Solanales remedies have primarily a feeling of fear and **terror**.

Here are some of the dreams from a 30-year-old patient with postpartum depression who responded well to the *Cholera Nosode*:

I have a dream that I'm seeing silhouettes that aren't there when I pass rooms, things moving in my peripheral vision, bodies in pools of water, blood, death. And just a haunting, crawling feeling of dread.

But I'm the only one seeing these things. And I'm trapped there, I'm trying to protect my kids from the evil – they are sleeping upstairs on another floor and I can't get to them, or they've been abducted and I get a call that they've been found but it doesn't look good.

This same patient had previously benefited from *Veratrum album* as she had a history of severe vomiting while giving birth to her child. She also had relayed that many years prior, while visiting in India, she was hospitalized with severe diarrhea and vomiting. It was not diagnosed as cholera but had all the hallmarks of the acute disease.

As mentioned, the main feeling is one of deep trepidation, but there can be a fear that they will be attacked physically or emotionally in an unpredictable or unpreventable way. This comes from a feeling that they could lose everything (like the Typhoid miasm), driving a pathological need to hold on. In addition, they have a great need to safeguard their emotional and physical environment and possessions, demonstrating the miasm's quality of conserving and keeping possession.

Of course, like other nosodes, you think of *Cholera Nosode* in a chronic case when there is a history of cholera, whether with the patient or in the family history and where well-indicated remedies fail to work. You can follow up with the nosode after a remedy in the Cholera miasm works. As well, my experience tells me that someone may have had cholera in their past history but the diagnosis wasn't accurately made; instead, what you hear about is a very severe gastrointestinal acute in the past.

I find it important in treating patients who participate in ultra-conservative religious practises. We also discussed in the commentary on the Cholera miasm how the disposition of a patient needing the nosode has all the features of **Stage 11**, with conservative reactivity and holding on.

On an emotional level this may arise from growing up in a religious environment that emphasized apocalyptic consequences. It could also be as a result of being in a family where there was always a pervasively hostile environment, such as imminent or actual divorce, or parents with beliefs and actions that threw everything into disorder. When emotional stress happens, such as in a relationship, the response is to cramp up both emotionally and somatically. There can also be a history of being in a relationship where the spouse has cheated and therefore the patient needs to be constantly on guard, preparing for the worst. They fear that as

They can easily feel controlled and then quickly develop resentment and anger. This irascible quality echoes the purging in the miasm: they will be dismissive of friends or even their spouse under stressful circumstances or if they feel their standing is threatened. They can aggressively attack others and purge them from their carefully-built social assemblage.

There can also be periods of dark depressions and incapacitating fatigue. In this phase of the *Cholera Nosode* they become cynical and pessimistic, disgusted with life. This nihilism can come from a dysfunctional family, and may lead to a diagnosis of bipolar disorder (manic depression).

The coldness is there but it can alternate with flushes of heat. The coldness can go to more extreme sensations of freezing, numbness, and icy sensations. They may suffer from fibromyalgia along with coldness.

There is also a sensation of being scratched by an animal.

You may see a history of seizures, as well as skin symptoms like poison ivy reactions. This is a remedy that can follow *Cuprum* and *Camphora* where convulsions are the main symptomatology. A history of severe diarrhea and vomiting (even a history of cholera) may also be found. They will then have a strong gag reflex and easy vomiting.

As mentioned in the discussion about the miasm, severe constipation may also arise, as well as the classic severe, watery diarrhea or chronic bouts. This constipation is part of the conservation or cramping. There can be severe cramping with stool, and they can go days without a stool. In some ways, they feel better, especially emotionally, when constipated, as if the conservation is a good thing.

## Clinical Focus Guide

### Mind and Disposition Focus

#### Angel of death, death personified

Angel of death, dreams of angel of death or feeling of angel of death around them

Ominous, associated with the devil, hell, and dying

Sees figures – a black-hooded man or woman with a scythe, skeleton or broomstick

Visions or dreams of ghosts or deathly apparitions

Feeling of doom with visions

Taken by the devil

#### Dark

Dark, creepy nightmares or visions

Dark shadowy entities or unseen powers approach or pursue them

Sense of a dark presence  
Especially during pregnancy  
Dark depression

**Doom**

Overwhelming impending doom  
Everything seems disastrous  
Apocalypse

**Fear someone is going to take them away and kill them**

**Fear of spiders**

**Community, social position**

Loss of  
Holding on to  
Member of religious community

**Seeking out the strongest group or individual**

**Following the rules**

Indignation if not followed  
Rituals  
Perfectionist  
Obsessive compulsive disorder  
Right and wrong

**Emotional cramping**

**Evangelical**

Very religious  
About social position  
About national or local group  
About a new technique or perspective  
A teacher or guru of unique ideas  
Being put down and fear loss of position

**Irritable, irascible**

**Purging**

From anger or resentment  
By autocratic regimes, especially of foreign persons, or of non-supporters  
Work position tenuous, mass firing  
Of the devil

**Flow**

Of wealth (affluence)  
Profusion of ideas and thoughts

**Vertigo**

Motion sickness

Incapacitating nausea, even vomiting on trains, airplanes

**Seizures, convulsions, spasmodic**

With coldness

With falling

From expression of emotion

**Dysmenorrhea**

Fainting during menses

## **Selections from Traditional and Contemporary Homeopathic Sources**

None.

## **Relationships**

See the Cholera miasm chapter above.

## **References**

### ***Vibrionales***

Todar, K. 2008–2012. *Online Textbook of Bacteriology*. ‘*Vibrio cholerae* and Asiatic Cholera.’ <http://www.textbookofbacteriology.net/cholera.html> (Viewed online May 21 2020).

Wikipedia website. *Vibrionaceae*. <http://en.wikipedia.org/wiki/Vibrionaceae> (Viewed online May 21 2020).

### ***Cholera Miasm***

#### **Homeopathic Sources**

Clarke, J. H. [1900]. *A Dictionary of Practical Materia Medica*. Volume 3. (Reprinted 2004). B. Jain, New Delhi.

Hahnemann, H. [1852]. *The Lesser Writings of Samuel Hahnemann*. Tr. R. Dudgeon. (Reprinted 2002). B. Jain, New Delhi.

Kent, J. T. [1905]. *Lectures on Materia Medica*. 4th edition. (Reprinted 2002). B. Jain, New Delhi.

Klein, Louis. 2009. *Miasms and Nosodes: Origins of Disease*. Volume 1. Narayana Publishers, Kandern, Germany.

# INDEX

## A

abscess 111, 126, 282  
 acid reflux 94  
 acne 63, 109, 114  
 acrodermatitis chronica atrophicans 313  
 acute hemolytic anemia 328  
 acute viral miasm 23  
 ADD 77, 80, 88, 293, 298  
 addictions 189, 288, 362  
 adenovirus 151  
 ADHD 77, 80, 88, 293  
 albuminuria 330  
 alcoholism 189, 288, 362  
 allergy 162, 180, 184, 203, 216  
 alopecia areata 271, 280, 290  
 alopecia totalis 271, 280  
 Alzheimer's disease 41  
 Amyloid miasm 40  
 anal fissure 282, 289  
 anemia 163  
 aneurysm 282, 289  
 angina pectoris 134, 289  
 angiocholecystitis 330  
 angioedema 239  
 ankylosing spondylitis 132  
 anorexia 239, 243  
 antibiotic resistance 59  
 aphasia 283, 286  
 aphthae 246  
 appendicitis 114  
 arteriosclerosis 175  
 arthritis 85, 89, 114, 133, 175, 202, 243, 313  
 Asperger's 49, 298  
 asthma 122, 124, 158, 160, 163, 175, 183, 202, 205, 219, 226, 268, 282, 286  
 ataxia 276, 283  
 atheroma 92, 94, 163, 284  
 atypical pneumonia 144, 155, 159

auditory hallucinations 275  
 autism 49, 138, 142, 298  
 autoimmune disorders 57, 298  
 autoimmune hemolytic anemia 160  
 avian chlamydiosis 95  
 azotemia 330

## B

Bacillales 52  
 bacillary angiomatosis 232  
 Bacillus anthracis 52  
 Bacillus cereus 52  
 Bacillus thuringiensis 52  
 bacteremia 120, 182, 232  
 bacteria pleomorphism miasm 26  
 Baker's cysts 313  
 balanitis 132  
 Bang's disease 241  
 bejel 276  
 Bell's palsy 271, 281, 319  
 benign prostatic hypertrophy 80, 89  
 beta-lactam antibiotics 60  
 bipolar disorder 359  
 blepharitis 175  
 blindness 125  
 boils 60, 109, 114, 117, 128  
 Borrelia burgdorferi 254, 301, 312  
 Borrelia miasm 45, 319  
 borreliosis 305, 313  
 botulinum miasm 42  
 Bowel Nosode miasm 45  
 bowel nosodes 220  
 brittle finger nails 90  
 bronchiectasis 124  
 bronchitis 124, 157, 163  
 bronchopneumonia 116, 124  
 Brucella melitensis 235  
 brucellosis 232, 234-236, 238, 241, 244, 250

buboes 86, 286  
 bubonic plague 344  
 bulimia 362  
 Burkholderiales 168, 232

## C

Campylobacter jejuni 338  
 cancer 57, 90, 184, 338  
 Cancer miasm 27, 39  
 carbuncles 117, 128  
 cardiovascular disease 92  
 Carrion's disease 232  
 cataract 96  
 cat scratch disease 232, 251  
 cellulitis 60, 104, 111, 114, 126, 297  
 cephalosporins 60  
 cerebral palsy 298  
 cervical cancer 153  
 cervicitis 84, 151, 289  
 chemosis 280  
 childhood illnesses 158  
 chlamydia 75, 80, 85-86, 89-90, 147, 151, 198, 242  
 Chlamydiaceae family 74  
 Chlamydia miasm 40-42  
 Chlamydia pecorum 86  
 Chlamydia pneumoniae 74, 92  
 Chlamydia psittaci 74, 86, 95  
 Chlamydia trachomatis 74-75, 83  
 cholera 223, 338-340, 352-353, 356-357  
 Cholera miasm 25, 37, 260, 339-344, 348-351, 356-358, 363  
 chorioamnionitis 150  
 chronic fatigue syndrome 216, 243, 362  
 chronic kidney disease 114, 184  
 cleft palate 270  
 Clostridium perfringens 52  
 Clostridium perfringens miasm 29  
 Colibacillum miasm 45  
 colitis 63, 137  
 congenital syphilis 276  
 conjunctivitis 63, 81, 83-86, 90, 94, 96, 111, 198, 203, 208, 213, 289, 300, 323, 330

constipation 204, 246  
 corneal ulceration 86, 280  
 corns 175  
 Corynebacterium miasm 31  
 cough, chronic 163  
 cranial nerve disorders 163  
 Creutzfeldt-Jakob disease 41  
 Crohns disease 137  
 croup 124  
 cyclothymia 245  
 cystitis 89, 117, 132, 208, 219  
 cysts 90, 109, 114

## D

deafness 271, 276, 280  
 dehydration 362  
 dementia 276, 280  
 dental caries 100, 125, 135, 289  
 DES (diethylstilbestrol) 89  
 deviated nasal septum 175  
 diabetes 136, 189  
 diarrhea 159, 204, 219  
 Diplococcus pneumoniae 120  
 diplopia 280  
 dissociative disorders 56  
 duodenal ulcer 338  
 dwarfishness 284, 299  
 dysentery 63, 119, 298  
 dysmenorrhea 125, 132, 289, 347-348, 363

## E

ectopic pregnancy 80, 85, 89, 198  
 eczema 63, 114, 116, 202, 272, 290  
 emphysema 124, 163  
 encephalitis 160, 211, 215, 330  
 endocarditis 58, 60, 100, 126, 182, 213, 232  
 endometriosis 149, 153, 184  
 endophthalmitis 182  
 enteritis, staphylococcal 63  
 Enterobacteriales 338  
 Enterococcus faecalis 101, 103  
 Enterococcus faecium 101  
 Enterococcus proteiformis 103

## Index

enuresis 153, 289, 298  
epicarditis 270  
epidemics 7-8, 24, 60, 210, 241, 322,  
339-340, 348, 353, 356  
epididymitis 80, 84-85, 89, 151, 198,  
208, 247  
epilepsy 114, 285, 347  
epistaxis 330  
Ericaceae 319  
erysipelas 104, 109, 111, 114  
erythema 133  
erythema migrans 309, 312  
erythema multiforme 160  
essential tremor 63, 294  
ethmoiditis 289  
Ewing sarcoma 282  
exostoses 285

## F

Fabaceae 232  
fever  
intermittent, recurrent 247  
fibroid tumors 239  
fibroma 289  
fibromyalgia 64, 137, 238, 247, 298,  
329, 359, 362  
fistula 284  
lacrimal ducts 63  
Fitz-Hugh-Curtis Syndrome 85  
food poisoning 60-61  
frigidity 289  
funisitis 150

## G

gallstones 175  
gardnerella 242  
gastric fever 241  
gastric ulcer 116, 338  
gastroenteritis 338  
Gibraltar fever 241  
glaucoma 96, 125  
glomerulonephritis 110, 114  
goiter 175, 297  
gonorrhea 83, 147, 151, 168, 175, 198,  
205, 219, 221, 262

Graves' disease 184  
Guillain-Barré syndrome 329

## H

Haemophilus influenzae 127, 144, 242,  
338  
headache 90, 202, 215, 246, 270, 280,  
286  
Helicobacteraceae 338  
Helicobacter pylori 338  
hemiplegia 329  
hemolytic anemia 160, 163  
hemorrhage 119, 125, 328  
hemorrhagic fever 328  
hemorrhoids 282, 289  
hepatitis 226, 328  
herpes 163, 286, 290, 318, 329-330  
herpes simplex virus 151  
Herpes Zoster miasm 32  
HIV 85, 127  
hives 184, 203  
Hodgson's disease 289  
hydrothorax 299  
hyperazotemia 328  
hyperbilirubinemia 330  
hypercholesterolemia 94, 163  
hyperglycemia 137  
hyperlipidemia 175  
hypertension 94, 96, 163, 175  
hyperthyroidism 175  
hypoglycemia 136-137  
hypovolemic shock 340, 352, 362

## I

iatrogenic diseases 288  
ichthyosis 290  
idiopathic membranous nephropathy  
324, 328  
impetigo 60, 63, 69, 104, 109, 111,  
114-115  
impotence 276, 289  
infertility 80, 149, 153, 198  
influenza 7, 60, 118, 127-128, 266  
insomnia 275  
interstitial keratitis 276

involuntary urination 80  
 irido-cystitis 289  
 iritis 271, 280, 300  
 irritable bowel syndrome 135, 137  
 ischemic heart disease 175  
 Ixodes 312  
 Ixodes pacificus 314  
 Ixodes scapularis 314

## J

jaundice 226, 326, 328, 330

## K

keratitis 289, 300  
 keratoderma 290  
 kidney failure 328  
 kidney stones 184  
 Klebsiella pneumoniae 132  
 Koenig's disease 289

## L

lactic acid 102  
 lactic acid bacteria 100-101, 135  
 Lactobacillales 100, 135  
 Lactobacillus acidophilus 101-102  
 Lactococcus lactis 101  
 laryngitis 175, 208, 289  
 Leguminosae 232  
 Leprosy miasm 45, 307  
 Leptospira interrogans 321, 325-326  
 leptospirosis 321, 323, 325-326  
 Leptospirosis miasm 29, 324  
 lichen planus 175, 290  
 lichen sclerosus 298  
 Lobstein's disease 289  
 Lyme disease 232, 251, 254, 258, 302, 304, 306, 308, 310-311  
 lymphadenitis 115  
 lymphadenopathy 232  
 lymphogranuloma venereum 83, 85

## M

malaria 10-11, 16, 127, 275  
 Malaria miasm 29, 324

malnutrition 127  
 Malta fever 241  
 manganese 306  
 mastitis 60, 116, 140, 216  
 mastoiditis 111, 113  
 measles 158, 163  
 Measles miasm 28  
 Mediterranean fever 241  
 Menière's disease 289  
 meningitis 60, 100, 126-127, 151, 168, 182, 210-211, 215, 275-276, 313, 321, 326, 329  
 meningococcal septicemia 168  
 meningococcemia 210  
 Meningococcus 210  
 mesenchymatosis 208  
 methicillin 60  
 microbiome 7  
 Micrococcus pneumoniae 120  
 Micrococcus scarlatinae 105  
 migraine 133, 202, 212, 214, 216, 246  
 milky disease 52  
 miscarriage 80, 89, 149, 239, 243, 247, 276, 286  
 mitral valve regurgitation 270  
 monasticism 49  
 mononucleosis 108, 113  
 motion sickness 363  
 MRSA (Methicillin-resistant Staphylococcus aureus) 54, 59  
 Munchausen syndrome 361  
 myalgia 243, 247, 329  
 Mycobacterium paratuberculosis (Johne's disease) miasm 46  
 Mycobacterium tuberculosis 121  
 Mycoplasma genitalium 144, 147, 150-151, 158  
 Mycoplasma hominis 150  
 Mycoplasma miasm 34  
 Mycoplasma mycoides 158  
 Mycoplasma pneumoniae 144, 155, 158  
 Mycoplasmatales 143-144  
 myocarditis 270  
 myopia 280  
 myxomas 297

## **N**

narcissism 152  
nasal polyps 208  
necrotizing fasciitis 103-104, 111  
*Neisseria flava* 168, 178  
*Neisseria gonorrhoeae* 86, 151, 168-169, 186, 197  
*Neisseriales* 17, 36, 147, 168-169, 177, 196, 212, 218, 223, 227  
*Neisseria meningitidis* 168, 182, 210  
*Neisseria mucosa* 168  
nephritis 202  
neurofibromatosis 175  
neurosyphilis 275  
Nicolas-Favre disease 289  
nongonococcal urethritis 84  
non-Hodgkin lymphoma 313  
nystagmus 322, 329

## **O**

obsessive compulsive disorder 268  
ocular adnexal lymphoma 95  
ocular hypertension 114  
oliguria 330  
onychorrhexis 290  
onyxis 290  
ophthalmia 208  
ophthalmia neonatorum 86, 90, 280  
opisthotonos 346  
orchitis 208, 239  
osteoarthritis 118, 247  
osteochondritis 289  
osteomyelitis 60, 64, 126, 243  
osteopsathyrosis 289  
osteosarcoma 282, 286  
otitis 289  
otitis media 100, 126, 175, 215  
otosclerosis of Bezold 289  
ovaritis 289  
ozena 208, 271, 281, 286, 289

## **P**

*Paenibacillus* 52  
Paget's disease 289

pancreatitis 163, 330  
PANDAS 109  
pandemics 24  
Papaveraceae 327  
paralysis 276, 284, 329  
Parkinson's disease 63, 294  
paronychia 117  
parrot disease 289  
Pasteurallles 338  
pectus excavatum 272  
Pediatric Autoimmune Neuropsychiatric Diseases Associated with *Streptococcus* 108, 113  
peliosis hepatis 232  
pelvic inflammatory disease 80, 84, 89, 144, 149, 198, 202  
pemphigus 290  
penicillin 60, 110, 128, 144, 256  
perforated septum 281  
pericarditis 63, 126, 163, 270  
periostitis 276  
peripheral arteritis 270  
peripheral neuropathy 163  
peritonitis 126, 182  
personality disorder 147  
petechiae 330  
phlebitis 63, 270  
pinta 276  
plague 242  
pleural effusion 163  
pleurisy 117  
Pneumococcal vaccines 120  
*Pneumococcinum miasm* 42  
*Pneumococcus* 120  
pneumonia 60, 85, 92-93, 96, 100, 122, 124, 126, 132, 151, 157, 159, 163, 213, 326  
Polio miasm 43  
polyarthritis 134  
postpartum fever 144  
post-streptococcal glomerulonephritis 105, 112, 134  
post-treatment Lyme disease syndrome 313  
pregnancy and postpartum infections 144  
premature birth 80, 89, 149

priapism 208  
 Prion miasm 40  
 probiotics 100-101, 136  
 proctitis 84  
 proctocolitis 86  
 prostatitis 80, 89  
 protozoan babesiosis 313  
 Pseudomonadales 338  
 Pseudomonas 353  
 psittacosis 95  
 psoriasis 63, 109, 114, 133, 175, 290  
 Psoric miasm 6, 25, 176, 188  
 psychosis 347  
 ptosis 286  
 puerperal fever 110  
 pyelonephritis 144  
 pyuria 153

## **Q**

quinsy 105, 118

## **R**

Rabies miasm 24  
 rachitis 289  
 Raynaud's disease 270, 349  
 rectitis 289  
 rectocolitis 289  
 Reiter's syndrome 77, 81, 84-85, 89, 195, 202  
 renal dysfunction 160  
 respiratory viruses 127  
 Reye syndrome 94  
 rheumatic fever 68, 104, 110, 112, 118  
 rheumatism 118, 202, 286  
 rheumatoid arthritis 247, 282  
 Rhizobiales 232, 251  
 rice-water stools 352  
 rickettsial anaplasmosis 313  
 ringworm 175  
 Ringworm miasm 26

## **S**

sadomasochism 148  
 salpingitis 151

scarlet fever 100, 103-104, 110-112, 118, 133  
 Scheuermann's disease 289  
 schizoaffective disorder 161  
 schizophrenia 347, 350  
 sciatica 122, 184, 215, 319  
 seizures 359  
 sepsis 100, 108  
 septic arthritis 126, 182, 198  
 septicemia 151, 210, 338  
 Sever's syndrome 289  
 sexually transmitted infection (STI) 84, 197  
 sialorrhoea 289  
 sickle cell disease 324, 329  
 sinusitis 60, 126, 183, 203, 213  
 Sjogren's syndrome 135, 137  
 Spanish flu 8  
 sphenoiditis 289  
 Spirochaeta interrogans 321  
 Spirochaetales 254, 302, 331  
 spirochetes 255, 322, 326  
 spondyloarthropathies 132  
 staphylococcal scalded skin syndrome 60, 81, 90-91  
 Staphylococcus 109, 111  
 Staphylococcus albus 60  
 Staphylococcus aureus 52-54, 112  
 Staphylococcus epidermidis 53, 60  
 Staphylococcus haemolyticus 53  
 Staphylococcus miasm 39  
 Staphylococcus simulans 53  
 steatomas 195  
 sterility 289  
 Stevens-Johnson syndrome 160, 163  
 stillbirth 149, 151, 276  
 strabismus 289, 300  
 strep throat 100, 104-105, 111-113, 133  
 streptococcal toxic shock syndrome 104, 112-113  
 Streptococcus 109  
 Streptococcus agalactiae 100, 139  
 Streptococcus erysipelatos 105  
 Streptococcus faecalis 103, 168  
 Streptococcus hemolyticus 105  
 Streptococcus/Micrococcus zymogenes 103

*Streptococcus pneumoniae* 100, 103, 120, 126  
*Streptococcus pyogenes* 53, 100, 103-105, 109-112, 133  
*Streptococcus thermophilus* 101  
*Streptococcus viridans* 104  
stroke 276  
styes 60, 280  
Sycotic miasm 17, 24, 36, 169-170, 172-174, 176-177, 181-182, 188, 190, 192, 195-197, 205, 214, 225, 258, 260, 272, 299  
syphilis 256, 258, 262, 270-271, 281, 284, 292, 312  
Syphilitic miasm 17, 46-47, 176, 256-263, 270-274, 292, 299, 303, 349-350

## T

tabes dorsalis 270, 275-276, 283  
Taiwan acute respiratory agent (TWAR) 92  
tenesmus 298  
tenosynovitis 198  
Tetanus miasm 33-34, 362  
thrombocytopenia 134, 163  
thrush 175  
ticks 312  
tics 109, 114, 268, 279  
tinnitus 215, 275, 319  
tonsillectomy 69, 113, 116  
tonsillitis 105  
Tourette's syndrome 109, 268, 279  
toxemia 113, 119  
toxic epidermal necrolysis 160  
toxic shock syndrome 59-60  
Toxoplasmosis miasm 37  
tracheobronchitis 144, 159, 163  
trachoma 75, 83, 86  
transaminasemia 330  
transverse myelitis 329  
trench fever 232  
*Treponema pallidum* 254, 256, 262

*treponemes* 254, 275, 326  
*Trichomonas vaginalis* 151  
trigeminal neuralgia 114, 117, 288  
Trypanosomiasis (sleeping sickness) miasm 48  
Tubercular miasm 44  
tuberculosis 175, 354  
tumor 284  
typhoid 244, 275  
Typhoid miasm 25, 342, 350, 357  
typhus 275

## U

ulcerative colitis 271, 298, 347  
undulant fever 241  
*Ureaplasma urealyticum* 144, 147, 150  
urethritis 84, 144, 151, 208  
urinary tract infections 60, 149  
urticaria 133

## V

vaginitis 289  
vancomycin 60  
vertigo 246, 275, 289  
*Vibrio cholerae* 338-339, 341  
Vibrionaceae 338  
Vibrionales 337-339, 351, 353, 363  
*Vibrio parahaemolyticus* 338  
*Vibrio vulnificus* 338  
vomiting 159

## W

walking pneumonia 155  
warts 175, 202, 220, 223, 285, 300  
Weil's disease 329  
whooping cough 242

## Y

yaws 276  
*Yersinia* miasm 34, 308


**Louis Klein**

**Miasms and Nosodes - Volume 2**

Origins of Disease

384 pages, geb.  
appears 2025

[Buy now](#)



More books on homeopathy, alternative medicine and healthy living [www.narayana-verlag.de](http://www.narayana-verlag.de)