

Manuel Mateu i Ratera


First Aid with Homeopathy

Sample text

[First Aid with Homeopathy](#)

from [Manuel Mateu i Ratera](#)

editor: Narayana Verlag



In the [Narayana Webshop](#) you will find all German and English books on homeopathy, alternative medicine and healthy living.

Copyright:

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tel. +49 7626 9749 700

Email info@narayana-verlag.de

<https://www.narayana-verlag.de>

Narayana Verlag is a publisher of books on homeopathy, alternative medicine, and healthy living. We publish works by top-class, innovative authors such as Rosina Sonnenschmidt, Rajan Sankaran, George Vithoulkas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus, and Dinesh Chauhan.

Narayana Verlag organizes homeopathy seminars. World-renowned speakers such as Rosina Sonnenschmidt, Massimo Mangialavori, Jan Scholten, Rajan Sankaran & Louis Klein inspire up to 300 participants.

Contents

Advisory team and collaborators.....	xiii
Foreword by Deborah Collins	xvii
Foreword by Maite Bravo	xix
Preface	xxi
New in this edition.....	xxiii
I. Introduction.....	1
1. About homeopathy	2
2. The Word as therapy. Dr G. Fernández.....	21
3. Scientific evidence for homeopathy. Drs S. Abanades and M. Durán	29
II. Resuscitation – Vital emergencies.....	39
1. How to deal with an accident. Protocols. Dr J.M. Soto	40
2. Cardiopulmonary resuscitation. Dr J. Vera Moreno	44
3. Usefulness of homeopathy and acupuncture in emergencies. Dr J. Vera Moreno.....	59
4. Vital medical emergencies. Drs J. Vera Moreno, N. Pons, M. Mateu I Ratera	66
III. Accidents	97
1. Traumatisms	98
1.1 Blows and bruises.....	98
1.2 Wounds.....	112
1.3 Traumatic haemorrhages	145
1.4 Sprains, strains, tendinitis, and dislocations.....	156
1.5 Fractures.....	184
1.6 Head injuries	197
1.7 Spinal injuries.....	214
1.8 Dental and maxillofacial injuries	222
1.9 Eye injuries	239
A. Mechanical ocular traumas	243
A.1 Eyelid wounds.....	243
A.2 Conjunctival and corneal injuries: punctures, cuts, abrasions, and lacerations.....	245

A.3 Foreign bodies	249
A.4 Ocular contusion from blunt objects, without injury	251
A.5 Orbital fractures	252
A.6 Severe eye injuries	253
A.7 Ocular trauma complications	254
B. Caustic chemical injuries - Acids and alkalis	261
C. Thermal burns	263
D. Radiation injuries	264
D.1 Snow conjunctivitis	264
D.2 Headache from sun reflection on snow	264
E. Functional lesions	264
E.1 Ocular discomfort from overexertion – accommodative asthenopia	264
E.2 Dry eyes from looking at bright light	267
1.10 Ear injuries	268
1.11 Overexertion complaints	271
1.12 Traumatic shock	285
1.13 Complications of accidents and surgery	289
2. Venomous bites and stings - Rabies	312
2.1 Insect bites and anaphylactic shock	312
2.2 Rabid animal bites – prevention of rabies (Hydrophobia)	324
2.3 Poisonous bites (snakes, spiders...)	333
3. Thermal, chemical, and radiation injuries	365
3.1 Thermal and chemical injuries	365
Burns	367
Frostbite	393
Solar lesions	403
3.2 Radiation injuries	414
Atomic radiation – radioactivity	416
3.3 Injuries from electricity and lightning	438
4. Accidents from decompression	439
4.1 Mountain sickness	439
4.2 Dysbarism – diver's disease	466
5. Asphyxiation and intoxication from gases	474
6. Food and toxic products poisoning	488
6.1 Food poisoning	488
6.2 Chemical and drug poisoning	506
7. Motion sickness – Jet lag	514
8. Emotional traumas	523
8.1 Ailments from accidents, aggression, losses or anticipation	523
8.2 From fright and aggressions	529

8.3	From good or bad news.....	536
8.4	From homesickness – travel, exile, war	537
8.5	From financial, material, work, and status loss.....	540
8.6	From excessive worries.....	542
8.7	From emotional loss, death of loved ones, and love disappointment.....	543
8.8	From anticipation – exams, stage fright... ..	547
8.9	From mental, physical or sexual overexertion.....	551
8.10	Fainting, apparent death from fright or accidents.....	553
8.11	Insomnia after accidents and emotions.....	555
9.	Prophylaxis for travellers – infectious disease prevention	556
IV.	First aid kits.....	607
V.	Materia medica	627
	Absinthium	630
	Aconitum napellus	630
	Adrenalinum	632
	Aethusa cynapium.....	634
	Agaricus muscarius.....	635
	Agaricus phalloides.....	637
	Allium cepa	638
	Aloe socotrina	639
	Ambra grisea	640
	Ammonium carbonicum	641
	Amylenum nitrosum.....	642
	Anacardium orientale.....	643
	Anas barbariae/Oscillocochinum®	644
	Androctonus.....	647
	Anthracinum.....	648
	Antimonium crudum.....	649
	Antimonium tartaricum.....	650
	Apis mellifica.....	651
	Argentum metallicum.....	652
	Argentum nitricum.....	653
	Arnica Montana	655
	Arnica composite®	657
	Arsenicum album.....	657

Arum triphyllum	659
Aurum metallicum	660
Bacillus proteus (Bach)	663
Badiaga	663
Baptisia tinctoria.....	664
Belladonna	665
Bellis perennis	667
Bitis arietans	668
Borax	669
Bothrops lanceolatus.....	670
Botulinum	671
Bryonia alba	672
Bufo rana	673
Cactus grandiflorus	674
Cadmium sulphuratum	675
Caladium	676
Calcium carbonicum.....	677
Calcium phosphoricum	678
Calcium picricum	680
Calendula officinalis	680
Camphora.....	682
Cantharis vesicatoria	683
Capsicum annuum	684
Carbo animalis.....	686
Carbo vegetabilis.....	687
Carbolic acid	688
Castor equi	689
Causticum	690
Ceanothus americanus.....	691
Cedron.....	692
Chamomilla.....	693
China officinalis	694
Chironex fleckeri.....	696
Chloralum hydratum	697
Cicuta virosa	698

Cimex lectularius	699
Cimifuga racemosa	700
Coca	702
Cocculus	704
Coffea cruda	705
Colocynthis	706
Conchiolinum	707
Conium maculatum	708
Crotalus horridus	710
Culex musca	711
Cuprum metallicum.....	712
Curare.....	713
Digitalis purpurea.....	715
Diospyros kaki creveld	716
Echinacea angustifolia	717
Elaps corallinus	718
Electricitas.....	719
Eupatorium perfoliatum.....	720
Euphorbia corollata	721
Euphorbia polycarpa.....	722
Euphrasia officinalis.....	722
Ferrum phosphoricum.....	724
Ficus benghalensis	725
Ficus religiosa.....	726
Fluoric acid.....	726
Gelsemium	727
Gentiana lutea	729
Glonoinum	730
Granitum Murvey	731
Graphites	732
Guarea trichiloides.....	733
Hamamelis	733
Hecla lava	735
Hedeoma puleginoides	736
Helleborus niger.....	737

Hepar sulphur	738
Hirudo medicinalis	739
Histaminum	740
Hydrocyanic acid	741
Hyoscyamus niger	742
Hypericum perforatum.....	744
Ignatia amara	745
Indigo tinctoria	747
Influenzinum.....	748
Iodum	750
Ipecacuanha	751
Kalium bichromicum.....	753
Kalium iodatum	754
Kreosotum.....	755
Lachesis	756
Lathyrus sativus	759
Latrodectus mactans.....	760
Lecithinum	761
Ledum palustre	762
Lobelia cardinalis.....	764
Lonicera xylosteum	765
Lycopodium.....	765
Lyssinum (Hydrophobinum)	767
Magnesium phosphoricum	768
Mancinella	769
Mandragora.....	771
Marble	772
Medusa	772
Mercurialis perennis	773
Mercurius corrosivus	774
Mercurius solubilis.....	775
Millefolium.....	777
Myristica sebifera	778
Naja tripudians.....	779
Naphtalinum	781

Natrium carbonicum	782
Natrium muriaticum	783
Natrium sulphuricum	785
Nitric acid.....	786
Nux moschata.....	788
Nux vomica.....	789
Opium	790
Oxalic acid.....	792
Petroleum crudum	794
Phaseolus nanus.....	795
Phosphoric acid.....	796
Phosphorus.....	797
Phytolacca	799
Plantago major	801
Platina.....	801
Plumbum.....	804
Plutonium nitricum.....	805
Podophyllum.....	807
Pulex irritans.....	808
Pulsatilla.....	809
Pyrogenium	811
Radium bromatum.....	812
Raphanus sativus.....	814
Ratanhia peruviana.....	815
Rhus toxicodendron	816
Ruta graveolens.....	818
Sambucus	820
Scolopendra.....	821
Secale cornutum.....	822
Selenium	823
Senega.....	825
Sepia officinalis	826
Silicea	828
Sol	829
Solanum malacoxylon.....	830

Spigelia	831
Stannum	833
Staphisagria	834
Sticta pulmonaria	836
Stramonium	837
Strontium carbonicum	838
Sulphur	840
Sulphuric acid	842
Symphytum officinale	844
Tabacum	846
Tarentula cubensis	847
Tarentula hispanica	848
Tetanotoxinum	849
Theridion curassavicum	850
Thiosinaminum	851
Thuja occidentalis	852
Thymolum	854
Thyreoidinum	855
Trillium pendulum	858
Uranium nitricum	860
Urtica urens	862
Vanadium	863
Vanilla	864
Veratrum album	865
Veratrum viride	868
Vespa	869
Vipera berus	870
White Marble	872
X-rays	873
Zincum metallicum	874
VI. Bibliography	877
VII. Indexes	901

Advisory team and collaborators

Sergio Abanades

Specialist in Clinical Pharmacology. Doctor of Pharmacology. Honorary Professor of Pharmacology and Toxicology at Imperial College London. Clinical Investigator. Homeopathic physician. Master Teacher of Homeopathy, University of Barcelona (UB) - IL3 - Homeopathic Medical Academy of Barcelona (AMHB). Chapter on Scientific Evidence for Homeopathy. Department of Medical Research, Homeopathic Medical Academy of Barcelona.

Carles Amengual

Medical homeopath. Specialist in Traditional Chinese Medicine. Secretary for Education of the International Homeopathic Medical League. AMHB President from 1992 to 2000.

Javier Botella

Mountaineer and intensive care physician. Specialist in mountain medicine. Physician of mountaineering expeditions.

Maite Bravo

Homeopathic doctor (MFHom, London). President of the Academia Médico Homeopática de Barcelona (AMHB). Director of Homeopaths Without Borders (Spain). Projects in Nicaragua, training and assistance in homeopathy. An expert in micro-nutrition and dietetics.

Chantal Chemla

Homeopathic physician. President of the Institut National Homeopatique Français, Paris.

Deborah Collins

I want to thank Deborah Collins for making a thorough revision of the book and for making very valuable homeopathic additions to it.

Jordi Desola

Specialist in Internal medicine, Occupational Medicine, and Sports medicine. Qualification Assistant Professor of Medicine. Director of the

Master of Underwater and Hyperbaric Medicine. Hyperbaric Therapy Unit of the Centre for Underwater Recovery and Research (CRIS-UTH), Barcelona, Spain.

Marta Durán

Specialist in Clinical Pharmacology. Doctor of Medicine. Master's Degree in Homeopathy. Remedy research. Chapter on Scientific Evidence for Homeopathy. Department of Medical Research Homeopathic Medical Academy of Barcelona. Master Teacher of Homeopathy, University of Barcelona (UB) - IL3 - Homeopathic Medical Academy of Barcelona (AMHB). Chapter on Scientific Evidence for Homeopathy.

Gualberto Díaz

Homeopathic physician. Boiron Laboratories Medical Director. Scientific documentation.

Maria Teresa Falip

Specialist in Gynecology. Master's Degree in Homeopathy. Secretary of the AMHB. Review and advice.

Gonzalo Fernández

Homeopathic physician. Master Teacher of Homeopathy in the UB-IL3 and AMHB. Brief Strategic Therapy Specialist. Chapter on "The Word as Therapy in Accidents".

Teresa Forcades

MD and specialist in Internal Medicine and Public Health. Author of "Crimes of the Big Remedy Companies," Cristianisme i Justícia, Barcelona. 2006, and the video on the swine flu vaccine: "Bells of Influenza A". Doctor of Theology.

Sílvia García Gómez

Veterinary Specialist in homeopathy and clinical documentation. Address IberHome Scientific Laboratories. Review, documentation and advice.

Josep María García

Homeopathic physician. Professor of Materia Medica of the Master of Homeopathy, UB-IL3 and AMHB. Case reports and advice.

Montserrat Gaya

Medical Ophthalmologist. Master's Degree in Homeopathy from the IL3-UB-AMHB. Collaborator in the chapter on *Eye Injuries*.

Cristina Guasp

Homeopathic physician. Pharmacy department, homeopathic at AMHB. Clinical cases.

Jacques Imberechts

President and promoter of European Homeopathy. Homeopathy Internationalis. Provings Committee Director of International Homeopathic Medical League. Advice.

José Eugenio López

Homeopathic physician. Co-director of “Revista Médica de Homeopatía”, Elsevier. Clinical cases.

Patricia Maché

I want to thank Patricia Maché for her great dedication and time consuming work in improving the English translation of my book.

Juan Manuel Marín

Homeopathic physician. Founding member of the European Forum for Vaccine Vigilance. Author of “Vacunaciones sistemáticas en cuestión” Documentation.

Joan Mora

Homeopathic doctor (MFHom London). Director of the “Revista Médica de Homeopatía”, Elsevier. Specialist in childhood immunisation. Founding member of the European Forum for Vaccine Vigilance. Master Teacher of Homeopathy (IL3-UB-AMHB). Documentation, case studies and advice.

Antonio Ortega

Homeopathic physician. ECHR school teacher and Master of Homeopathy, UB-IL3 and AMHB. SEMH member. Case reports and advice.

Josep Ortí

Homeopathic physician and specialist in geriatrics. Clinical cases.

Núria Pons

Emergency Medical Services (EMS), Pyrenees and Aran. Masters in Homeopathy, IL3-UB-AMHB. Emergency hospital experience and assists in 061.

Anton Rañé

Medical Traumatology. Expert mountaineer and specialist in Mountain Medicine.

Clara Roset

Veterinary homeopath. Master in Veterinary Homeopathy IL3-UB-AMHB.

José Luis Rovira

Homeopathic physician and specialist in traumatology.

Josep Maria Soto

Physician Anesthesiologist and Reanimator. Emergency Medical Services (EMS). Generalitat de Catalunya. Fire and Rescue specialist. EMS Manager in the South Barcelona area.

Montserrat Sotomayor

Homeopathic physician.

Jesús Vera

Medical Assistant, General Hospital. Emergency Medical Services (EMS). Vic, Spain. Homeopathic physician and acupuncturist.

Dèlia Vilà

Specialist in Cosmetic Surgery. Master's Degree in Homeopathy (IL3-UB-AMHB). Case reports and advice.

Preface

“Intellectuals solve problems, geniuses avoid them.” Albert Einstein

...And the rest of us mortals, provoke them, suffer the consequences, and do our best to solve them.

As I finished this edition, my daughter Celia asked me: “Why are you interested in writing a book about First Aid?” Several reasons came to mind. The first one was the powerful influence of **Dr Pietro Bassi** of Courmayeur, the mountain physician who taught me the basis of traumatology, resuscitation, and rescue techniques for mountain and road accidents, and with whom I shared six months of work. The second reason, which influenced me greatly, was the experience of living through terrible mountain accidents, where people were saved *in extremis*. Some accidents were unforeseeable, being either the consequence of taking risks or from nature’s unpredictable forces: serac (block of ice) falling, avalanches or cracks in the glaciers. Others were due to recklessness. Looking back, I can recall one experience that scarred me deeply; an accident I was responsible for. Climbing to the top of Pedraforca, by the Verdet, with a group of family and friends, I took a detour in the final portion of the climb and kept on going through a very steep path that required climbing using my hands. Several youngsters followed me; they considered this path fun and daring, and apparently without danger – among them was **Oriol**. I did not discourage them, on the contrary, I felt flattered, and we kept on going. Oriol’s father, **Lluís**, had been my guide in Pedraforca when I was fifteen years old. We were climbing a relatively easy rocky part, when a block of rock detached from the mountain and Oriol fell. We were free climbing and were not using ropes; a thoughtless act. Oriol started rolling down, passed over rugged terrain, and missed multiple landings without stopping. Finally, when he reached a much wider landing, he stopped. If he had continued his fall, some thirty metres further, a vertical precipice would have awaited him at the base of the main channel. His guardian angel, luck or simply destiny, helped to avoid the fatal fall. When he stopped on that landing, he was conscious; he talked and moved slowly. Everybody helped with the rescue and a helicopter took him to the hospital. The shame and guilt I felt at my own reckless decision involving young, trusting people have lasted till this day.

I told Celia: “I think this book was born from my unconscious as a way to overcome accidents, to teach others to avoid them, and tackle the assistance in accidents successfully.”

That was a painful lesson I learned, for I was the adult and was supposed to be aware of my responsibilities. I had also been very reckless, and my irresponsible behaviour had affected others. Accordingly, my position in this manual cannot be that of the expert who advises caution from a point of reason, common sense, and wise prudence but rather from the recognition that any one of us can be the cause of accidents, which can deeply affect others.

To prevent further accidents, it is crucial to know one’s own limits, as well as the risks that terrains pose. This is my deepest wish.

Once we are motivated, learning these first aid techniques and applying the knowledge of basic medicine in each situation will allow us to help others be effective, avoid intense suffering, and ultimately save lives.

Violent paroxysmic tachycardia.
 Loss of voice and hoarseness in singers and speakers.
 Claustrophobia; other phobias (heights, crowds).
 Jet lag.

Arnica Montana

Arnica

Asteraceae

Arnica is the **vulnerable** remedy par excellence. Indicated as first remedy for any type of **trauma**, shock, sprains, injuries, and overexertion, accompanied by pain, swelling, **bruising sensation**, and difficulty moving; especially indicated in recent muscle injuries with painful bruises.

Muscle pain causes loss of strength; feeling that the bed on which he rests is too hard, causing him to constantly move from one place to another, seeking a soft place. He is **afraid of being touched** or someone running into him if he is approached. Hypersensitive to pain.

Another cause of pain and muscle fatigue is **continuous and strenuous exertion**, whether physical, mental or from sexual excesses. It is therefore indicated in painful stiffness after long walks or long distance races (marathon, mountain trekking) especially in non-trained athletes who, after a long period of intense effort and exhaustion, are fatigued, sore, and bruised. Also indicated in chest pain caused by prolonged episodes of coughing, especially pertussis.

Caution: ice applications reduce the effectiveness of *Arnica*.

It is one of the 14 compounds of Traumeel®.

In brain trauma, whether external (mechanical) or internal (stroke), when the patient remains in a **stuporous** state; correctly answers the questions but **falls back into a stupor**, as in the typhoid cases.

Post traumatic fever, drowsiness, and acidic sweating. Stuporous fevers in which the patient responds and falls asleep again, saying that he is fine and wanting to be left in peace.

Prevents postpartum haemorrhage and puerperal complications if administered immediately after birth. (Mathur)

Mind: the picture is more complex when the case is chronic.

In a bad mood, he wants to be left alone and does not want to be talked to. Pains are intolerable and he is **afraid of being approached and**

touched. Lassitude from any effort, even just talking. Forgetful, starts easily, and is very excitable. He has a curious mindset: when seriously ill, he says: "I'm fine, no need to call the doctor." Capricious, stubborn, argumentative; can become a subtle authoritarian or a dictator. People who think they are indispensable, who work themselves to death and are **reckless**, so sooner or later they collapse or have an accident. Grandgeorge says: "If the first marathon athlete had taken Arnica, he may not have died on arrival. Why did he want to run so fast without stopping? Why not pass the baton? **Arnica has to understand that he is not alone on earth, he has to delegate** and not attend to the whole world."

Asteraceae themes: sensation of being hurt, insulted, shocked, bruised, burned, afraid to be touched, hurt or be approached. Numb, stupor. Reacts as a tough guy who can take all the blows, and protects others from getting hurt. (Sankaran)

Striving for autonomy, independence, bodily integrity. Aversion to any interference or intrusion from the outside, such as operations, medications, vaccinations, or other trauma – anything that violates their boundaries and makes them feel vulnerable. (Scholten)

Arnica essence (Asteraceae – Acute miasm): **shock from sudden trauma.**

Life is full of risks, threats, and dangers, with risks of injuries, blows, and insults. To survive I must be strong, hard, dominant, be bold and daring, and if necessary, insults and hit. Striving to have control, be tough and strong in dangerous situations. (Sankaran)

Indications:

Wounds, acute trauma and its consequences.

Concussion, traumatic brain injury, and its consequences (meningitis, epilepsy).

Trauma with stuporous type fever.

Traumatic shock.

Traumatic tooth extraction; post-extraction haemorrhages.

Epistaxis from blow, from washing face or in pertussis.

Pain after dental treatment.

Traumatic mechanical delivery; prevention of haemorrhages and complications.

Stroke, jaundice with the symptoms described.

Fatigue and pain from physical exertion, mental or sexual excesses.

Flu fevers with *Arnica* symptoms (pain and drowsiness).
 Apparent death in the newborn.
 Angina pectoris.
 Decompression syndrome (diving).
 Jet lag.

Arnica composite®

Composite of 14 remedies in various potencies, acting as a wide spectrum antitraumatic, with the following indications:

- Pain (analgesia).
- Vascular permeability and haemorrhages (hemostatic).
- Infection, inflammation, and suppuration (antiseptic and anti-inflammatory).
- Cicatrization of tissues and bones (cicatrizant).

Composition: Arnica 4D, Calendula 4D, Hamamelis 4D, Millefolium 4D, Belladonna 4D, Aconitum 4D, Mercurius solubilis 8D, Hepar sulphuris 8D, Chamomilla vulgaris 4D, Symphytum 4D, Bellis perennis 4D, Echinacea angustifolia 4D, Echinacea purpurea 4D, Hypericum 7D

Arsenicum album

White arsenic or arsenic trioxide



Arsenicum generally presents severe symptoms in any disease, whether respiratory, infectious, gastrointestinal or cutaneous (burns). It is the main remedy in **severe** and **extensive burns**, **poisonings** from **bad or decaying meat**, in severe forms of **altitude sickness**, in **solar conjunctivitis**, and **gangrenous wounds**.

There is a great physical and mental **restlessness**, which makes the patient **move from one place to another** without finding rest, even in very debilitating diseases.

Weak and exhausted at the slightest effort; state of prostration and depression disproportionate in relation to the situation. **Anxious and worried** about everything. He is convinced that he is seriously ill and he lives this situation with great **despair and distrust**, to the point of not wanting to give his symptoms and refuse food and medication, saying: "This will not help either..." It is a state of irritable weakness.

Absence of pain when the inflammation (throat, diarrhoea) would suggest otherwise.

Baptisia is therefore indicated in poisoning by sewer gas (hydrogen sulphide, H₂S), especially when it produces febrile sepsis with neurological symptoms (stupor and delirium).

Leguminosae themes: being split, fragmented, dispersed, scattered, and trying to bring all the pieces together. Seeking to be strongly united, unified (compensation). (Sankaran)

Fabaceae themes: desire to enjoy life, but it is only “work, work, work”. Fear of poverty. Serious, dry. Split between duty and pleasure. Weakness. Confusion. (Scholten)

Baptisia essence: **feeling of being fragmented, in pieces**; has to pick up all the pieces right now; **tries putting all the pieces together; if he succeeds, he is quiet**. (Sankaran)

Indications:

Poisoning by sewers gas (see *Pyrogenium*).

Septic or typhoid fever, with stupor.

Flu and sore throat fever, with stupor.

Belladonna

Atropa belladonna, *Deadly nightshade*

Solanaceae

Symptoms can occur from exposure to cold drafts or **sunstroke**. It is one of the best remedies for sunburn, particularly in children. Fits children and persons of plethoric, lymphatic, and bilious constitution, who can become violent and are prone to delirium when sick. Diseases begin **suddenly** and are **violent** in nature. Acute local inflammations with **throbbing pain, intense heat, and congestion with redness** of the skin; mucous and serous membranes are affected. **Hypersensitive** to light, shock, pressure, cold, sound, movement, and contact. Aggravated by cold local applications (unlike *Glonoinum*).

In fever and sunstroke, the patient's face looks as if it was **boiling**: face flushed bright red, dilated pupils, fixed stare, startled, as if wild. There is more anger than fear as in *Aconite*. The carotids are pulsating and visible.

Mind: **hypersensitive to everything**; startled by the slightest stimulus and easily excitable The circulatory storm can result in **furiously delirium** with a tendency to bite, scratch, break or escape. This phase may alternate with stupor. Hallucinations and delusions. Fear of ghosts, sees faces, black animals and insects, terrifying, dogs and wolves which threaten him.

Sensations of spasms and tightness in the neck, liver region, and uterus can accompany the process. The patient is very thirsty but cannot drink (hydrophobia).

Belladonna is one of the components of Traumeel ® 14 in D2-D4 potencies. Indicated in “localised reaction phases, cerebral sensitivity with cramps and delirium.”

Solanaceae themes: sudden and abrupt violence, rupture, explosion, burst, tear, touch, constriction, fulgurating, violent terror, persecution, murder, life and death issue, black or white. Anesthetised, stupor. Reaction: shouting, escaping, acute sensations, hitting and kicking. Brace before danger. (Sankaran)

Fight or flight: expecting overwhelming hidden dangers, fighting demons, leading to inner tension, and finally parasympathetic paralysis. (Scholten)

Belladonna essence (Solanaceae – Acute miasm): **sudden attacks of violence, explosion, rage and terror.** (Sankaran)

Indications:

Heatstroke and heat exhaustion, especially in children.

Indicated in a wide spectrum of diseases: delirium, congestive early stages of inflammatory or febrile processes (felons, appendicitis, pneumonia, sore throat, and otitis).

Air pilot's disease.

Nervous disorders and consequences of fright; fear with the indicated symptoms.

Poisonous and hallucinogenic mushroom poisoning.

Neuralgic pain after amputation.

Japanese encephalitis.

Hypertensive crisis.

Others: pain in biliary colic, scarlet fever, strokes, apparent death of newborn, phlebitis, madness after a scare or an upset, and tendency to suicide during alcoholic intoxication.

Rabies prophylaxis (with *Lyssinum*).

Calcium carbonicum or *Sulphur* can complement its action afterwards.

Bellis perennis

Daisy

Asteraceae

From the same family as *Arnica* and *Calendula*, it is also a plant with **vulnerary** effects, especially useful in soft tissue injuries, **glands** (especially the breasts) and **when the body is suddenly chilled or wet**. Similar to *Arnica*, it acts on muscle fibres and blood vessels with **intense pain**, joint weakness as if it was twisted, and venous congestion from blows. One of the best remedies when the blow affects highly irrigated tissues.

Hardening, nodules and swelling in the breasts **after a blow** (see *Conium*); breast cancer after chest trauma. Swelling and hardening of any gland after a blow. Prone to cysts and keloid scars.

Consequences of **nerve injuries** with intense pain and intolerance to **cold baths**. Deep trauma or septic wounds, especially in pelvis and abdomen. Paralysis from bathing in a river in summer.

Problems due to cold food or drink when the body is hot: this is one of its main characteristics.

When the swelling remains in trauma, after treatment with *Arnica*.

Uterine disorders during **pregnancy** from mechanical cause: difficulty walking from abdominal pain, foetus kicking or moving violently or pelvic pressure from the weight of the foetus. Circulatory stasis in the breasts and varicose veins during pregnancy. Inability to walk during pregnancy.

Ameliorated by local pressure, massage, bandaging, and movement.

Lesions with exudate, swelling, and blood stasis. Congestion from mechanical injury, very sensitive to touch. Tumors after a blow.

Older workers exhausted by their work, when the mind begins to fail; older people still working. People who have done strenuous physical work or have traveled extensively.

One of the 14 components of Traumeel® in D2 potency. Indicated in: “dislocations, contusions, sensation of irritation in the abdominal wall and cavity, exudative processes, resorption of oedema.”

Asteraceae themes: sensation of being hurt, insulted, shocked, bruised, burnt, afraid to be touched, hurt or be approached. (Sankaran).

1.6 Head injuries

Quick guide

First aid. Vital diagnosis: unconscious? → breathing? → pulse?	Protection against new accident Keep the patient alive: CPR if needed Haemorrhage compression Notify EMS (112) Avoid further complications (protection, cervical immobilisation, safety position, safety transfer) Assess Glasgow levels. Hospital transfer - with ICU - Neurosurgery?
First remedy for head injuries	Arnica
Consequences of head trauma: vertigo, absences, blindness, coma, concussion, convulsions, headache, dullness, madness, sadness, suicidal thoughts, and memory loss	Natrium sulphuricum
Violent convulsions with spasms arching the spine, with catalepsy and screaming; headache, dullness, sadness, memory loss, mental and developmental retardation, and post-traumatic vertigo	Cicuta
Stupor and coma due to injury, shock or stroke; face flushed, hot, jaw dropping, hot perspiration; apnoea, hoarse breathing; narcolepsy, sleep	Opium

1. Traumatisms

Dullness and stupefaction, slow to answer, weak memory, passive, apathetic, indifferent, blank; meningism, with automatic chewing movements, brain cry, frowning	Helleborus
Mental and emotional symptoms after injury: depression, dullness, forgetfulness, hysteria; seizures due to head and spine injuries, with tetanic rigidity, tonic, starting from the spine	Hypericum
Diffuse axonal injury, cerebral contusion and intra-parenchymal haemorrhage with seizures, coma, automatic chewing movements, gnashing, gasping for breath; carpal spasms	Cuprum
Clonic convulsions, epileptic-type, with opisthotonos and paralysis due to head injuries; headache, numbness, memory loss, grief and post-traumatic vertigo; great restlessness, moving neck, body, and legs continuously, < at night; muscle tension; < cold, > heat	Rhus toxicodendron
Convulsions and meningism from head injury, with delirium and headache; violent symptoms and behaviour, with facial flushing and cold extremities: compare with <i>Stramonium</i> , <i>Hyoscyamus</i>	Belladonna
When pain predominates in the occipital area with great heaviness of the eyelids, weakness, poor muscle strength, and trembling limbs	Gelsemium

Introduction

Head injuries are becoming more frequent and severe, mainly due to traffic, work, and sports related accidents. We will thoroughly approach them with a section on the repertory's symptoms to facilitate the choice of the best remedy or combination of remedies, alongside a specific materia medica and clinical cases to help us understand the usefulness of homeopathic remedies as adjuvant to necessary conventional measures.

Diagnosis

You can **suspect a cranial fracture** by the following signs:

- External visible wound and obvious deformity
- Bleeding from the ears, nose, or both
- Seepage of cerebrospinal fluid by ears, nose, or the wound itself
- Bruising around the eyes (periorbital)
- Pupils of different size (anisocoria)
- Very **likely brain damage** when the patient presents with:
- Radical change of personality / confusion, disorientation / slurred speech or hearing
- Impaired balance
- Impaired breathing, irregular pauses or apnoeas (Cheyne Stokes); heart rhythm disturbances

First aid

1. Objectives

- a. Protection against a new accident. Urgent and very quick measures to protect the injured and the rescuers against falling rocks, buildings, impact of other vehicles, fire or water.
- b. Keep the patient alive, with the brain well perfused and oxygenated until they reach the hospital and, if required, the neurosurgeon.
- c. Prevent bleeding.
- d. Avoid injuries and complications.
- e. Give notice to the Emergency Medical Services as quickly as possible.

1. Traumatisms

2. Assess pulse and respiration

- Keep the airway open. Check ventilation. Be prepared for intubation and assisted ventilation if breathing stops.
- Complete resuscitation if necessary (CPR).

3. Control bleeding. If bleeding is visible:

- Apply sterile dressing with pressure.
- Install venous perfusion and monitor blood pressure.

4. Avoid complications

- New neurological damage
 - Do not move the patient before applying **cervical immobilisation**, this will be done very carefully (cervical collar). Head injuries are often accompanied with cervical and spine lesions.




Fig. 1.6.1

- Transfer to the stretcher for transportation to the hospital with the safety transfer (minimum 4 people)



Safety transfer in case of spinal lesions

Fig. 1.6.2

- b. Aspiration of vomit: if the person vomits once the cervical area is immobilised, rotate the patient slightly to the side (semi-prone), in recovery position, if you can rule out spinal injury. This rotation should be made very carefully, slowly, following safety transfer procedures.



Injured person in recovery position

Fig. 1.6.3

- c. Infection: treat open wounds with **sterile**, simple application without trying to inspect the wound. In absence of gauze, use clothes or towels. In extreme cases, the rescuer's hand can be lifesaving.
5. **Transfer to hospital. Assess state of consciousness.** Note the state of consciousness for clinical information. In blunt trauma, although the patient is conscious, monitor the risk of post-traumatic cerebral haemorrhage.

1. Traumatisms

- a. **Glasgow Method:** eye (4) + verbal (5) + motor (6)
- b. **Simplified method** of 4 grades: alert / verbal only / only pain / unconscious.
- c. **Arnica** 30C sublingual immediately and repeated often (every 10-20 min). If the patient is unconscious, administer diluted medication, a few sublingual drops with a syringe. If a higher potency is available, 1M or 10M, it is preferable in these circumstances to use them. Arnica is the first homeopathic remedy to administer and the most useful during the first minutes/hours of the accident.

Let's see the importance of rapid response in the case of a gunshot wound to the head, in the multiple murder which sent shock waves worldwide, in Tucson (Arizona), and which seriously wounded U.S. Congresswoman Gabrielle Giffords, in January 2011. The congresswoman, who was presumed dead at first, was rescued by her Hispanic assistant, Daniel Hernandez. His account is as follows:

"As I approached, there were several wounded people lying on the floor. The first thing I tried to do was find out who was alive. I started checking to see if they breathed and if they had a pulse. I checked two or three people who were dead before I realised that they had shot the congresswoman. I saw she was wounded in the head and because of the severity of the wound, she became my priority. There was a lot of bleeding and, in her position, there was a risk she would choke on her own blood. I sat her up. I put her on my chest to breathe. Then, I applied pressure on the wound. What could I use? I had no more than my hand until someone went into a store and brought shirts. "One reason for the survival of the congresswoman was the quick arrival to the hospital. In less than forty minutes, she was in the operating room." (Peirón, 2011)

Comatose patient, hospitalised

The patient with head injury and coma will be treated in an intensive care unit in a hospital with a neurosurgery department. Follow established protocols. Homeopathic treatment has proven effective in resolving some serious head trauma. The hospital may have specialists in homeopathy who could help in treating these patients.


Manuel Mateu i Ratera

First Aid with Homeopathy

The ultimate medical guide for travelers and athletes, also covering work-related accidents and major disasters

960 pages, geb.
appears 2020

[Buy now](#)



More books on homeopathy, alternative medicine and healthy living www.narayana-verlag.de