

**Francis Hunter**


**Everyday Homeopathy for Animals**

Leseprobe

[Everyday Homeopathy for Animals](#)

von [Francis Hunter](#)

Herausgeber: Beaconsfield



Im [Narayana Webshop](#) finden Sie alle deutschen und englischen Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise.

Copyright:

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tel. +49 7626 9749 700

Email [info@narayana-verlag.de](mailto:info@narayana-verlag.de)

<https://www.narayana-verlag.de>

Narayana Verlag ist ein Verlag für Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise. Wir publizieren Werke von hochkarätigen innovativen Autoren wie Rosina Sonnenschmidt, Rajan Sankaran, George Vithoukcas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus, Dinesh Chauhan.

Narayana Verlag veranstaltet Homöopathie Seminare. Weltweit bekannte Referenten wie Rosina Sonnenschmidt, Massimo Mangialavori, Jan Scholten, Rajan Sankaran & Louis Klein begeistern bis zu 300 Teilnehmer

## *Preface*

I have had three main reasons for writing this book. The first is that a book I published some years ago, entitled *Before the Vet Calls*, is now out of print. (It was renamed in later editions *Homeopathic First Aid Treatment for Pets* for the American market, because the word 'vet' there refers to a veteran of their armed forces.) It was relatively short and written to satisfy a perceived demand for a basic introduction to homeopathy for the care of pet animals.

It now seems appropriate to produce this more comprehensive work to meet the needs of the increasing number of people who are interested in complementary therapies, and who are also much more widely informed on the potentially beneficial role of homeopathic medicine both for themselves and their animals.

The first major section covers the general problems that are common to all species, beginning with an initial section in flowchart form on accidents and emergencies. The greater scope of this new book has allowed me to provide information outlining the principal diseases and conditions specific to the different animals that are included. These sections are quite concise and indicate the various options available to treat the given condition, including references back to the general part of the text wherever relevant.

My second reason is to point out to the owner of an animal not only the benefits but also the limitations of homeopathic treatment, or for that matter of any other form of complementary treatment. It is a great mistake to embark on the treatment of an animal without sufficient knowledge of the intricate make-up of the animal as a patient, and without the training and expertise to be able to instigate the correct treatment. The average person would not even contemplate the idea of inserting acupuncture needles into an animal, and the argument holds equally well against giving a homeopathic remedy without the experience to do so. I have attempted to point out to the reader when it is appropriate to treat an animal oneself and when it is necessary to seek veterinary advice.

The third reason is that I have greatly admired the book *Everyday Homeopathy* by the late Dr David Gemmell. In addition to being an experienced and sympathetic general practitioner, Dr Gemmell was also the medical registrar at the Royal London Homeopathic Hospital for a number of years. He was a first-class

## *Preface*

teacher, and I had the pleasure of being one of his students when I was studying homeopathy at the Faculty of Homeopathy in the early eighties. In his book, which he wrote for use within the family and among friends, he had the novel idea of describing a disease or condition on the left-hand page, and then on the facing right-hand page matching the different symptoms with the most appropriate remedy. This makes it simple and straightforward for the reader to be directed to the remedy most likely to be helpful, and I am very grateful to Mrs Irma Gemmell for permitting me to adopt this layout as fully as possible in the present book.

# Contents

Preface vi  
Introduction 1

## **ACCIDENTS, EMERGENCIES AND FIRST AID 9**

Animal bites 9  
Bleeding 10  
Broken bones 12  
Bruises, haematomas 14  
Burns and scalds 16  
Collapse 18  
Concussion 19  
Eye injuries 20  
Head injuries 22  
Heatstroke 24  
Insect bites and stings 26  
Shock 28  
Sprains and strains 30  
Wounds  
– Abrasions, scrapes and grazes 32  
– Cuts and lacerations 34  
– Infected 36  
– Punctured 38

## **GENERAL CONDITIONS 41**

Abscesses 42  
Allergies 44  
Anaemia 46  
Anxiety 46  
Appetite 48  
Arthritis 50  
Bad breath 52  
Bronchitis 54  
Catarrh 56  
Chills and colds 58  
Colic 60  
Colitis 62  
Constipation 64  
Coughs 66  
Cystitis 68  
Dandruff 68  
Dermatitis 70  
Diarrhoea 70  
Dysentery 70  
Ear conditions 72  
Enteritis 75  
Eye conditions 77  
Fear, fright, apprehension, panic 80  
Fever 82  
Fits, hysteria, epilepsy, convulsions 84  
Flatulence 85  
Fleas 85  
Flu 88  
Gastritis 90  
Gum inflammation 90  
Heart conditions 92  
Hepatitis 94  
Incontinence 95

## Contents

Indigestion 97	Septicaemia 136
Inflammation 98	Sinusitis 138
Jaundice 100	Skin conditions 140
Kidney disease 102	Snakebite 146
Lameness 104	Sneezing 146
Leptospirosis 105	Stroke 148
Lice 106	Teeth 148
Mange 108	Thirst 150
Mastitis 110	Ticks 150
Mouth 112	Tongue 151
Nails 114	Tonsillitis 152
Nettle rash 114	Toxaemia 152
Nose 116	Travel sickness 154
Operations 118	Tuberculosis 155
Pain 120	Tumours 156
Paralysis 122	Urinary problems 156
Pleurisy 124	Vaccination 158
Pneumonia 126	Viruses 159
Restlessness, sleeplessness 128	Vomiting 160
Rheumatism 130	Warts 162
Ringworm 132	Worms 163
Salmonellosis 134	Yawning 165
Senility 136	

## REPRODUCTION

### *The Reproductive Cycle*

Failure to come into heat 167
Remedies to help maintain pregnancy 167

### *Reproductive Disorders*

Infertility 168

### *THE FEMALE*

#### PRE-PARTURITION

Abortion, miscarriage, premature birth 168

Haemorrhage 169

Ringwomb 169

Vaginal prolapse 169

#### PARTURITION

Giving birth 170

166

#### POST-PARTURITION

Retained placenta 170

Mastitis 170

Metritis, Endometritis 172

Pyometra 172

Uterine prolapse 174

Difficulty passing urine 174

Urinary incontinence 174

Shortage of milk 174

Shortage of milk 174

Too much milk 176

Eclampsia (lactation tetany) 176

False, pseudo or phantom pregnancy 176

*Contents*

*THE MALE*

Diminished libido 177

*The Newborn Animal*

Reviving the newborn animal 177

**HORSES, PONIES AND DONKEYS**

**178**

Bony changes and enlargements 178  
Catarrh and sinusitis 180  
Colic 181  
Constipation 182  
Coughs and colds 184  
COPD 185  
Cramp 186  
Dermatitis, greasy heel and mud  
fever 188  
Diarrhoea and enteritis 189  
Equine influenza 192

Hooves 194  
Joint disease and conditions 196  
Laminitis 198  
Liver conditions 200  
Monday morning leg 202  
Nosebleed 204  
Rheumatism 206  
Sarcoids and warts 208  
Skin conditions 210  
Tendons and ligaments 214  
Tetanus 216

**CATTLE**

**218**

Abortion 219  
Abscesses and haematomas 221  
Acetonaemia, ketosis 222  
Bloat 224  
Blood in the milk 226  
Calving 226  
Digital dermatitis 227  
Foul-in-the-foot ('Low', 'Luer') 228  
Lameness 228  
Leptospirosis 230  
Mastitis 231  
Metritis, endometritis 234

Milk fever 236  
Navel-ill (joint-ill) 238  
New Forest eye disease 240  
Photosensitisation 242  
Respiratory problems 243  
Retained afterbirth 244  
Reviving the calf or adult 245  
Ringworm 246  
Scours, diarrhoea, enteritis 247  
Staggers 249  
Teat injuries and sores 250  
Warts, papillomatosis 251

**SHEEP**

**252**

Abortion 253  
Bloat 255  
Coccidiosis 256  
Colibacillosis 256  
Foot-rot 258  
Lambing 258  
Mastitis 260

Milk promotion and suppression  
260  
Mineral disturbances 261  
Navel-ill 261  
Orf (contagious pustular dermatitis)  
262  
Parasites (worm infestations) 264

## Contents

Pneumonia 266	Ringwomb 270
Pregnancy toxæmia 268	Vaginal prolapse 272
Retained placenta (retained afterbirth) 270	
<b>GOATS</b>	<b>273</b>
Abortion 274	Kidding 278
Bloat 274	Lameness 279
Cloudburst (pseudopregnancy) 275	Orf (contagious pustular dermatitis) 279
Coccidiosis 275	Pregnancy toxæmia 279
Colibacillosis 275	Retained afterbirth 279
Digestive disorders 276	Reviving the weakly kid or adult 279
Enteritis, diarrhoea, scours 278	Urinary disorders 280
Heatstroke 278	
Infertility 278	
<b>PIGS</b>	<b>281</b>
Abscesses (boils) 281	Gastritis 290
Anaemia 282	Lameness 290
Blue eared disease 282	Leptospirosis 291
Bowel oedema 284	Mastitis 291
Constipation 285	Metritis and retained placenta 291
Enteritis (diarrhoea, scours, scouring) 286	Respiratory infections 292
Erysipelas (swine erysipelas) 288	Skin disorders 296
Farrowing 289	Urinary tract disorders 300
	Worms, parasites 302
<b>DOGS</b>	<b>303</b>
Addison's disease 304	Eclampsia (lactation tetany) 310
Anal glands 305	Fading puppies 312
Ascites (dropsy) 306	False pregnancy 314
Campylobacteriosis 306	Grass seeds 316
Chronic degenerative radi- culomyelopathy (CDRM) 306	Hepatitis 318
Cushing's syndrome 307	Hip dysplasia 319
Diabetes 308	Kennel cough 320
Distemper (canine distemper, hard pad) 309	Leptospirosis 321
	Osteochondrosis 323

## Contents

Osteomyelitis 324	Prostate problems 329
Pancreatic insufficiency 324	Salivary cyst 330
Parvovirus 326	Salmonellosis 330
Pining and grief 328	Thyroid problems 332
<b>CATS</b>	<b>333</b>
Abscesses 334	Feline leukaemia 346
Alopecia (hair loss) 335	Fur balls (hairballs) 347
Cat flu 336	Key Gaskell syndrome 348
Cystitis 337	Kidney disease 349
Fading kittens 338	Kittening 349
Feline chlamydial infection 338	Miliary eczema 350
Feline immunodeficiency virus (FIV) 340	Spraying 351
Feline infectious enteritis (FIE) 342	Stud tail 352
Feline infectious peritonitis (FIP) 344	Thyroid problems 353
	Urinary calculus 354
<b>BIRDS AND POULTRY</b>	<b>357</b>
Accidents 358	Diarrhoea 364
Broken bones 358	Feather pecking 364
Bumble foot 358	Gunshot wounds 366
Chest infections 360	Oiled birds 366
Chills, colds, coryza 360	Parasites 368
Coccidiosis 362	Salmonella 368
Concussion 362	Skin conditions 368
Dehydration 364	
<b>CHINCHILLAS</b>	<b>369</b>
Colic 370	Parasites 371
Fur chewing 370	Pneumonia 371
Fur slip 370	Ringworm 371
Listeriosis 370	Shock 371
<b>FERRETS</b>	<b>372</b>
Abscesses 372	Enteritis 373
Bite wounds 373	Influenza 373
Canine distemper 373	Parasites 373

## Contents

Reproductive disorders 374	Tuberculosis 374	
Salmonella infection 374	Tumours 37	
<b>FISH</b>		<b>375</b>
Farmed fish 375	– ‘Fin rot’ 376	
Ornamental fish 375	– Fungus 376	
Quarantine 375	– Lymphocytosis 376	
Exterior diseases 376	Internal diseases 377	
– White spot (‘ich’) 376	– Septicaemia 377	
– Slime disease 376	– ‘Popeye’ or ‘dropsy’ 377	
– Fluke infestation 376	– Tuberculosis 377	
<b>GERBILS</b>		<b>378</b>
Overgrown teeth 378	– Demadex 379	
Respiratory disease 379	– Ringworm 379	
– Sore eyes, nose and mouth 379	– ‘Wet tail’ 380	
– Ear infection 379	Tapeworms 380	
Salmonella infection 379	Tumours 380	
Skin conditions 379	Tyzzler’s disease 380	
<b>GUINEA PIGS</b>		<b>381</b>
Abscesses/skin wounds 381	Pregnancy toxemia 383	
‘Lumps’ (cervical lymphadenitis) 382	Respiratory disease 383	
Conjunctivitis 382	Scurvy 384	
Enteritis 382	Skin conditions 384	
Mastitis 383	– ‘Chewing’ 384	
Overgrown teeth 383	– Pododermatitis 384	
<b>HAMSTERS</b>		<b>385</b>
Nervous disorders 385	Skin conditions 387	
Overgrown teeth 386	– Demodex 387	
Parasites 386	– Scabies 387	
Respiratory infections 386	– Ringworm 387	
– Common cold and flu viruses 386	– ‘Sleeping disease’ 387	
– Pasteurellosis 386	Tumours 388	
Salmonella infection 387	Tyzzler’s disease 388	
	‘Wet tail’ 388	

<b>HEDGEHOGS</b>	<b>389</b>
Bacterial infections 389	– Internal parasites 391
'Fly strike' 390	Poisoning 391
Nutritional disorders 390	Ringworm – fungal infection 391
Parasites 390	Viruses 391
– External parasites 390	
<b>RABBITS</b>	<b>392</b>
Ears 393	Pasteurellosis 394
Enteritis/diarrhoea 393	Posterior paralysis 395
Mastitis 393	Skin conditions 395
Myxomatosis 393	– Sore hocks 395
Overgrown teeth 394	– Necrobacillosis 395
Parasites 394	
<b>RATS AND MICE</b>	<b>396</b>
Abscesses/skin wounds 396	Parasites 398
Ears 397	Respiratory infections 398
Enteritis/diarrhoea 397	Ringworm – fungal infection 391
Mastitis 397	Tumours 399
Nervous disorders 397	Tyzzler's disease 399
Overgrown teeth 398	
<b>TORTOISES AND TERRAPINS (CHELONIANS)</b>	<b>400</b>
Abscesses 400	Maggot infestation 402
Avitaminosis A 400	Nutritional problems 402
Bacterial infections 400	Phimosis (prolapse of the penis) 403
Beak deformity 401	Pneumonia 403
Blindness and eye conditions 401	Rhinitis/Sinusitis 403
Burnt shell 401	Stomatitis ('mouth rot') 403
Colic 401	Worm infestations 404
Eggbinding 402	Wounds 404
Kidney infection 402	
<b>PRIMARY MATERIA MEDICA</b>	<b>405</b>
Aconite, Apis mellifica, Argentum nitricum, Arnica, Arsenicum Album, Belladonna, Bryonia, Cantharis, Carbo vegetabilis, Causticum, Colocynthis, Euphrasia, Gelsemium, Hepar Sulphuris, Hypericum, Lycopodium,	

*Contents*

Mercurius Solubilis, Natrum Muriaticum, Nux Vomica, Phosphorus,  
Pulsatilla, Pyrogen, Rhus Toxicodendron, Ruta, Silica, Sulphur,  
Symphytum, Thuja, Urtica Urens

<b>SECONDARY MATERIA MEDICA</b>	<b>432</b>
Actaea racemosa, Agaricus muscarius, Allum cepa, Aloe socotrina, Antimonium crudum, Antimonium tartaricum, Baptisia, Baryta carbonia, Berberis vulgaris, Borax, Bufo, Calcareo carbonica, Calcareo fluorica, Calcareo phosphorica, Caulophyllum, Chamomilla, Chelidonium majus, China (Cinchona), Cimicifuga racemosa, Cocculus, Colchicum autumnale, Conium maculatum, Crataegus, Croton tiglium, Drosera, Dulcamara, Echinacea, Ferrum metallicum, Ferrum phosphoricum, Flor de piedra, Graphiptes, Hamamelis, Ignatia, Ipecacuanha, Kali bichromicum, Kreosotum, Lachesis, Ledum, Magnesium phosphoricum, Mercurius corrosivus, Petroleum, Phosphoric acid, Phytolacca, Podophyllum, Psorinum, Ruta graveolens, Sabina, Scutellaria, Sepia, Spongia tosta, Staphysagria, Veratrum album	
<b>THE MEDICINE CHEST</b>	<b>458</b>
<b>THE FIRST AID BOX</b>	<b>457</b>
<b>FINDING A HOMEOPATHIC VET</b>	<b>460</b>
<b>SUPPLIERS OF HOMEOPATHIC REMEDIES</b>	<b>461</b>
<b>FURTHER READING</b>	<b>463</b>
<b>GENERAL INDEX</b>	<b>465</b>
<b>REMEDY INDEX</b>	<b>479</b>

## *Accidents, Emergencies and First Aid*

### **ANIMAL BITES**

The canine or eye teeth of animals who bite when they attack or defend themselves are very sharp and pointed. They can cause deep puncture wounds which may appear to heal quickly, but because the teeth carry bacteria on their surface, infection may develop beneath the scab causing heat, swelling and pain.

- Lacerated, large wounds; deep, painful wounds. Immediate veterinary attention necessary.
- Small bites. Use remedies, but seek advice if infection seems to be present.
- Horses. If in doubt consult a vet.

#### **By Mouth**

If the fight has just occurred and there is shock associated with the bites.

**Aconite 30c.** Dose every 15–30 minutes up to 4–6 times as required.

This remedy follows Aconite well, or may be used from the outset if little or no shock is apparent.

**Arnica 30c.** Dose every 1–2 hours up to four doses, then 3–4 times daily for a few days until improved. Arnica is indicated and helpful whenever there is tissue damage, inflammation or bruising.

If pain is evident. The signs of pain may be loss of appetite, restlessness, dullness, panting, or constantly licking or gnawing at the affected place.

**Hypericum 30c.** Dose 3–4 times daily for 2–4 days until improved.

These two remedies help to reduce infection and promote healing.

**Calendula 6c and Ledum 6c.** Dose every fifteen minutes for an hour and then 3–4 times daily for 3–5 days.

**ANIMAL BITES (continued)**

**Application to the Wound**

To cleanse the wound, apply **Calendula lotion** 3–4 times daily as necessary. To promote healing when the wound appears to be clean, use **Hypericum/Calendula Cream**. Apply 2–3 times daily until healed.

**BLEEDING  
(Haemorrhage)**

The loss of some blood after any accident or injury is natural and helps to cleanse the wound, but it should not continue for too long. A trickle of blood for 5–10 minutes is acceptable but by the end of this time the blood should have begun to form a clot. Such bleeding will be from small blood vessels and is of little consequence. Bleeding from larger vessels is much more serious and professional help should be sought immediately. Such blood may be coming from an artery or a vein.

The blood in the arteries contains oxygen and is bright red in colour. It tends to be pumped out as the heart and pulse beat. The blood from veins is being returned to the heart from the tissues and has given up its oxygen. This blood is a dark red or wine colour and tends to flow rather than pump from the injury. If the bleeding appears severe it is probably coming from a major vessel. In such a case pressure should be applied to stop excessive blood loss while help is summoned. It may simply be a pressure pad or bandage; in the case of a limb, a cord fitted tightly round above the wound (a tourniquet) will help to stop the bleeding if an artery has been damaged.

- Blood oozing or trickling. Use remedies, but seek advice if bleeding persists.
- Pumping, bright, red blood. Flowing dark, red blood. Immediate veterinary attention necessary.

**BLEEDING**

For shock.

**Aconite 30c.** Start immediately and dose every 15–30 minutes for up to 4 doses.

Use if bleeding due to an injury, or if bleeding has occurred previously and is only slight. Useful for bleeding from the tips of the ears or from the end of the tail, or any other small wound. that cannot easily be bandaged.

**Arnica 30c.** Dose every 4 hours for 1–3 days as required.

For dark, unclotted, persistent, but not copious bleeding.

**Hamamelis 6c or 30c.** Dose 3 times daily for 3–5 days.

Use when the animal is weak after bleeding a lot.

**China Officinalis 30c.** Dose every 4 hours for 1–2 days.

For bright, red persistent bleeding.

**Ipecacuanha 30c.** Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

For superficial and slight haemorrhages, especially those that tend to recur but are not serious (e.g. slight nosebleeds).

**Phosphorus 6c.** Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

## General Index

*Advice to the reader.* Some symptoms are so common that the index can be of only limited use, unless the page number refers to a chapter. Common symptoms include: biting or scratching itself, diarrhoea and vomiting, dullness, rubbing, shock, temperature. The search for a remedy may go faster if you can also find a less common symptom.

- abortion (*see also* reproduction), 137, 153, 168–71, 219–20, 244, **253**, 270, **274**, 282–3, 342  
  mycotic, 220
- abscesses, **42–3**, 53, 83, 90–1, 99, 111, 137, 144, **221**, 228–9, **281**, 305, 316, **334**, 372, 381, 396, 400, 410, 417  
  teeth, 53, 148; udder, 232  
  with fever, 334
- accidents (*see also* eye injuries), **12–13**, 358–9, 406
- acetyonaemia, **222–3**
- Addison's disease, **304**
- afterbirth (*see* placenta)
- aggravations, 5
- aggression, 173, 314–5
- allergies, **44–5**, 140, 415
- alopecia (*see* fur; hair loss)
- anaemia, **46–7**, 163, **282–3**, 346
- anal glands, **304–5**
- antibiotics (*see* medicine)
- anticipation, 47, 63, 80–1, 407
- anxiety, 28, **46–7**, 128–9, 416
- appetite, **48–9**  
  with constipation, 285
- arthritis, **50–1**, 196–7, 228, 279, 288, 291, 319, 406, 425  
  in knees, 219
- ascites, **306**
- atrophic rhinitis, 292
- aural haematoma, 73
- avitaminosis A, 400
- azoturia (*see* cramp)
- back  
  arched or hunched, 102–3, 300, 329;  
  backache, 422; bones stand out, 344;  
  injury, 121; paralysis, 395
- bacterial infections, 216, 247, 312, **330–1**, 336, 338, 382, 384, 389, 393, 397, 399, 400–1  
  *Bacteroides nodosus*, 258;  
  *Erysipelothrix insidiosa*, 288;  
  *Escherichia coli* (*E. coli*), 75, 191, 247, 256, 284, 286, 300, 312, 380, 388; *Fusiformis*, 250, 258, 395;  
  *Listeria monocytogenes*, 370;  
  *Pasteurella multocida*, *pasteurellosis*, 386, 394; *Salmonella*, *salmonellosis*, 75, **134–5**, 191, 220, 247–8, 254, 274, 330–1, **368**, 374, 379, 387, 382; *S. dublin*, 330; *Sphaerophorus*, 395;  
  *Staphylococcus*, 250; *Streptococcus*, 232, 312, 379, 382; *S. typhimurium*, 330
- bad breath (*see* halitosis)
- balance, loss of (*see also* falling; staggering), 284, 379, 397
- barking, incessant, 328
- beak deformity, 401
- 'bed making', in phantom pregnancy, 314
- belching, 87, 97, 224, 270, 277

## General Index

- birds, **357–68**  
oiled, (*see also* first aid), **366–7**
- birth (*see also* parturition),  
premature, 168
- bites, **9–10**, 140, 143, 145, 334, 372  
insect, **26–7**, 140; midge, 210;  
snakes, **146–7**, 152
- biting (*see also* self-mutilation)  
itself, 9, 33, 36, 38, 70, 87, 106, 108,  
114, 140–3, 156, 162, 210, 242,  
335, 350, 351, 368, 387  
others, 281
- 'black eye' (*see* eye injuries)
- bleeding (*see also* blood in urine,  
faeces; haemorrhage), **10–11**,  
14–15, 22, 119  
bright, 10, 169, 205; dark, 10, 169,  
205; flowing, 10; oozing, trickling,  
10, 169; persistent, 205; pumping, 10;  
unclotted, 205  
*from*: ears, 22, 119; internal, 74; nose,  
22, 117, **204–5**; penis, prepuce, 329;  
rectum, 65; teeth, 119; uterus, 169,  
171
- blindness, 77, 401  
apparent, 222, 268, 284, 400–1
- blisters (*see* skin conditions)
- bloating, bloat, **224–5**, 236, **255**, **274**,  
276  
frothy, 224–5; gaseous, 224
- 'blood blister' (*see* aural haematoma)
- blood in urine, faeces or droppings,  
68–9, 70, 76, 103, 256, 280, 300,  
312, 352, 362–3, 365
- blood  
loss, 364; 'poisoning', **136–7**, 147  
'blue eared disease', **282–3**  
'blue eye', 318
- boils (*see* abscesses; eruptions)
- bones, **78–80**, 197, 324–5  
broken or fractured, **12–3**, 279, **358**;  
bruised, 31–2; damage, 293
- bowel oedema, **284**
- breath, bad (*see* halitosis)
- breathing (*see also* bronchitis; pleurisy;  
pneumonia; respiratory infections),  
28, 82, 92, 192–3, 124–5, 155, **243**,  
292–5, 320  
'asthmatic', 125; breathlessness, 92;  
difficult, 184, 283, 292, 298, 326,  
344, 398; distressed, 283; fast, 182,  
192; gasping, 18, 24, 26, 35, 55, 89,  
92, 125, 126, 177, 193,, 224, 337,  
245, 264; harsh, 391; heavy, 126;  
increased, 276, 332, 337, 353;  
laboured, 184, 266, 293, 360; noisy,  
383; paralysis, 216; rapid, 125, 126,  
190–1, 198, 264, 266, 310; rattling,  
125, 391; short, 193, 264, 282, 288,  
337, 383; wheezing, 125, 320, 360
- broken wind, 185
- bronchitis (*see also* pneumonia), **54–5**,  
67, 126, 184–5, 264, 294–5, 309,  
320, 360–1
- bronchopneumonia, 336, 394
- brucella abortus* (brucellosis), 219
- bruises, **14–5**  
'bumble foot', **358–9**
- burns and scalds, **16–7**, 145, 401, 412,  
431
- calculus (*see* stones)
- calving (*see* parturition)
- campylobacter, campylobacteriosis, 219,  
248, 286, **306**
- cancer, 346
- carpitis, 196
- cataract (*see* eye conditions)
- catarrh (*see also* sinusitis), **56–7**, 180–1,  
421, 424
- cats (*see also* feline), **333–55**
- cattle, **218–51**
- cervical lymphadenitis, 382
- chelonians, **400–4**
- chest infections, 125, **360–1**  
heaving, 360  
'chewing', 374, 384
- chilling, 312, 338
- chills (*see also* colds), **58–9**, 124,  
**360–1**

## General Index

- chinchillas, **369–71**  
chlamydial infection, 253, 274, 338  
chorea, 309  
chronic degenerative  
  radiculomyelopathy (CDRM),  
  **306–7**  
chronic obstructive pulmonary disease  
  (COPD), **185**  
circling, 122, 222, 379, 393, 397  
'cleansing' (*see* placenta, retained)  
'cloudburst' (*see* pregnancy, phantom)  
coat (*see* fur; hair)  
coccidiosis, coccidia, 247, **256–7, 275,**  
  278, **362–3, 371, 382**  
cold body, 'chilled', 137, 153, 177, 245,  
  287, 312–3, 339, 353  
colds (*see also* chills), 58–9, **184–5,**  
  **360–1**  
colibacillosis, **181, 256–7, 275**  
colic, **60–1, 63, 65, 76, 87, 97, 98,**  
  120–1, 181–3, 224, 278, 280, 370,  
  401, 415  
colitis, **62–3, 75, 87, 190**  
collapse, **18–9, 28, 134, 152, 163, 177,**  
  201, 245, 247, 358–9, 225, 245,  
  256, 310, 313, 326, 339, **352, 360,**  
  365, 366, 413  
coma, 312  
comfort, wanting, 81  
concussion, **19, 362–3**  
conjunctivitis, 21, 77–8, 240, 283, 309,  
  338–9, 340–1, 379, 382  
constipation, 60–1, **64–5, 87, 94, 101,**  
  **182–3, 200, 216, 236, 276, 285,**  
  **329, 348**  
constitutional prescribing, 1, 6  
contagious pustular dermatitis (orf),  
  **262–3, 279**  
contractions, 173  
convulsions, **84–5, 236, 249, 268, 309**  
coprophagia, 324  
corns, 194  
coryza, **360–1**  
coughs, coughing (*see also* sputum), 44,  
  54–5, 58, **66–7, 83, 88–9, 125–6,**  
  126–7, 138–9, 152, 155, 264–5,  
  **184–5, 283, 293, 320, 336–7, 373,**  
  391  
  barking, 294; choking, 125, 127;  
  continuous, 184; deep, 127; dry, 55,  
  67, 89, 92–3, 125, 127, 192–3, 294,  
  320, 337, 423; hacking, 93; hard, 67;  
  harsh, 184, 193, 309, 337; 'heart  
  cough', 92–3; hoarse, 125; incessant,  
  320; irritating, 320; kennel, 320;  
  moist, 185, 265; nagging or niggling,  
  127, 243, 320, 337; painful, 126;  
  paroxysmal, 127; persistent, 67, 127,  
  320; racking, 55, 127; rattling, 67;  
  retching, 92; spasmodic, 67, 93, 320;  
  tickling, 67, 89, 93, 193, 337;  
  wheezing, 185  
cramp, 60–1, **186–7**  
crossed, hind legs, 307  
crouching, 280, 354  
croup, 185  
crying, crying out, 35, 74, 293, 312,  
  316, 328, 338  
Cushing's syndrome, **307**  
cuts (*see* wounds)  
cyanosis, 93  
cysts, salivary, **330–1**  
cystitis, **68–9, 103, 121, 175, 300–1,**  
  337, 412  
  corynebacterial, 300  
dandruff (*see also* skin conditions),  
  **68–9, 72, 141, 143–4**  
debility (*see also* weakness), 159, 222,  
  256–7, 283, 287, 313, 339, 363,  
  364–5, 382, 390, 399  
defaecation, difficult, 419  
deformation, snout, 292  
dehydration, 134, 150, 152, 159, 160,  
  182, 247, 257, 287, 313, 326, 336,  
  342–3, 338–9, 345, 348, 352,  
  362–3, **364–5, 367**  
diet (*see* food)  
delirium, 278  
Demodex, 379, 387

## General Index

- dental work, 408  
depression, 308, 314–5, 328, 342, 352, 383  
dermatitis (*see also* skin conditions), 70–1, 87, 108, 140–1, 144–5, 188–9, 242  
digital, 227  
destructive behaviour, 328  
diabetes, 150, 308  
mellitus, 308; insipidus, 308  
diarrhoea (*see also* enteritis; vomiting), 70–1, 189–91, 247–8, 278, 286–7, 364–5, 409, 421, 430  
acute, 362; chronic, 340; mild, 380; neonatal, 282; persistent, 343; profuse, 368, 388; severe, 370; watery, 134, 306  
diet, 75  
change of, 129  
digestive disorders, 276–7, 422  
digging, 314  
discharges, secretions  
acid, 57, 180; bland, 235; bloody, 138, 172, 230, 234; copious, 234; creamy, 172, 393, 394, 395; offensive, 138, 153, 172–3, 195, 229, 232, 234–5, 244, 292; oily, 351; purulent, 192, 338–9, 394; red, 173, 234; sticky, 57, 188–9, 210–1, 350, 351, 352; stringy, 57, 138–9, 181; thick, 57, 138–9, 230, 336, 338–9, 393, 394, 395, 400; watery, 57, 138–9, 336, 338; ‘whites’, 234–5  
colour: bright red, 244; brown, 292; chocolate, 173–5, 235; clear, 172, 336; green, 57, 138, 261; grey, 173; grey-white, 235; milky-white, 292; pink, 173, 234, 291, 292; reddish-brown, 244; white, 57, 139, 172, 181, 382, 395; yellow or honey-coloured, 57, 138–9, 180, 234, 251, 336, 339, 350, 351, 352, 382  
from: all orifices, 153; anal glands, 304; chin glands, 382; ears, 72–4, 397; eyes, 76, 338–9, 360–1, 393, 394; mouth, 55; navel, 238; nose, nostrils, 55, 56–8, 126, 138, 162, 338, 383, 394, 398; skin, 188–9, 395; udder, 230, 232; uterus, 275; vagina, 168, 172–3, 234, 291, 292  
disorientation, 278  
distemper, 158, 309, 373  
distension, 63, 87, 163, 256, 324  
distress, 312, 366  
dogs, 303–32  
donkeys, 178–217  
dribbling (*see* salivation)  
drooling (*see* salivation)  
droppings (*see* faeces)  
dropsy, 92, 306, 377  
drowsiness, 22, 55, 83  
dullness, 9, 83, 105, 107, 110, 126, 134, 136–7, 153, 155, 157, 159, 163, 171, 190, 200, 321, 326, 330, 340, 344, 362, 368, 370  
dysplasia, hip, 319  
dyspnoea (*see* breathing, difficult)  
dysentery, 70, 76, 134, 362, 365  
ear conditions, 72–4, 121, 122, 379, 393, 397  
ears  
bleeding, 119; cold, 236; crusty, 393; eczema, 143; erect, 216; grass seeds in, 316–7; infected, 317, 373, 379; lesions behind, 350; painful to touch, 316–7; pricked, 249; swollen, 284  
*E. coli* (*see* bacterial infection)  
eclampsia, 176, 310–1  
eczema, 70, 87, 102, 106, 140–5, 188, 212  
acute, 140; bends of joints, in; chronic, 140, 142, 143, 409, 419; dry, 350; miliary, 335, 350; ‘sweet itch’, 201–2; wet, 212, 352, 380, 388  
egg  
binding, 402; laying, 362  
emaciation, 324, 386, 395  
endocarditis (*see* heart)  
enteritis (*see also* diarrhoea), 75–6, 134,

## General Index

- 189–91, 247–8, 256–7, 264, 278, 286–7, 302, 306, 331, 342–3, 362–3, 371, 373, 382, 393, 397
- enzootic abortion, 253
- epilepsy, 84–5
- eruptions (*see also* eczema; skin conditions)
- boils, 210, 281; papules, 387;
  - pimples, 262, 335, 350; pustules, 189, 210, 262, 296, 335, 350; scabs, 262, 350; vesicles, 262, 350
- erysipelas, 288–9, 291
- excitement, excitability, 129, 154, 183, 222, 236–7, 249, 268, 284, 298, 310–1
- exhaustion, lassitude, prostration, tiredness, 92–3, 94, 100, 107, 154, 177
- eye conditions (*see also* conjunctivitis)
- abnormalities, 344; bleeding, 344;
  - blinking, 241; bulging, 237; cataracts, 77, 79, 308, 401; chronic, 407;
  - closed, 393; discharging, 20, 292;
  - foreign bodies, 20; glaucoma, 78–9, 423; lifeless look, 360; pale, 26, 46, 92, 190, 264, 282; protruding, 377;
  - pupils dilated 77–9, 240–5, 401; red surround 240; running, 44; 58, 78, 88–9, 138, 192, 336–7, 340, 373;
  - sensitive to light, 78; shut, 241; sore, 336, 379, 415, 423; ‘staring’, 237;
  - streaming, 147, 337; tears, 78, 240–1;
  - tumours, 346; ulceration, 240, 336;
  - watering, 78
  - colour*: black, 21; bloodshot, 338; blue, 318, 326; cloudy, 344; discoloured, 182; red, 21, 77–8, 338–9; white film on cornea, 240–1; yellow, 97, 100, 190, 200
- eye injuries, 20–1
- eyelids: closed, 360; protrude, 216; swollen, 115, 213, 284, 339, 393, 400; third eyelid visible, 348
  - colour*: blue, 288; yellow, 277
- face, puffy, 26
- fading
- kittens, 338–9; puppies, fading puppy syndrome, 312–3
- faeces (*see also* diarrhoea)
- balls, 181; bloody, 64, 70, 76, 134, 161, 182–3, 190–1, 220, 247–8, 256–7, 278, 284, 286–7, 325, 327, 329, 330; explosive, 191; ‘fatty’, 324; too firm, 285; foul-smelling, 76, 191, 220, 287; frequent, 306; hard, 64–5, 181, 182–3, 222, 236; knotty, 183; liquid, 70, 75; loose, 100, 201, 220, 247–8, 257, 277, 278, 284, 286, 363, 354; lumpy, 65; noisy, 76, 191, 287; offensive, 134, 201, 247; profuse, 76, 191, 287, 306; ribbon-like, 329; runny, 286; slimy, glazed or mucus-covered, 64, 76, 182, 191, 201, 222, 257, 363; soft, 147; tarry, 285; watery, 63, 76, 134, 190–1, 248, 256–7, 286–7, 306
  - colour*: black, 65; brown (pale, light), 76, 97, 191, 277; clay-coloured, 107; dark, 285; dry, 183, 222, 236; greenish, 257, 277; grey, 256–7; yellow, 97, 100, 257, 277
  - eating faeces, 324
- falling over, 122, 249
- farrowing, 282, 289–90
- feather pecking, 364–5
- feathers
- ruffled, 360, 362; fluffed up, 360
- fear (*see also* anxiety), 80–1, 129, 383
- feet, cold, 236, 245
- feline
- chlamydial infection (*see* conjunctivitis), 338–9; coronavirus, 344–5; distemper, 342–3, dysautonomia, 348; immunodeficiency virus (FIV), 340–1; infectious enteritis (FIE), 342–3; infectious peritonitis (FIP), 344–5; influenza, 336–7; leukaemia,

## General Index

- 346–7, lower urinary tract disease (FLUD), 354–5; parvovirus (FPV), 342–3; penleucopenia, 342–3; urological syndrome (FUS), 354–5
- ferrets, 371–4
- fever, 55, 64, 82–3, 105, 127, 134, 136, 150, 171–2, 191, 192–3, 199, 285, 321, 324, 337, 346, 370, 406, 410, 428
- fibrositis (*see* rheumatism)
- fighting, 281
- 'fin rot', 376
- fish, 375–7
- fistula, 305, 312
- fits, 84–5, 309
- flanks, tense or hard, 60
- flatulence, 53, 60, 62–3, 86–7, 97, 181, 201, 247, 277, 324–5, 413
- fleas, 6–7, 140–1, 163, 335, 347, 350, 373, 390
- flu, 88–9, 282  
cat, 336–7; cow, 248; equine, 192–3; ferrets, 373; hamsters, 386; swine, 293
- fluke infestation, 376
- 'fly strike', 390
- foaling (*see* parturition)
- food  
intolerance, wrong food, too much, over-lush pasture, 62, 63, 190, 222, 224, 248, 261, 276–7, 280, 286, 302, 323; refusing, 328; unable to eat, 342
- foot and mouth (*see* virus)
- 'foot-rot', 252, 258–9, 279, 373
- 'foul-in-the-foot', 227, 228–9, 279
- fractures (*see also* first aid), 12–3, 358–9, 428
- fright (*see also* anxiety), 406
- fungus, 246, 376  
*Microsporium*, 298; *Trychophyton mentagrophytes*, *T. verrucosum*, 298
- fur (*see also* hair)  
balls, 347; chewing, 370; coarse, 332, 353; dry, 324, 379; 'moth-eaten', 370; rough, 379; 'slip' (*see also* alopecia), 370; sparse, 332, 353
- furunculosis, 141, 144
- 'gagging' (*see also* retching), 152, 184
- gasping (*see* breathing)
- gastritis (*see also* vomiting), 90–1, 290
- gastroenteritis, 264, 290
- gerbils, 378–80
- German Shepherd syndrome (*see* CDRM)
- gingivitis (*see* gums)
- glands  
lymph: enlarged, 202, 340, 346, 382;  
mammary: hot, inflamed, painful, swollen, 110–111; knotty, 111, pseudopregnancy, in, 314; thyroid, swelling, 353
- gnawing, (*see* bites itself)
- goats, 273–80
- goitre, 353
- gonitis, 197
- grass seeds, 316–7
- grass tetany (*see* staggering, 'staggers')
- 'greasy heel' (*see* dermatitis)
- grief, grieving, 328, 351, 421
- groaning, grunting, 120, 182, 224, 236
- groin, lesions, 350
- grooming, excessive, 335, 347, 350
- growth, poor (*see also* failure to thrive), 282, 292, 302
- guinea-pigs, 381–4
- gumboils (*see* abscesses)
- gums, 52, 90–1, 148  
bleeding, 149; blue, bluish, 18, 126, 177, 245, 288; inflamed, 52, 148–9, 340–1; pallor, 26, 35, 46, 92, 282; receding, 149; spongy, 149; swollen, 151; yellow, 97, 190, 277
- gut oedema (*see* bowel oedema)
- haematomas (*see also* bruises), 14–5, 74, 221
- haemorrhage, 46–7, 169
- hair (*see also* fur)

## General Index

- loss, 16, 87, 102, 132–3, 140–1, 144, 298, 335, 332, 335, 352, 353, 379, 384, 387, 395, 396, 399; matted, 210, 212, 347, 352; new, 242
- hairballs, 347
- halitosis, **52–3**, 91, 102, 113, 148, 153, 222  
sweet, 222, 321
- hamsters, **385–8**
- hard pad, **309**
- head  
hanging, 393; held high, 268–9;  
injuries, **22–3**; pressing, 222; shaking, 72, 236; to one side, 316, 397; turns from side to side, 387; wing, under, 360
- healing, slow, 352
- haematomas, **221**
- heart  
conditions, **92–3**; endocarditis, 288;  
failure, 326, 377; increased rate, 332, 353; palpitations, 26; slow rate, 236, 332, 353
- heat  
coming into (oestrus), 167;  
termination, 374
- heatstroke, **24–5**, **278**, 298–9
- hedgehogs, **389–91**
- hemiplegia (*see* paralysis)
- hepatitis (*see also* liver conditions;  
Rubarth's disease), **94**, 158, 200, **318**
- hibernation, 390
- hives (*see* nettle rash)
- hocks, sore, 395
- hooves, **194–5**  
corns, 194; heat, 198; necrosis, 258;  
puncture wounds, 194–5; rings, 198;  
sandcrack, 195; seedy toe, 195;  
thrush, 194–5
- horses, ponies, **178–217**
- huddled together, 362
- hunched up, 365, 380, 398
- hunger, 324
- husk (*see* bronchitis)
- hygroma, 197
- hyperadrenocorticism, **307**
- hyperplasia, 353
- hyperthermia, 298–9
- hyperthyroidism, hypothyroidism, 332, 353
- hypoadrenocorticism, **304**
- hypocalcaemia, **236–7**, **261**, 310
- hypoglycaemia, 222
- hypomagnesaemia (*see* 'staggers')
- hypothermia (*see* chilling)
- hysteria, **84–5**
- immobile, 82, 387
- immunodeficiency, 340–1
- incontinence of urine, faeces, 18, 28, 69, 84, **95–6**, 102–3, 122–3, 136–7, 174–5, 249, 307, 348, 351, 414, 424  
cats, cattle, dogs, horses, **95**
- incoordination, 222, 371  
hind legs, 284, 307
- indifference, 173, 315
- indigestion, **97**, 276–7
- inertia, uterine, 290
- infection (*see also* wounds), **36–7**, 75, 279, 292, 296, 301, 410, 417, 427  
bacterial, 247; *Bordetella*, 292;  
*Pasteurella*, 292
- infectious  
canine tracheobronchitis, **320**;  
keratitis **240–1**
- infertility (*see* reproduction)
- inflammation, **98–9**, 239  
udder, 231; uterus, 234
- influenza (*see* flu)
- injury (*see also* wounds), **20–1**, **22–3**, 79, 96, 98, 102, 203, 205, 214–5, 251, 279, 408
- insects (*see* bites, stings)
- irritable, 144, 149
- irritable bowel syndrome (IBS) (*see* colitis)
- itch, 376
- itching, 26–7

## General Index

- jaundice (*see also* liver conditions), 94, 100–1, 107, 156, 190, 200, 242, 318, 321, 344
- jaws, clamped or locked, 216, 261, 268
- jerking, 123
- joints (*see also* arthritis, tendons), 30–2, 50–1, 196–7, 238–9, 323, 426  
deformed, 51; enlarged, 121; hot, 51, 239; joint-ill, 238–9, painful, 206, 337, 384; stiff, 130; swollen, 51, 196, 239, 384; thickened, 323
- kennel cough, 320
- ketosis (*see* acetoanaemia)
- Key Gaskell syndrome, 348
- kicking itself, 60, 120, 182–3, 224
- kidding, 278
- kidneys, 52, 68, 75, 102–3, 105, 150, 152, 300–1, 304, 308, 321, 340, 349, 402, 406, 419, 420
- kittening (*see* parturition)
- knuckling, of feet, 307
- labour, 168
- lactation tetany, 310–1
- lambling, 258–9  
lambling sickness, 261
- lameness (*see also* arthritis, bruising, rheumatism, sprains), 104, 130–1, 179, 188, 194–5, 196–7, 206, 214, 227, 228–9, 258, 279, 280–1, 290–1, 316, 319, 323, 366, 390
- laminitis, 198–9
- 'lamppost disease' (*see also* dogs), 105, 321
- Leptospira*, leptospirosis, 100, 105, 158, 219, 230, 291, 321–2
- lethargy, 288, 332, 353
- libido, diminished, 177
- lice (*see also* dry eczema), 106, 140–1, 296–7, 384
- licking (*see also* wounds), 9, 27, 33, 36, 38, 52, 70, 108, 132, 140–1, 188, 222, 335, 350, 351
- lifeless-looking, 387
- limbs, grass seeds in, 317
- lips  
blue, 126; swollen, 151, 212
- listeriosis, 254, 274, 370
- listless, 144, 153, 293
- liver (*see also* hepatitis, jaundice), 52, 75, 94, 106–7, 165, 190, 200–1, 269, 277, 306, 321, 419  
enlarged, 307
- 'low', 'luer' (*see* 'foul-in-the-foot')
- 'lumps', 382
- lungworm, 294–5
- luxation, 319
- lying down, 182–3, 186, 231, 236, 245, 261, 276, 278, 284
- lymphocytic choriomeningitis (LCM), 397
- lymphocytosis (*see* virus)
- lymphosarcoma, 346
- maggots, 390, 402
- malaise, 324
- mammary glands (*see* udders), 166, 402
- mammitis (*see* mastitis)
- mange, 108–9
- mastitis, 110–1, 166, 170, 220, 226, 231–3, 250, 260, 262, 291, 292, 383, 393, 397
- medicine, overuse of, 75, 190, 212, 382
- metritis, endometritis, 172–3, 219, 234–5, 244, 291, 292, 374
- mice, 396–9
- milk, 174–6, 260  
bloody, 226, 260; clotted or flaky, 231, 260; discoloured, 231; loss of, 282; promotion, suppression, 260; pseudopregnancy, in, 275, 314; watery, 231, 260; yield, drop in, 219, 222, 227, 230, 244
- 'milk fever', 236–7, 244, 249–50
- mineral disturbances, 162
- miscarriage (*see* abortion)
- mites, 373, 379, 380, 384, 391, 393, 395, 396

## General Index

- Sarcoptes scabiei*, 296  
'Monday morning leg', 202–3  
mouth (*see also* gums, teeth), 112–3, 420  
  bleeding, 127; bluish, 326; dry, 112, 113, 331, 348; foaming, frothing, 84, 249, 261; inflammation, 340; 'mouth rot', 403; sore, 379; ulcers, 336; watery, 256–7; yellow, 100, 200  
move, reluctance to, 198, 268, 283, 288, 293, 326, 384  
mucous membranes (*see also* gums; eyes; skin)  
  bluish, 326; pale, 318; red spots, 318  
mucus overproduction, 98–9  
mud fever (*see* dermatitis)  
muscles  
  damage to, 186; hard, 123, 186; painful, 186, 206; pulled, 121; spasm, 310; stiffness in (*see also* stiffness), 14, 130; swelling, 14; trembling or tremors (*see also* twitching), 216, 236, 249, 261, 266, 268, 284, 312; wasting (*see also* main entry), 307; weakness, 51, 200, 304, 307, 332, 353  
muzzle, dry, 236  
mycoplasma, 220, 254, 274  
myositis (*see* cramp)  
myxomatosis, 393  
  
nails, 114–5  
nausea, 154  
navel  
  hot, 239; navel-ill, 238–9, 261; swollen, 238–9  
neck  
  arched backwards, 269; extended, 264; twisted, 379  
necrobacillosis, 395  
neonatal mortality, 312–3  
neoplasms, neoplasia (*see* tumours)  
*Neospora caninum*, 220  
nephritis (*see* kidney disease)  
nettle rash (*see also* allergies, skin conditions), 44, 114–5, 212–3, 406, 431  
nervous disorders, 385, 397  
nervousness, 222, 269, 284, 314–5, 318  
newborns, 177  
New Forest eye disease, 240–1  
noises, bowel, 277  
nose, nostrils (*see also* catarrh; discharge; sinusitis), 116–7  
  bleeding, 116–7, 127, 139, 204–5, 292–3; blocked up, 138–9; cracked or chapped, 116–7; crusts, 57; dilated, 216; runny, 44, 56–8, 88, 336; scaly, 139; sensitive to touch, 180; sore, 180, 379, 386; streaming, 147; swollen, 284, 386; ulcerated, 336; watery, 192; yellow, 200  
nosodes, 6–7, 158  
'nursing' in phantom pregnancy, 314  
nutritional disorders, problems, 390, 402–3  
  
oedema, 200, 202, 298–9  
  on skin, 212  
operation 118–9  
orf (*see* contagious pustular dermatitis)  
osteoarthritis, 196  
osteochondrosis, 323  
osteomyelitis, 324–5  
otitis, infected, parasitic, simple, waxy (*see* ear conditions)  
overexertion 426  
  
padding, 284  
pain (*see also* colic; arthritis; rheumatism), 119, 120–1, 128–9, 149, 157, 182, 196, 202, 274, 276  
  abdominal, 190, 220, 247, 318, 321, 324, 329, 330, 342, 415  
pancreatic insufficiency, pancreatitis, 324–5  
panting, 9, 24, 26, 28, 35, 54–5, 60, 76, 82, 88, 92, 120, 126–7, 128, 278, 310, 365  
papillomatosis (*see* warts)

## General Index

- paralysis (*see also* stroke), **122–3**, 307, 309, 370, 416  
hind legs, 397; posterior, 395  
paraplegia (*see* paralysis)  
parasites (*see also* fleas; worms), 73–4, 140–1, 189, 248, **264–5**, 302, 368, 371, 373–4, 276, 386, **302**, 364, **368**, 370, 386, 390–1, 394, 397, 398  
*Metastrongylus apri*, 194  
parturition (*see also* birth), 168, 170–3, **278**, 310, 408  
parvovirus, **326–7**  
pasteurellosis, *pasteurella haemolytica* infection, **266–7**, 386, 393–4  
pediculosis, 296–7  
pecking, feathers, 364–5  
perspiration (*see* sweat)  
phimosis (*see* prolapse, penile)  
photosensitisation, **242**  
pica, 302  
pigs, **281–302**  
pining, **328**  
pityriasis rosea, 296–7  
placenta  
cotyledons: grey, 253; gritty, 253; leathery, 220; necrotic, 220, 253; white, 253; yellow, 220, 253  
membrane: left hanging, 244, 270; retained, 166, 171, 173, 219, 234–5, **244**, **270–1**, **279**, **292**  
pleurisy, 54, **124–5**, 127, 184  
pneumonia, 54, 67, 89, **126–7**, 184–5, **243**, 252, 264–5, **266–7**, 283, 292–5, 309, 320, 337, 360–1, 371, 386, 391, 403  
pododermatitis, 384  
poisons, poisoning, 75, 94, 102, 190, 366, 391  
'popeye', 377  
post-parturition (*see* birth)  
pot-bellied, 247  
potentiation, potency, 4  
poultry, **357–68**  
pregnancy, 167–9, 219, 379  
false, phantom or pseudo, 176, 275, **314–5**; toxæmia, **268–9**, **279**, 383  
premature birth, 168  
pre-parturition, 168–9  
prolapse  
penile, 403; uterine, 174–5; vaginal, 169, **272**  
prostate problems, **329**  
prostration, 288, 293, 330  
pruritus, 141  
pseudopregnancy (*see* pregnancy, phantom)  
pseudotuberculosis, 382  
pulse, 83, 137, 153, 182–3, 187, 190–1, 192, 199, 236  
pupils dilated, 67, 76, 182–3, 187, 191, 199, 348  
pus (*see also* wounds), 32, 35, 36, 39, 42–3, 53, 91, 194–5, 229, 239  
pyelonephritis, 300  
pyometra, 150, 172–3, 375–6  
pyrexia (*see also* temperature), 309, 424  
  
rabbits, **392–5**  
rabies, 158  
'rain scald', 212–3  
rats, **396–9**  
'rattle belly' (*see* colibacillosis)  
recumbent (*see* lying)  
'red eye' (*see* eye injuries)  
regurgitation, 236, 348  
reproduction, **166–77**, **278**, 282, 374, 424  
resentment, 351  
respiratory problems (*see also* breathing), **292–5**, 379, 383, 386, 398  
restlessness, 9, 24, 28, 60, 74, 82, 83, 89, 120, **128–9**, 137, 149, 154, 182, 186, 191, 210, 270, 291, 310–1, 313, 314, 317, 332, 337, 339, 353  
retching, **160–1**, 320, 347  
retention of urine, 174–5  
reviving a weak animal, 245, **279**  
rheumatism, rheumatic pain (*see also*

## General Index

- arthritis), 22, **130–1**, 206–7, **206–7**, 279, 291, 411, 425
- rhinitis, 403
- ringwomb, 169, **270–1**
- ringworm, **132–3**, **246**, 298–9, 371, 379, 384, 387, 391, 395, 398–9
- rising, difficulty in, 307
- rolling with pain, 60, 120, 182–3
- Rubarth's disease, 318
- rubbing, 27, 36, 38, 70, 87, 106, 114, 132, 140–3, 148, 151, 156, 162, 188, 210, 242, 246, 296, 351, 393, 397
- bottom on ground, 304; ear, 316; nose, 292, 386
- rumbings internal, 53, 62, 86–7
- ruminal tympany, **224–5**
- salivation, 91, 112–3, 148–9, 151, 152–3, 154, 161, 191, 222, 256
- copious, 331; drooling, 268; frothy, 264–5
- salmonella, salmonellosis (*see* bacterial infection)
- sarcoids, **208–9**
- scabies, 387
- scours, scouring (*see also* diarrhoea; enteritis), **247–8**, **278**, **286–7**
- scratching, 27, 38, 70, 87, 106, 108, 114, 132, 140–3, 151, 156, 162, 246, 296, 335, 350, 368, 387, 393, 397
- ears, 72, 316
- scurf (*see* dandruff)
- scurvy, 384, 400
- seborrhoea (*see* dermatitis)
- self-mutilation, 387
- senility, 96, **136–7**
- sensitive, 249, 310
- septicaemia, sepsis, **136–7**, 147, 152, 172–3, 234, 256, 330–1, 377, 382, 424
- servicing, 68, 300
- 'set fast' (*see* cramp)
- sheep, 163, **252–72**
- shell
- burnt, 401; fluid under, 401; 'soft', 402
- shivering, trembling, 82, 83, 102, 245
- shock (*see also* anxiety; fear), 13, 16–7, 18, 19, 23, 27, **28–9**, 35, 80–1, 119, 169, 174–5, 177, 205, 245, **358–9**, 361, 366–7, 371, 383, 387, 394, 406
- 'sicca' (*see* pleurisy)
- sinusitis (*see also* catarrh), 58, **138–9**, 180–1, 403, 419
- skin conditions (*see also* dermatitis; eczema; pruritus), 132–3, **140–5**, 158, **210–3**, 196–7, **296–9**, **368**, 379, 384, 387, 395, 409, 420, 425, 430
- dry, 69, 141–2; greasy, 143, 211, 421; hard, 141, 146; hot, 27, 142, 299; infected, 99, 188; inflamed, 141–2, 145; irritation, 296, 352; itching, 27, 132, 142; oozing, 147, 242; peeling, 212; 288; rough, 69, 142, 189; sinuses, 233; smell (*see also* discharges), 211; sore, 99, 145, 298; splitting, 16; sticky, 140–2; swelling, 27, 39, 51, 142–3, 146–7, 213, 221, 242, 352, 377, 395; thickened, 141–2, 188, 246; weals, 212; weeping, 141, 242; wet, 140
- discolouration: black, 141; blue, 288; grey, 143; pale, 282; pink, 298; purple, 288; red, 27, 36, 39, 44, 51, 69, 71, 109, 132, 140–5, 242, 288, 296, 299, 352, 399; yellow, 97, 100, 277
- eruptions (*see also* main entry): blisters, 16, 45, 113, 143–5, 262, 298, 350, 387, 412; burning, 299; circular patches, 132–3, 144, 246, 298; cracked, 142; crusted, 246, 396; diamond-shaped patches, 288; lesions, wet, 350; lumps, 208, 377; plaques, 212, 242; raised, 140; scabs, 296, 298, 350; scaly, 69, 109, 140–3,

## General Index

- 379, 387, 399; symmetrical, 307;  
ulcers, 298  
'sleeper disease', 387  
sleeplessness, **128–9**  
'slime disease', 376  
slipped disc (*see* paralysis)  
slow fever (*see* acetonaemia)  
sluggishness, 46, 314  
smell  
    sweet, 321; unpleasant, 33, 34, 74,  
    105, 133, 142–3, 350, 352  
    *from*: anal glands, 304, 352; claws,  
    228–9, 258–9; vagina, 191, 270  
sneezing, 44, 58, 83, 88, 116–7, 138–9,  
    146–7, 292–3, 336–7, 338, 340–1,  
    373, 383, 386  
snuffling, 292–3, 340, 386  
soreness, 121  
spavin, 196  
spaying, 68  
sporadic lymphangitis (*see* 'Monday  
    morning leg')  
sprains and strains, **30–2**, 131, 279, 425  
spraying, **351**  
sputum  
    bloody, 184, 267; dark, 276; thick,  
    184  
squatting, 157  
staggering, 'staggers' (*see also* balance),  
    30, 84, 122, 231, 236, **249–50**, **261**,  
    284, 311  
stamping, 188  
standing, difficulty in, 370  
*Staphylococcus* (*see* bacterial infections)  
stiffness (*see also* joints; muscles),  
    88–9, 102, 121, 131, 154, 186,  
    206–7, 216, 310, 337  
    legs, 236  
stings, **26–7**, 140, 143, 145, 406  
stomach, swelling, 92  
stomatitis (*see* 'mouth rot')  
stones  
    bladder or urinary, 280, **354–5**  
stools (*see* faeces)  
stroke, **148–9**  
stomatitis, 340, 403  
straining, 103, 157, 224, 257, 258, 278,  
    280, 300, 327, 329, 354, 363, 402  
stretching, 312  
'stud tail', **352**  
stumbling (*see* staggering)  
suck, failure to, 312, 338  
sunburn, 16–7, 141, 143, 145, 298–9  
suppuration, 417  
swallowing, 112, 152  
    difficulty in, 348; painful, 153  
sweating, 55, 60, 67, 76, 120, 127,  
    182–3, 186, 190–1, 198, 216, 287  
    cold sweat, 245  
swelling, 26, 30–1, 33, 36, 38, 42, 121,  
    274, 324  
    hard, 231, 233; hot, 215, 231;  
    persistent, 233; red, 231  
    *of*: abdomen, 275, 306–7, 314, 324,  
    326, 377; cheek, 330; claws, 228,  
    258, 344, 380; eyelids, 339, 400; feet,  
    384; flanks, 224; foot pads, 358;  
    head, 393; jaw, 320; legs, 202; limbs,  
    200, 402; lips, 115; navel, 238; neck,  
    393; stomach, 92; udder, 226, 231–3;  
    vulva, 374  
swine erysipelas (*see* erysipelas)  
tail (*see also* 'stud tail'; 'wet tail')  
    held straight, 216; 'scalded', 380,  
    388; soiled, 256  
teats, teat injuries, 233, **250–1**  
    'black spot', 250; cracked, 233, 250;  
    hard, horny, 250; injured, 233;  
    ulcerated, 251; warts, 251  
teeth (*see also* halitosis, gums), **148–9**  
    abscess, 149; bleeding, 119; brown,  
    148; decay, 149; grinding, 236, 247,  
    268; loose, 91; overgrown, 378, 383,  
    386, 394, 398; rotten, 90–1; tartar  
    (scale), 52, 90, 148; toothache, 121,  
    149  
temperature, 33, 36, 38, 58, 74, 82, 83,  
    88, 102, 110, 126, 134, 136–7, 153,  
    155, 159, 171, 192, 216, 219, 220,

## General Index

- 230, 231–2, 236, 242, 243, 244,  
247–8, 256, 261, 266–7, 270, 276,  
278, 285, 288, 291, 292–3, 298,  
300, 309, 318, 324, 328, 330,  
336–7, 338, 340, 344  
low, 332  
tendons and ligaments, 179, **214–5**, 426  
terrapins, **400–4**  
tetanus, **216–7**  
thirst, **150**  
for small drinks, 191, 287  
thrive, failure to, 256–7, 294, 402  
throat  
inflamed, 152; red, 152–3; sensitive,  
153; sore, 153  
thyroid problems, thyrotoxicosis, **332**,  
**335**, **353**  
ticks, 141, **150–1**, 390  
tongue, **152**  
bluish, 126, 298; protruding, 245,  
264; sore, 151; swollen, 113, 151;  
ulcerated, 151, 336, 403  
tonsillitis, 58, **152–3**, 309  
tortoises, **400–4**  
touch, oversensitive to, 216, 236, 249,  
261, 316–7  
toxaemia, toxicity, **152–3**, 172, 225,  
231, 268–9, 276–7, **279**, 331, 348,  
352, 366, 383, 424  
toxoplasmosis, 253, 274, 312  
travel sickness, **154**  
trembling, 222, 304, 321, 387  
*Trychophyton verrucosum* (see fungus)  
tuberculosis, **155**, 374, 377, 382  
tumours (see also warts), **156**, 157, 162,  
308, 346, 353, 374, 380, 388, 399  
mammary, 399  
twitching, 102, 105, 249, 284, 309,  
310–1, 321  
'tying up' (see cramp)  
Tyzzer's disease, 388, 399  
udders (see also teats)  
abscess in, 232; enlarged, 275; hard,  
231, 260, 291; hot, 231, 291; red,  
291; painful, 291; slack, 230;  
swollen, 260  
ulcers (see also abscesses), 22, 78,  
112–3, 203, 233, 336, 350, 396  
corneal, 78–9; foot pads, 384; legs,  
395; palate, nose, 336; teats, 251;  
tongue, 336, 403  
unconsciousness, 18, 19, 22  
unmoving, unresponsive, 22, 28  
unsteady (see staggering)  
uraemia, 21  
urinary calculus, **354–5**  
urinary disorders (see also cystitis,  
incontinence, kidney disease), **157**,  
**174–5**, **280**, **300–1**  
urine (see also blood in urine)  
bright, 201; brown, 186; cloudy, 69;  
crystals, 157, 280; dark, 69; gravel,  
**354–5**; highly coloured, 103; mucus,  
301; pus, 300; reddish, 301; sediment,  
**354–5**; thick, 69  
urination, 174–5  
difficult, 183, 329; dribbling, 121,  
354; drips, 354; excess, 103, 301;  
frequent, 68; increased, 307, 308;  
involuntary (see incontinence);  
painful, 68–9, 103, 121, 300; poor  
flow, 68–9; retention, 216, 348, 354;  
slow, 69; straining, 121; strong smell,  
68, 200–1  
urticaria (see nettle rash)  
vaccination, **158–9**, 430  
viruses, viral, 58, **159**, 262, 282, 286,  
309, 312, 318, 336, 338, 340, 386,  
391, 393  
feline, 336, 340, 342–7; *Distemper*,  
312; foot and mouth, 391;  
lymphocytosis, 376; *Paravaccinia*,  
279; *Parvovirus*, 312  
vitamins  
A, avitaminosis, 400; C, deficiency,  
384  
voice (see also cries out)  
high-pitched, 284; lost, 284

## General Index

- vomiting, retching (*see also* diarrhoea),  
22, 67, 68, 84, 90–1, 97, 98, 101,  
102, 105, 107, 119, 154, 156,  
158–9, **160–1**, 163, 165, 277, 284,  
290, 308, 318, 321, 329, 342–3,  
344, 347, 409, 423  
bloody, 326–7; enteritis, with, 287  
vomits: food, undigested, 161; mucus,  
320; sputum, 67; water, 161  
vomiting and diarrhoea, 49, 53, 60–1,  
75–6, 94, 107, 120, 137, 152, 161,  
283, 290, 304, 324, 326–7, 330,  
344, 346
- warfarin, 46  
warts, **162**, **208–9**, **251**, 414  
  angleberries, 251; bleeding, 162, 251;  
  brown or black, 'cauliflower',  
  fissured, hard, horny, small, tall, thin,  
  yellow, 162; flat, 162, 208;  
  mushroom-shaped, 208; on teats, 251  
wasting, 222, 346, 377, 388, 399  
'watery mouth' (*see* colibacillosis)  
weakness, 51, 76, 83, 92–3, 201, 205,  
245, 256, 283, 287, 312–3, 326,  
339, 343, 346, 364–5, 367, 371,  
390  
weight  
  increase, 332, 353  
  loss, 75, 94, 102, 105, 155, 189, 262,  
264, 302, 304, 308, 312, 321, 324,  
332, 344, 340, 353, 362, 380, 382,  
383, 386, 388, 394, 398, 399, 400,  
402  
  slow gain, 264  
Weil's disease, 100, 321  
'wet tail', 388  
wheezing (*see* breathing)  
whelping (*see* parturition)  
whining (*see also* crying out), 314, 328  
'white spot', 376  
wind (*see* flatulence)  
wings, drooping, 362  
worms, 75, **163–4**, 189, 248, **264–5**,  
302, 304, 312, 371, 391  
  *Dictyocaulus filaria*, 264; lungworm,  
  294–5; roundworms, 52, 163, 302,  
  394, 398, 404; tapeworms, 163, 302,  
  380, 386, 394, 398  
wounds, **32–9**, 98, 404, 358, 368, 404  
  abrasions, scrapes, grazes, 32–3;  
  bites, 373; cuts and lacerations, 34–5;  
  gunshot, **366–7**; infected, 36–7, 281,  
  395; puncture, 38–9, 194–5, 217, 367,  
  396; skin, 381, 396, 316, 381, 396;  
  sores, 368  
yawning, 94, 107, 152, 154, **165**, 200  
zoonosis, 7

## *Remedy Index*


- Aconite, 405  
Agaricus Muscarius, 432  
Allium Cepa, 433  
Aloe Socotrina, 433  
Antimonium Crudum, 434  
Antimonium Tartaricum, 434  
Apis Mellifica, 406  
Argentum Nitricum, 407  
Arnica, 408  
Arsenicum Album, 409  
Baptisia, 435  
Baryta Carbonica, 435  
Belladonna, 410  
Berberis Vulgaris, 436  
Borax, 436  
Bryonia, 411  
Bufo, 437  
Calcarea Carbonica, 437  
Calcarea Fluorica, 437  
Calcarea Phosphorica, 438  
Calendula, 438  
Cantharis, 412  
Carbo Vegetabilis, 413  
Caulophyllum, 439  
Causticum, 413  
Chamomilla, 439  
Chelidonium Majus, 440  
China, 440  
Cimicifuga Racemosa, 441  
Cocculus, 441  
Colchicum Autumnale, 441  
Colocynthis, 414  
Conium Maculatum, 442  
Crataegus, 443  
Croton Tiglium, 443  
Drosera, 443  
Dulcamara, 444  
Echinacea, 444  
Euphrasia, 415  
Ferrum Metallicum, 445  
Ferrum Phosphoricum, 445  
Flor de Piedra, 445  
Gelsemium, 416  
Graphites, 446  
Hamamelis, 446  
Hepar Sulphuris, 417  
Hypericum, 417  
Ignatia, 447  
Ipecacuanha, 447  
Kali Bichromicum, 448  
Kreosotum, 448  
Lachesis, 448  
Ledum, 449  
Lycopodium, 418  
Magnesium Phosphoricum, 450  
Mercurius Corrosivus, 450  
Mercurius Solubilis, 419  
Natrium Muriaticum, 420  
Nux Vomica, 421  
Petroleum, 451  
Phosphoric Acid, 451  
Phosphorus, 422  
Phytolacca, 452  
Podophyllum, 452  
Psorinum, 452  
Pulsatilla, 423  
Pyrogen, 424  
Rhus Toxicodendron, 425  
Ruta Graveolens, 426  
Sabina, 453  
Scutellaria, 453  
Sepia, 454  
Silica, 427  
Spongia Tosta, 454  
Staphysagria, 455  
Sulphur, 428  
Symphytum, 429  
Thuja, 430  
Urtica Urens, 431  
Veratrum Album, 455

Francis Hunter

## Everyday Homeopathy for Animals

486 Seiten, kart.  
erscheint 2021

[Jetzt kaufen](#)



Mehr Bücher zu Homöopathie, Alternativmedizin und gesunder Lebensweise [www.narayana-verlag.de](http://www.narayana-verlag.de)