

Francis Hunter


Everyday Homeopathy for Animals

Texte d'exemple

[Everyday Homeopathy for Animals](#)

depuis [Francis Hunter](#)

éditeur: Beaconsfield



Dans la [boutique en ligne Narayana](#), vous trouverez tous les livres en allemand et en anglais sur l'homéopathie, la médecine alternative et un mode de vie sain.

Copyright :

Narayana Verlag GmbH, Blumenplatz 2, D-79400 Kandern

Tél. +49 7626 9749 700

Courriel info@narayana-verlag.de

<https://www.narayana-verlag.de>

Narayana Verlag est une maison d'édition spécialisée dans les ouvrages d'homéopathie, de médecines alternatives et de bien-être. Nous publions des livres d'auteurs de renom et novateurs tels que Rosina Sonnenschmidt, Rajan Sankaran, George Vithoukas, Douglas M. Borland, Jan Scholten, Frans Kusse, Massimo Mangialavori, Kate Birch, Vaikunthanath Das Kaviraj, Sandra Perko, Ulrich Welte, Patricia Le Roux, Samuel Hahnemann, Mohinder Singh Jus et Dinesh Chauhan.

Les éditions Narayana Verlag organisent des séminaires d'homéopathie. Des conférenciers de renommée mondiale tels que Rosina Sonnenschmidt, Massimo Mangialavori, Jan Scholten, Rajan Sankaran et Louis Klein inspirent jusqu'à 300 participants.

Preface

I have had three main reasons for writing this book. The first is that a book I published some years ago, entitled *Before the Vet Calls*, is now out of print. (It was renamed in later editions *Homeopathic First Aid Treatment for Pets* for the American market, because the word 'vet' there refers to a veteran of their armed forces.) It was relatively short and written to satisfy a perceived demand for a basic introduction to homeopathy for the care of pet animals.

It now seems appropriate to produce this more comprehensive work to meet the needs of the increasing number of people who are interested in complementary therapies, and who are also much more widely informed on the potentially beneficial role of homeopathic medicine both for themselves and their animals.

The first major section covers the general problems that are common to all species, beginning with an initial section in flowchart form on accidents and emergencies. The greater scope of this new book has allowed me to provide information outlining the principal diseases and conditions specific to the different animals that are included. These sections are quite concise and indicate the various options available to treat the given condition, including references back to the general part of the text wherever relevant.

My second reason is to point out to the owner of an animal not only the benefits but also the limitations of homeopathic treatment, or for that matter of any other form of complementary treatment. It is a great mistake to embark on the treatment of an animal without sufficient knowledge of the intricate make-up of the animal as a patient, and without the training and expertise to be able to instigate the correct treatment. The average person would not even contemplate the idea of inserting acupuncture needles into an animal, and the argument holds equally well against giving a homeopathic remedy without the experience to do so. I have attempted to point out to the reader when it is appropriate to treat an animal oneself and when it is necessary to seek veterinary advice.

The third reason is that I have greatly admired the book *Everyday Homeopathy* by the late Dr David Gemmell. In addition to being an experienced and sympathetic general practitioner, Dr Gemmell was also the medical registrar at the Royal London Homeopathic Hospital for a number of years. He was a first-class

Preface

teacher, and I had the pleasure of being one of his students when I was studying homeopathy at the Faculty of Homeopathy in the early eighties. In his book, which he wrote for use within the family and among friends, he had the novel idea of describing a disease or condition on the left-hand page, and then on the facing right-hand page matching the different symptoms with the most appropriate remedy. This makes it simple and straightforward for the reader to be directed to the remedy most likely to be helpful, and I am very grateful to Mrs Irma Gemmell for permitting me to adopt this layout as fully as possible in the present book.

Contents

Preface vi
Introduction 1

ACCIDENTS, EMERGENCIES AND FIRST AID 9

Animal bites 9	Heatstroke 24
Bleeding 10	Insect bites and stings 26
Broken bones 12	Shock 28
Bruises, haematomas 14	Sprains and strains 30
Burns and scalds 16	Wounds
Collapse 18	– Abrasions, scrapes and grazes 32
Concussion 19	– Cuts and lacerations 34
Eye injuries 20	– Infected 36
Head injuries 22	– Punctured 38

GENERAL CONDITIONS 41

Abscesses 42	Diarrhoea 70
Allergies 44	Dysentery 70
Anaemia 46	Ear conditions 72
Anxiety 46	Enteritis 75
Appetite 48	Eye conditions 77
Arthritis 50	Fear, fright, apprehension, panic 80
Bad breath 52	Fever 82
Bronchitis 54	Fits, hysteria, epilepsy, convulsions 84
Catarrh 56	Flatulence 85
Chills and colds 58	Fleas 85
Colic 60	Flu 88
Colitis 62	Gastritis 90
Constipation 64	Gum inflammation 90
Coughs 66	Heart conditions 92
Cystitis 68	Hepatitis 94
Dandruff 68	Incontinence 95
Dermatitis 70	

Indigestion	97
Inflammation	98
Jaundice	100
Kidney disease	102
Lameness	104
Leptospirosis	105
Lice	106
Mange	108
Mastitis	110
Mouth	112
Nails	114
Nettle rash	114
Nose	116
Operations	118
Pain	120
Paralysis	122
Pleurisy	124
Pneumonia	126
Restlessness, sleeplessness	128
Rheumatism	130
Ringworm	132
Salmonellosis	134
Senility	136
Septicaemia	136
Sinusitis	138
Skin conditions	140
Snakebite	146
Sneezing	146
Stroke	148
Teeth	148
Thirst	150
Ticks	150
Tongue	151
Tonsillitis	152
Toxaemia	152
Travel sickness	154
Tuberculosis	155
Tumours	156
Urinary problems	156
Vaccination	158
Viruses	159
Vomiting	160
Warts	162
Worms	163
Yawning	165

REPRODUCTION

166

The Reproductive Cycle

Failure to come into heat	167
Remedies to help maintain pregnancy	167

Reproductive Disorders

Infertility	168
-------------	-----

THE FEMALE

PRE-PARTURITION

Abortion, miscarriage, premature birth	168
Haemorrhage	169
Ringwomb	169
Vaginal prolapse	169

PARTURITION

Giving birth	170
--------------	-----

POST-PARTURITION

Retained placenta	170
Mastitis	170
Metritis, Endometritis	172
Pyometra	172
Uterine prolapse	174
Difficulty passing urine	174
Urinary incontinence	174
Shortage of milk	174
Shortage of milk	174
Too much milk	176
Eclampsia (lactation tetany)	176
False, pseudo or phantom pregnancy	176

Contents

THE MALE

Diminished libido 177

The Newborn Animal

Reviving the newborn animal 177

HORSES, PONIES AND DONKEYS

178

Bony changes and enlargements 178

Catarrh and sinusitis 180

Colic 181

Constipation 182

Coughs and colds 184

COPD 185

Cramp 186

Dermatitis, greasy heel and mud
fever 188

Diarrhoea and enteritis 189

Equine influenza 192

Hooves 194

Joint disease and conditions 196

Laminitis 198

Liver conditions 200

Monday morning leg 202

Nosebleed 204

Rheumatism 206

Sarcoids and warts 208

Skin conditions 210

Tendons and ligaments 214

Tetanus 216

CATTLE

218

Abortion 219

Abscesses and haematomas 221

Acetonaemia, ketosis 222

Bloat 224

Blood in the milk 226

Calving 226

Digital dermatitis 227

Foul-in-the-foot ('Low', 'Luer') 228

Lameness 228

Leptospirosis 230

Mastitis 231

Metritis, endometritis 234

Milk fever 236

Navel-ill (joint-ill) 238

New Forest eye disease 240

Photosensitisation 242

Respiratory problems 243

Retained afterbirth 244

Reviving the calf or adult 245

Ringworm 246

Scours, diarrhoea, enteritis 247

Staggers 249

Teat injuries and sores 250

Warts, papillomatosis 251

SHEEP

252

Abortion 253

Bloat 255

Coccidiosis 256

Colibacillosis 256

Foot-rot 258

Lambing 258

Mastitis 260

Milk promotion and suppression
260

Mineral disturbances 261

Navel-ill 261

Orf (contagious pustular dermatitis)
262

Parasites (worm infestations) 264

Contents

Pneumonia 266	Ringwomb 270	
Pregnancy toxæmia 268	Vaginal prolapse 272	
Retained placenta (retained afterbirth) 270		
GOATS		273
Abortion 274	Kidding 278	
Bloat 274	Lameness 279	
Cloudburst (pseudopregnancy) 275	Orf (contagious pustular dermatitis) 279	
Coccidiosis 275	Pregnancy toxæmia 279	
Colibacillosis 275	Retained afterbirth 279	
Digestive disorders 276	Reviving the weakly kid or adult 279	
Enteritis, diarrhoea, scours 278	Urinary disorders 280	
Heatstroke 278		
Infertility 278		
PIGS		281
Abscesses (boils) 281	Gastritis 290	
Anaemia 282	Lameness 290	
Blue eared disease 282	Leptospirosis 291	
Bowel oedema 284	Mastitis 291	
Constipation 285	Metritis and retained placenta 291	
Enteritis (diarrhoea, scours, scouring) 286	Respiratory infections 292	
Erysipelas (swine erysipelas) 288	Skin disorders 296	
Farrowing 289	Urinary tract disorders 300	
	Worms, parasites 302	
DOGS		303
Addison's disease 304	Eclampsia (lactation tetany) 310	
Anal glands 305	Fading puppies 312	
Ascites (dropsy) 306	False pregnancy 314	
Campylobacteriosis 306	Grass seeds 316	
Chronic degenerative radi- culomyelopathy (CDRM) 306	Hepatitis 318	
Cushing's syndrome 307	Hip dysplasia 319	
Diabetes 308	Kennel cough 320	
Distemper (canine distemper, hard pad) 309	Leptospirosis 321	
	Osteochondrosis 323	

Contents

Osteomyelitis 324	Prostate problems 329	
Pancreatic insufficiency 324	Salivary cyst 330	
Parvovirus 326	Salmonellosis 330	
Pining and grief 328	Thyroid problems 332	
CATS		333
Abscesses 334	Feline leukaemia 346	
Alopecia (hair loss) 335	Fur balls (hairballs) 347	
Cat flu 336	Key Gaskell syndrome 348	
Cystitis 337	Kidney disease 349	
Fading kittens 338	Kittening 349	
Feline chlamydial infection 338	Miliary eczema 350	
Feline immunodeficiency virus (FIV) 340	Spraying 351	
Feline infectious enteritis (FIE) 342	Stud tail 352	
Feline infectious peritonitis (FIP) 344	Thyroid problems 353	
	Urinary calculus 354	
BIRDS AND POULTRY		357
Accidents 358	Diarrhoea 364	
Broken bones 358	Feather pecking 364	
Bumble foot 358	Gunshot wounds 366	
Chest infections 360	Oiled birds 366	
Chills, colds, coryza 360	Parasites 368	
Coccidiosis 362	Salmonella 368	
Concussion 362	Skin conditions 368	
Dehydration 364		
CHINCHILLAS		369
Colic 370	Parasites 371	
Fur chewing 370	Pneumonia 371	
Fur slip 370	Ringworm 371	
Listeriosis 370	Shock 371	
FERRETS		372
Abscesses 372	Enteritis 373	
Bite wounds 373	Influenza 373	
Canine distemper 373	Parasites 373	

Contents

Reproductive disorders 374	Tuberculosis 374	
Salmonella infection 374	Tumours 37	
FISH		375
Farmed fish 375	– ‘Fin rot’ 376	
Ornamental fish 375	– Fungus 376	
Quarantine 375	– Lymphocytosis 376	
Exterior diseases 376	Internal diseases 377	
– White spot (‘ich’) 376	– Septicaemia 377	
– Slime disease 376	– ‘Popeye’ or ‘dropsy’ 377	
– Fluke infestation 376	– Tuberculosis 377	
GERBILS		378
Overgrown teeth 378	– Demadex 379	
Respiratory disease 379	– Ringworm 379	
– Sore eyes, nose and mouth 379	– ‘Wet tail’ 380	
– Ear infection 379	Tapeworms 380	
Salmonella infection 379	Tumours 380	
Skin conditions 379	Tyzzer’s disease 380	
GUINEA PIGS		381
Abscesses/skin wounds 381	Pregnancy toxemia 383	
‘Lumps’ (cervical lymphadenitis) 382	Respiratory disease 383	
Conjunctivitis 382	Scurvy 384	
Enteritis 382	Skin conditions 384	
Mastitis 383	– ‘Chewing’ 384	
Overgrown teeth 383	– Pododermatitis 384	
HAMSTERS		385
Nervous disorders 385	Skin conditions 387	
Overgrown teeth 386	– Demodex 387	
Parasites 386	– Scabies 387	
Respiratory infections 386	– Ringworm 387	
– Common cold and flu viruses 386	– ‘Sleeping disease’ 387	
– Pasteurellosis 386	Tumours 388	
Salmonella infection 387	Tyzzer’s disease 388	
	‘Wet tail’ 388	

HEDGEHOGS	389
Bacterial infections 389	– Internal parasites 391
'Fly strike' 390	Poisoning 391
Nutritional disorders 390	Ringworm – fungal infection 391
Parasites 390	Viruses 391
– External parasites 390	
RABBITS	392
Ears 393	Pasteurellosis 394
Enteritis/diarrhoea 393	Posterior paralysis 395
Mastitis 393	Skin conditions 395
Myxomatosis 393	– Sore hocks 395
Overgrown teeth 394	– Necrobacillosis 395
Parasites 394	
RATS AND MICE	396
Abscesses/skin wounds 396	Parasites 398
Ears 397	Respiratory infections 398
Enteritis/diarrhoea 397	Ringworm – fungal infection 391
Mastitis 397	Tumours 399
Nervous disorders 397	Tyzzer's disease 399
Overgrown teeth 398	
TORTOISES AND TERRAPINS (CHELONIANS)	400
Abscesses 400	Maggot infestation 402
Avitaminosis A 400	Nutritional problems 402
Bacterial infections 400	Phimosis (prolapse of the penis) 403
Beak deformity 401	Pneumonia 403
Blindness and eye conditions 401	Rhinitis/Sinusitis 403
Burnt shell 401	Stomatitis ('mouth rot') 403
Colic 401	Worm infestations 404
Eggbinding 402	Wounds 404
Kidney infection 402	
PRIMARY MATERIA MEDICA	405
Aconite, Apis mellifica, Argentum nitricum, Arnica, Arsenicum Album, Belladonna, Bryonia, Cantharis, Carbo vegetabilis, Causticum, Colocynthis, Euphrasia, Gelsemium, Hepar Sulphuris, Hypericum, Lycopodium,	

Contents

Mercurius Solubilis, Natrum Muriaticum, Nux Vomica, Phosphorus,
Pulsatilla, Pyrogen, Rhus Toxicodendron, Ruta, Silica, Sulphur,
Symphytum, Thuja, Urtica Urens

SECONDARY MATERIA MEDICA 432

Actaea racemosa, Agaricus muscarius, Allum cepa, Aloe socotrina,
Antimonium crudum, Antimonium tartaricum, Baptisia, Baryta carbonia,
Berberis vulgaris, Borax, Bufo, Calcareo carbonica, Calcareo fluorica,
Calcareo phosphorica, Caulophyllum, Chamomilla, Chelidonium majus,
China (Cinchona), Cimicifuga racemosa, Cocculus, Colchicum autumnale,
Conium maculatum, Crataegus, Croton tiglium, Drosera, Dulcamara,
Echinacea, Ferrum metallicum, Ferrum phosphoricum, Flor de piedra,
Graphites, Hamamelis, Ignatia, Ipecacuanha, Kali bichromicum,
Kreosotum, Lachesis, Ledum, Magnesium phosphoricum, Mercurius
corrosivus, Petroleum, Phosphoric acid, Phytolacca, Podophyllum,
Psorinum, Ruta graveolens, Sabina, Scutellaria, Sepia, Spongia tosta,
Staphysagria, Veratrum album

THE MEDICINE CHEST 458

THE FIRST AID BOX 457

FINDING A HOMEOPATHIC VET 460

SUPPLIERS OF HOMEOPATHIC REMEDIES 461

FURTHER READING 463

GENERAL INDEX 465

REMEDY INDEX 479

Accidents, Emergencies and First Aid

ANIMAL BITES

The canine or eye teeth of animals who bite when they attack or defend themselves are very sharp and pointed. They can cause deep puncture wounds which may appear to heal quickly, but because the teeth carry bacteria on their surface, infection may develop beneath the scab causing heat, swelling and pain.

- Lacerated, large wounds; deep, painful wounds. Immediate veterinary attention necessary.
- Small bites. Use remedies, but seek advice if infection seems to be present.
- Horses. If in doubt consult a vet.

By Mouth

If the fight has just occurred and there is shock associated with the bites.

Aconite 30c. Dose every 15–30 minutes up to 4–6 times as required.

This remedy follows Aconite well, or may be used from the outset if little or no shock is apparent.

Arnica 30c. Dose every 1–2 hours up to four doses, then 3–4 times daily for a few days until improved. Arnica is indicated and helpful whenever there is tissue damage, inflammation or bruising.

If pain is evident. The signs of pain may be loss of appetite, restlessness, dullness, panting, or constantly licking or gnawing at the affected place.

Hypericum 30c. Dose 3–4 times daily for 2–4 days until improved.

These two remedies help to reduce infection and promote healing.

Calendula 6c and Ledum 6c. Dose every fifteen minutes for an hour and then 3–4 times daily for 3–5 days.

ANIMAL BITES (continued)

Application to the Wound

To cleanse the wound, apply **Calendula lotion** 3–4 times daily as necessary. To promote healing when the wound appears to be clean, use **Hypericum/Calendula Cream**. Apply 2–3 times daily until healed.

BLEEDING (Haemorrhage)

The loss of some blood after any accident or injury is natural and helps to cleanse the wound, but it should not continue for too long. A trickle of blood for 5–10 minutes is acceptable but by the end of this time the blood should have begun to form a clot. Such bleeding will be from small blood vessels and is of little consequence. Bleeding from larger vessels is much more serious and professional help should be sought immediately. Such blood may be coming from an artery or a vein.

The blood in the arteries contains oxygen and is bright red in colour. It tends to be pumped out as the heart and pulse beat. The blood from veins is being returned to the heart from the tissues and has given up its oxygen. This blood is a dark red or wine colour and tends to flow rather than pump from the injury. If the bleeding appears severe it is probably coming from a major vessel. In such a case pressure should be applied to stop excessive blood loss while help is summoned. It may simply be a pressure pad or bandage; in the case of a limb, a cord fitted tightly round above the wound (a tourniquet) will help to stop the bleeding if an artery has been damaged.

- Blood oozing or trickling. Use remedies, but seek advice if bleeding persists.
- Pumping, bright, red blood. Flowing dark, red blood. Immediate veterinary attention necessary.

BLEEDING

For shock.

Aconite 30c. Start immediately and dose every 15–30 minutes for up to 4 doses.

Use if bleeding due to an injury, or if bleeding has occurred previously and is only slight. Useful for bleeding from the tips of the ears or from the end of the tail, or any other small wound. that cannot easily be bandaged.

Arnica 30c. Dose every 4 hours for 1–3 days as required.

For dark, unclotted, persistent, but not copious bleeding.

Hamamelis 6c or 30c. Dose 3 times daily for 3–5 days.

Use when the animal is weak after bleeding a lot.

China Officinalis 30c. Dose every 4 hours for 1–2 days.

For bright, red persistent bleeding.

Ipecacuanha 30c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

For superficial and slight haemorrhages, especially those that tend to recur but are not serious (e.g. slight nosebleeds).

Phosphorus 6c. Dose every 30–60 minutes up to four doses, then 3–4 times daily for a day or two if necessary.

General Index

Advice to the reader. Some symptoms are so common that the index can be of only limited use, unless the page number refers to a chapter. Common symptoms include: biting or scratching itself, diarrhoea and vomiting, dullness, rubbing, shock, temperature. The search for a remedy may go faster if you can also find a less common symptom.

- abortion (*see also* reproduction), 137, 153, 168–71, 219–20, 244, **253**, 270, **274**, 282–3, 342
 - mycotic, 220
- abscesses, **42–3**, 53, 83, 90–1, 99, 111, 137, 144, **221**, 228–9, **281**, 305, 316, **334**, 372, 381, 396, 400, 410, 417
 - teeth, 53, 148; udder, 232
 - with fever, 334
- accidents (*see also* eye injuries), **12–13**, 358–9, 406
- acetonaemia, **222–3**
- Addison's disease, **304**
- afterbirth (*see* placenta)
- aggravations, 5
- aggression, 173, 314–5
- allergies, **44–5**, 140, 415
- alopecia (*see* fur; hair loss)
- anaemia, **46–7**, 163, **282–3**, 346
- anal glands, **304–5**
- antibiotics (*see* medicine)
- anticipation, 47, 63, 80–1, 407
- anxiety, 28, **46–7**, 128–9, 416
- appetite, **48–9**
 - with constipation, 285
- arthritis, **50–1**, 196–7, 228, 279, 288, 291, 319, 406, 425
 - in knees, 219
- ascites, **306**
- atrophic rhinitis, 292
- aural haematoma, 73
- avitaminosis A, 400
- azoturia (*see* cramp)
- back
 - arched or hunched, 102–3, 300, 329;
 - backache, 422; bones stand out, 344;
 - injury, 121; paralysis, 395
- bacterial infections, 216, 247, 312, **330–1**, 336, 338, 382, 384, 389, 393, 397, 399, 400–1
 - Bacteroides nodosus*, 258;
 - Erysipelothrix insidiosa*, 288;
 - Escherichia coli* (*E. coli*), 75, 191, 247, 256, 284, 286, 300, 312, 380, 388; *Fusiformis*, 250, 258, 395;
 - Listeria monocytogenes*, 370;
 - Pasteurella multocida*, *pasteurellosis*, 386, 394; *Salmonella*, *salmonellosis*, 75, **134–5**, 191, 220, 247–8, 254, 274, 330–1, **368**, 374, 379, 387, 382; *S. dublin*, 330; *Sphaerophorus*, 395;
 - Staphylococcus*, 250; *Streptococcus*, 232, 312, 379, 382; *S. typhimurium*, 330
- bad breath (*see* halitosis)
- balance, loss of (*see also* falling; staggering), 284, 379, 397
- barking, incessant, 328
- beak deformity, 401
- 'bed making', in phantom pregnancy, 314
- belching, 87, 97, 224, 270, 277

- birds, **357–68**
 oiled, (*see also* first aid), **366–7**
- birth (*see also* parturition),
 premature, 168
- bites, **9–10**, 140, 143, 145, 334, 372
 insect, **26–7**, 140; midge, 210;
 snakes, **146–7**, 152
- biting (*see also* self-mutilation)
 itself, 9, 33, 36, 38, 70, 87, 106, 108,
 114, 140–3, 156, 162, 210, 242,
 335, 350, 351, 368, 387
 others, 281
- 'black eye' (*see* eye injuries)
- bleeding (*see also* blood in urine,
 faeces; haemorrhage), **10–11**,
 14–15, 22, 119
 bright, 10, 169, 205; dark, 10, 169,
 205; flowing, 10; oozing, trickling,
 10, 169; persistent, 205; pumping, 10;
 unclotted, 205
from: ears, 22, 119; internal, 74; nose,
 22, 117, **204–5**; penis, prepuce, 329;
 rectum, 65; teeth, 119; uterus, 169,
 171
- blindness, 77, 401
 apparent, 222, 268, 284, 400–1
- blisters (*see* skin conditions)
- bloating, bloat, **224–5**, 236, **255**, **274**,
 276
 frothy, 224–5; gaseous, 224
- 'blood blister' (*see* aural haematoma)
- blood in urine, faeces or droppings,
 68–9, 70, 76, 103, 256, 280, 300,
 312, 352, 362–3, 365
- blood
 loss, 364; 'poisoning', **136–7**, 147
 'blue eared disease', **282–3**
 'blue eye', 318
- boils (*see* abscesses; eruptions)
- bones, **78–80**, 197, 324–5
 broken or fractured, **12–3**, 279, **358**;
 bruised, 31–2; damage, 293
- bowel oedema, **284**
- breath, bad (*see* halitosis)
- breathing (*see also* bronchitis; pleurisy;
 pneumonia; respiratory infections),
 28, 82, 92, 192–3, 124–5, 155, **243**,
 292–5, 320
 'asthmatic', 125; breathlessness, 92;
 difficult, 184, 283, 292, 298, 326,
 344, 398; distressed, 283; fast, 182,
 192; gasping, 18, 24, 26, 35, 55, 89,
 92, 125, 126, 177, 193,, 224, 337,
 245, 264; harsh, 391; heavy, 126;
 increased, 276, 332, 337, 353;
 laboured, 184, 266, 293, 360; noisy,
 383; paralysis, 216; rapid, 125, 126,
 190–1, 198, 264, 266, 310; rattling,
 125, 391; short, 193, 264, 282, 288,
 337, 383; wheezing, 125, 320, 360
- broken wind, 185
- bronchitis (*see also* pneumonia), **54–5**,
 67, 126, 184–5, 264, 294–5, 309,
 320, 360–1
- bronchopneumonia, 336, 394
- brucella abortus* (brucellosis), 219
- bruises, **14–5**
- 'bumble foot', **358–9**
- burns and scalds, **16–7**, 145, 401, 412,
 431
- calculus (*see* stones)
- calving (*see* parturition)
- campylobacter, campylobacteriosis, 219,
 248, 286, **306**
- cancer, 346
- carpitis, 196
- cataract (*see* eye conditions)
- catarrh (*see also* sinusitis), **56–7**, 180–1,
 421, 424
- cats (*see also* feline), **333–55**
- cattle, **218–51**
- cervical lymphadenitis, 382
- chelonians, **400–4**
- chest infections, 125, **360–1**
 heaving, 360
- 'chewing', 374, 384
- chilling, 312, 338
- chills (*see also* colds), **58–9**, 124,
360–1

- chinchillas, **369–71**
 chlamydial infection, 253, 274, 338
 chorea, 309
 chronic degenerative
 radiculomyelopathy (CDRM),
 306–7
 chronic obstructive pulmonary disease
 (COPD), **185**
 circling, 122, 222, 379, 393, 397
 'cleansing' (*see* placenta, retained)
 'cloudburst' (*see* pregnancy, phantom)
 coat (*see* fur; hair)
 coccidiosis, coccidia, 247, **256–7, 275**,
 278, **362–3**, 371, 382
 cold body, 'chilled', 137, 153, 177, 245,
 287, 312–3, 339, 353
 colds (*see also* chills), 58–9, **184–5**,
 360–1
 colibacillosis, **181, 256–7, 275**
 colic, **60–1**, 63, 65, 76, 87, 97, 98,
 120–1, 181–3, 224, 278, 280, 370,
 401, 415
 colitis, **62–3**, 75, 87, 190
 collapse, **18–9**, 28, 134, 152, 163, 177,
 201, 245, 247, 358–9, 225, 245,
 256, 310, 313, 326, 339, **352**, 360,
 365, 366, 413
 coma, 312
 comfort, wanting, 81
 concussion, **19, 362–3**
 conjunctivitis, 21, 77–8, 240, 283, 309,
 338–9, 340–1, 379, 382
 constipation, 60–1, **64–5**, 87, 94, 101,
 182–3, 200, 216, 236, 276, **285**,
 329, 348
 constitutional prescribing, 1, 6
 contagious pustular dermatitis (orf),
 262–3, 279
 contractions, 173
 convulsions, **84–5**, 236, 249, 268, 309
 coprophagia, 324
 corns, 194
 coryza, **360–1**
 coughs, coughing (*see also* sputum), 44,
 54–5, 58, **66–7**, 83, 88–9, 125–6,
 126–7, 138–9, 152, 155, 264–5,
 184–5, 283, 293, 320, 336–7, 373,
 391
 barking, 294; choking, 125, 127;
 continuous, 184; deep, 127; dry, 55,
 67, 89, 92–3, 125, 127, 192–3, 294,
 320, 337, 423; hacking, 93; hard, 67;
 harsh, 184, 193, 309, 337; 'heart
 cough', 92–3; hoarse, 125; incessant,
 320; irritating, 320; kennel, 320;
 moist, 185, 265; nagging or niggling,
 127, 243, 320, 337; painful, 126;
 paroxysmal, 127; persistent, 67, 127,
 320; racking, 55, 127; rattling, 67;
 retching, 92; spasmodic, 67, 93, 320;
 tickling, 67, 89, 93, 193, 337;
 wheezing, 185
 cramp, 60–1, **186–7**
 crossed, hind legs, 307
 crouching, 280, 354
 croup, 185
 crying, crying out, 35, 74, 293, 312,
 316, 328, 338
 Cushing's syndrome, **307**
 cuts (*see* wounds)
 cyanosis, 93
 cysts, salivary, **330–1**
 cystitis, **68–9**, 103, 121, 175, 300–1,
 337, 412
 corynebacterial, 300
 dandruff (*see also* skin conditions),
 68–9, 72, 141, 143–4
 debility (*see also* weakness), 159, 222,
 256–7, 283, 287, 313, 339, 363,
 364–5, 382, 390, 399
 defaecation, difficult, 419
 deformation, snout, 292
 dehydration, 134, 150, 152, 159, 160,
 182, 247, 257, 287, 313, 326, 336,
 342–3, 338–9, 345, 348, 352,
 362–3, **364–5**, 367
 diet (*see* food)
 delirium, 278
 Demodex, 379, 387

- dental work, 408
 depression, 308, 314–5, 328, 342, 352, 383
 dermatitis (*see also* skin conditions), 70–1, 87, 108, 140–1, 144–5, 188–9, 242
 digital, 227
 destructive behaviour, 328
 diabetes, 150, 308
 mellitus, 308; insipidus, 308
 diarrhoea (*see also* enteritis; vomiting), 70–1, 189–91, 247–8, 278, 286–7, 364–5, 409, 421, 430
 acute, 362; chronic, 340; mild, 380; neonatal, 282; persistent, 343; profuse, 368, 388; severe, 370; watery, 134, 306
 diet, 75
 change of, 129
 digestive disorders, 276–7, 422
 digging, 314
 discharges, secretions
 acid, 57, 180; bland, 235; bloody, 138, 172, 230, 234; copious, 234; creamy, 172, 393, 394, 395; offensive, 138, 153, 172–3, 195, 229, 232, 234–5, 244, 292; oily, 351; purulent, 192, 338–9, 394; red, 173, 234; sticky, 57, 188–9, 210–1, 350, 351, 352; stringy, 57, 138–9, 181; thick, 57, 138–9, 230, 336, 338–9, 393, 394, 395, 400; watery, 57, 138–9, 336, 338; ‘whites’, 234–5
 colour: bright red, 244; brown, 292; chocolate, 173–5, 235; clear, 172, 336; green, 57, 138, 261; grey, 173; grey-white, 235; milky-white, 292; pink, 173, 234, 291, 292; reddish-brown, 244; white, 57, 139, 172, 181, 382, 395; yellow or honey-coloured, 57, 138–9, 180, 234, 251, 336, 339, 350, 351, 352, 382
 from: all orifices, 153; anal glands, 304; chin glands, 382; ears, 72–4, 397; eyes, 76, 338–9, 360–1, 393, 394; mouth, 55; navel, 238; nose, nostrils, 55, 56–8, 126, 138, 162, 338, 383, 394, 398; skin, 188–9, 395; udder, 230, 232; uterus, 275; vagina, 168, 172–3, 234, 291, 292
 disorientation, 278
 distemper, 158, 309, 373
 distension, 63, 87, 163, 256, 324
 distress, 312, 366
 dogs, 303–32
 donkeys, 178–217
 dribbling (*see* salivation)
 drooling (*see* salivation)
 droppings (*see* faeces)
 dropsy, 92, 306, 377
 drowsiness, 22, 55, 83
 dullness, 9, 83, 105, 107, 110, 126, 134, 136–7, 153, 155, 157, 159, 163, 171, 190, 200, 321, 326, 330, 340, 344, 362, 368, 370
 dysplasia, hip, 319
 dyspnoea (*see* breathing, difficult)
 dysentery, 70, 76, 134, 362, 365
 ear conditions, 72–4, 121, 122, 379, 393, 397
 ears
 bleeding, 119; cold, 236; crusty, 393; eczema, 143; erect, 216; grass seeds in, 316–7; infected, 317, 373, 379; lesions behind, 350; painful to touch, 316–7; pricked, 249; swollen, 284
E. coli (*see* bacterial infection)
 eclampsia, 176, 310–1
 eczema, 70, 87, 102, 106, 140–5, 188, 212
 acute, 140; bends of joints, in; chronic, 140, 142, 143, 409, 419; dry, 350; miliary, 335, 350; ‘sweet itch’, 201–2; wet, 212, 352, 380, 388
 egg
 binding, 402; laying, 362
 emaciation, 324, 386, 395
 endocarditis (*see* heart)
 enteritis (*see also* diarrhoea), 75–6, 134,

- 189–91, 247–8, 256–7, 264,
278, 286–7, 302, 306, 331,
342–3, 362–3, 371, 373, 382, 393,
397
- enzootic abortion, 253
- epilepsy, 84–5
- eruptions (*see also* eczema; skin
conditions)
- boils, 210, 281; papules, 387;
pimples, 262, 335, 350; pustules, 189,
210, 262, 296, 335, 350; scabs, 262,
350; vesicles, 262, 350
- erysipelas, 288–9, 291
- excitement, excitability, 129, 154, 183,
222, 236–7, 249, 268, 284, 298,
310–1
- exhaustion, lassitude, prostration,
tiredness, 92–3, 94, 100, 107, 154,
177
- eye conditions (*see also* conjunctivitis)
- abnormalities, 344; bleeding, 344;
blinking, 241; bulging, 237; cataracts,
77, 79, 308, 401; chronic, 407;
closed, 393; discharging, 20, 292;
foreign bodies, 20; glaucoma, 78–9,
423; lifeless look, 360; pale, 26, 46,
92, 190, 264, 282; protruding, 377;
pupils dilated 77–9, 240–5, 401; red
surround 240; running, 44; 58, 78,
88–9, 138, 192, 336–7, 340, 373;
sensitive to light, 78; shut, 241; sore,
336, 379, 415, 423; ‘staring’, 237;
streaming, 147, 337; tears, 78, 240–1;
tumours, 346; ulceration, 240, 336;
watering, 78
- colour: black, 21; bloodshot, 338;
blue, 318, 326; cloudy, 344;
discoloured, 182; red, 21, 77–8,
338–9; white film on cornea, 240–1;
yellow, 97, 100, 190, 200
- eye injuries, 20–1
- eyelids: closed, 360; protrude, 216;
swollen, 115, 213, 284, 339, 393,
400; third eyelid visible, 348
- colour: blue, 288; yellow, 277
- face, puffy, 26
- fading
- kittens, 338–9; puppies, fading puppy
syndrome, 312–3
- faeces (*see also* diarrhoea)
- balls, 181; bloody, 64, 70, 76, 134,
161, 182–3, 190–1, 220, 247–8,
256–7, 278, 284, 286–7, 325, 327,
329, 330; explosive, 191; ‘fatty’, 324;
too firm, 285; foul-smelling, 76, 191,
220, 287; frequent, 306; hard, 64–5,
181, 182–3, 222, 236; knotty, 183;
liquid, 70, 75; loose, 100, 201, 220,
247–8, 257, 277, 278, 284, 286, 363,
354; lumpy, 65; noisy, 76, 191, 287;
offensive, 134, 201, 247; profuse, 76,
191, 287, 306; ribbon-like, 329;
runny, 286; slimy, glazed or mucus-
covered, 64, 76, 182, 191, 201, 222,
257, 363; soft, 147; tarry, 285;
watery, 63, 76, 134, 190–1, 248,
256–7, 286–7, 306
- colour: black, 65; brown (pale, light),
76, 97, 191, 277; clay-coloured, 107;
dark, 285; dry, 183, 222, 236;
greenish, 257, 277; grey, 256–7;
yellow, 97, 100, 257, 277
- eating faeces, 324
- falling over, 122, 249
- farrowing, 282, 289–90
- feather pecking, 364–5
- feathers
- ruffled, 360, 362; fluffed up, 360
- fear (*see also* anxiety), 80–1, 129,
383
- feet, cold, 236, 245
- feline
- chlamydial infection (*see*
conjunctivitis), 338–9; coronavirus,
344–5; distemper, 342–3,,
dysautonomia, 348;
immunodeficiency virus (FIV),
340–1; infectious enteritis (FIE),
342–3; infectious peritonitis (FIP),
344–5; influenza, 336–7; leukaemia,

General Index

- 346–7, lower urinary tract disease (FLUD), 354–5; parvovirus (FPV), 342–3; penleucopenia, 342–3; urological syndrome (FUS), 354–5
- ferrets, 371–4
- fever, 55, 64, 82–3, 105, 127, 134, 136, 150, 171–2, 191, 192–3, 199, 285, 321, 324, 337, 346, 370, 406, 410, 428
- fibrositis (*see* rheumatism)
- fighting, 281
- 'fin rot', 376
- fish, 375–7
- fistula, 305, 312
- fits, 84–5, 309
- flanks, tense or hard, 60
- flatulence, 53, 60, 62–3, 86–7, 97, 181, 201, 247, 277, 324–5, 413
- fleas, 6–7, 140–1, 163, 335, 347, 350, 373, 390
- flu, 88–9, 282
- cat, 336–7; cow, 248; equine, 192–3; ferrets, 373; hamsters, 386; swine, 293
- fluke infestation, 376
- 'fly strike', 390
- foaling (*see* parturition)
- food
- intolerance, wrong food, too much, over-lush pasture, 62, 63, 190, 222, 224, 248, 261, 276–7, 280, 286, 302, 323; refusing, 328; unable to eat, 342
- foot and mouth (*see* virus)
- 'foot-rot', 252, 258–9, 279, 373
- 'foul-in-the-foot', 227, 228–9, 279
- fractures (*see also* first aid), 12–3, 358–9, 428
- fright (*see also* anxiety), 406
- fungus, 246, 376
- Microsporum*, 298; *Trychophyton mentagrophytes*, *T. verrucosum*, 298
- fur (*see also* hair)
- balls, 347; chewing, 370; coarse, 332, 353; dry, 324, 379; 'moth-eaten', 370; rough, 379; 'slip' (*see also* alopecia), 370; sparse, 332, 353
- furunculosis, 141, 144
- 'gagging' (*see also* retching), 152, 184
- gasping (*see* breathing)
- gastritis (*see also* vomiting), 90–1, 290
- gastroenteritis, 264, 290
- gerbils, 378–80
- German Shepherd syndrome (*see* CDRM)
- gingivitis (*see* gums)
- glands
- lymph: enlarged, 202, 340, 346, 382; mammary: hot, inflamed, painful, swollen, 110–111; knotty, 111, pseudopregnancy, in, 314; thyroid, swelling, 353
- gnawing, (*see* bites itself)
- goats, 273–80
- goitre, 353
- gonitis, 197
- grass seeds, 316–7
- grass tetany (*see* staggering, 'staggers')
- 'greasy heel' (*see* dermatitis)
- grief, grieving, 328, 351, 421
- groaning, grunting, 120, 182, 224, 236
- groin, lesions, 350
- grooming, excessive, 335, 347, 350
- growth, poor (*see also* failure to thrive), 282, 292, 302
- guinea-pigs, 381–4
- gumboils (*see* abscesses)
- gums, 52, 90–1, 148
- bleeding, 149; blue, bluish, 18, 126, 177, 245, 288; inflamed, 52, 148–9, 340–1; pallor, 26, 35, 46, 92, 282; receding, 149; spongy, 149; swollen, 151; yellow, 97, 190, 277
- gut oedema (*see* bowel oedema)
- haematomas (*see also* bruises), 14–5, 74, 221
- haemorrhage, 46–7, 169
- hair (*see also* fur)

General Index

- loss, 16, 87, 102, 132–3, 140–1, 144, 298, 335, 332, 335, 352, 353, 379, 384, 387, 395, 396, 399; matted, 210, 212, 347, 352; new, 242
- hairballs, 347
- halitosis, **52–3**, 91, 102, 113, 148, 153, 222
 - sweet, 222, 321
- hamsters, **385–8**
- hard pad, **309**
- head
 - hanging, 393; held high, 268–9;
 - injuries, **22–3**; pressing, 222; shaking, 72, 236; to one side, 316, 397; turns from side to side, 387; wing, under, 360
- healing, slow, 352
- haematomas, **221**
- heart
 - conditions, **92–3**; endocarditis, 288;
 - failure, 326, 377; increased rate, 332, 353; palpitations, 26; slow rate, 236, 332, 353
- heat
 - coming into (oestrus), 167;
 - termination, 374
- heatstroke, **24–5**, **278**, 298–9
- hedgehogs, **389–91**
- hemiplegia (*see* paralysis)
- hepatitis (*see also* liver conditions; Rubarth's disease), **94**, 158, 200, **318**
- hibernation, 390
- hives (*see* nettle rash)
- hocks, sore, 395
- hooves, **194–5**
 - corns, 194; heat, 198; necrosis, 258;
 - puncture wounds, 194–5; rings, 198;
 - sandcrack, 195; seedy toe, 195;
 - thrush, 194–5
- horses, ponies, **178–217**
- huddled together, 362
- hunched up, 365, 380, 398
- hunger, 324
- husk (*see* bronchitis)
- hygroma, 197
- hyperadrenocorticism, **307**
- hyperplasia, 353
- hyperthermia, 298–9
- hyperthyroidism, hypothyroidism, 332, 353
- hypoadrenocorticism, **304**
- hypocalcaemia, **236–7**, **261**, 310
- hypoglycaemia, 222
- hypomagnesaemia (*see* 'staggers')
- hypothermia (*see* chilling)
- hysteria, **84–5**
- immobile, 82, 387
- immunodeficiency, 340–1
- incontinence of urine, faeces, 18, 28, 69, 84, **95–6**, 102–3, 122–3, 136–7, 174–5, 249, 307, 348, 351, 414, 424
 - cats, cattle, dogs, horses, **95**
- incoordination, 222, 371
 - hind legs, 284, 307
- indifference, 173, 315
- indigestion, **97**, 276–7
- inertia, uterine, 290
- infection (*see also* wounds), **36–7**, 75, 279, 292, 296, 301, 410, 417, 427
 - bacterial, 247; *Bordetella*, 292;
 - Pasteurella*, 292
- infectious
 - canine tracheobronchitis, **320**;
 - keratitis **240–1**
- infertility (*see* reproduction)
- inflammation, **98–9**, 239
 - udder, 231; uterus, 234
- influenza (*see* flu)
- injury (*see also* wounds), **20–1**, **22–3**, 79, 96, 98, 102, 203, 205, 214–5, 251, 279, 408
- insects (*see* bites, stings)
- irritable, 144, 149
- irritable bowel syndrome (IBS) (*see* colitis)
- itch, 376
- itching, 26–7

General Index

- jaundice (*see also* liver conditions), 94,
100–1, 107, 156, 190, 200, 242,
318, 321, 344
- jaws, clamped or locked, 216, 261, 268
- jerkings, 123
- joints (*see also* arthritis, tendons), 30–2,
50–1, 196–7, 238–9, 323, 426
deformed, 51; enlarged, 121; hot, 51,
239; joint-ill, 238–9, painful, 206,
337, 384; stiff, 130; swollen, 51, 196,
239, 384; thickened, 323
- kennel cough, 320
- ketosis (*see* acetoanaemia)
- Key Gaskell syndrome, 348
- kicking itself, 60, 120, 182–3, 224
- kidding, 278
- kidneys, 52, 68, 75, 102–3, 105, 150,
152, 300–1, 304, 308, 321, 340,
349, 402, 406, 419, 420
- kittening (*see* parturition)
- knuckling, of feet, 307
- labour, 168
- lactation tetany, 310–1
- lambling, 258–9
lambling sickness, 261
- lameness (*see also* arthritis, bruising,
rheumatism, sprains), 104, 130–1,
179, 188, 194–5, 196–7, 206, 214,
227, 228–9, 258, 279, 280–1,
290–1, 316, 319, 323, 366, 390
- laminitis, 198–9
- 'lamppost disease' (*see also* dogs), 105,
321
- Leptospira*, leptospirosis, 100, 105, 158,
219, 230, 291, 321–2
- lethargy, 288, 332, 353
- libido, diminished, 177
- lice (*see also* dry eczema), 106, 140–1,
296–7, 384
- licking (*see also* wounds), 9, 27, 33, 36,
38, 52, 70, 108, 132, 140–1, 188,
222, 335, 350, 351
- lifeless-looking, 387
- limbs, grass seeds in, 317
- lips
blue, 126; swollen, 151, 212
- listeriosis, 254, 274, 370
- listless, 144, 153, 293
- liver (*see also* hepatitis, jaundice), 52,
75, 94, 106–7, 165, 190, 200–1,
269, 277, 306, 321, 419
enlarged, 307
'low', 'luer' (*see* 'foul-in-the-foot')
- 'lumps', 382
- lungworm, 294–5
- luxation, 319
- lying down, 182–3, 186, 231, 236, 245,
261, 276, 278, 284
- lymphocytic choriomeningitis (LCM),
397
- lymphocytosis (*see* virus)
- lymphosarcoma, 346
- maggots, 390, 402
- malaise, 324
- mammary glands (*see* udders), 166, 402
- mammitis (*see* mastitis)
- mange, 108–9
- mastitis, 110–1, 166, 170, 220, 226,
231–3, 250, 260, 262, 291, 292,
383, 393, 397
- medicine, overuse of, 75, 190, 212,
382
- metritis, endometritis, 172–3, 219,
234–5, 244, 291, 292, 374
- mice, 396–9
- milk, 174–6, 260
bloody, 226, 260; clotted or flaky,
231, 260; discoloured, 231; loss of,
282; promotion, suppression, 260;
pseudopregnancy, in, 275, 314;
watery, 231, 260; yield, drop in, 219,
222, 227, 230, 244
'milk fever', 236–7, 244, 249–50
- mineral disturbances, 162
- miscarriage (*see* abortion)
- mites, 373, 379, 380, 384, 391, 393,
395, 396

- Sarcoptes scabiei*, 296
 'Monday morning leg', 202–3
 mouth (*see also* gums, teeth), 112–3, 420
 bleeding, 127; bluish, 326; dry, 112, 113, 331, 348; foaming, frothing, 84, 249, 261; inflammation, 340; 'mouth rot', 403; sore, 379; ulcers, 336; watery, 256–7; yellow, 100, 200
 move, reluctance to, 198, 268, 283, 288, 293, 326, 384
 mucous membranes (*see also* gums; eyes; skin)
 bluish, 326; pale, 318; red spots, 318
 mucus overproduction, 98–9
 mud fever (*see* dermatitis)
 muscles
 damage to, 186; hard, 123, 186; painful, 186, 206; pulled, 121; spasm, 310; stiffness in (*see also* stiffness), 14, 130; swelling, 14; trembling or tremors (*see also* twitching), 216, 236, 249, 261, 266, 268, 284, 312; wasting (*see also* main entry), 307; weakness, 51, 200, 304, 307, 332, 353
 muzzle, dry, 236
 mycoplasma, 220, 254, 274
 myositis (*see* cramp)
 myxomatosis, 393

 nails, 114–5
 nausea, 154
 navel
 hot, 239; navel-ill, 238–9, 261; swollen, 238–9
 neck
 arched backwards, 269; extended, 264; twisted, 379
 necrobacillosis, 395
 neonatal mortality, 312–3
 neoplasms, neoplasia (*see* tumours)
Neospora caninum, 220
 nephritis (*see* kidney disease)
 nettle rash (*see also* allergies, skin conditions), 44, 114–5, 212–3, 406, 431
 nervous disorders, 385, 397
 nervousness, 222, 269, 284, 314–5, 318
 newborns, 177
 New Forest eye disease, 240–1
 noises, bowel, 277
 nose, nostrils (*see also* catarrh; discharge; sinusitis), 116–7
 bleeding, 116–7, 127, 139, 204–5, 292–3; blocked up, 138–9; cracked or chapped, 116–7; crusts, 57; dilated, 216; runny, 44, 56–8, 88, 336; scaly, 139; sensitive to touch, 180; sore, 180, 379, 386; streaming, 147; swollen, 284, 386; ulcerated, 336; watery, 192; yellow, 200
 nosodes, 6–7, 158
 'nursing' in phantom pregnancy, 314
 nutritional disorders, problems, 390, 402–3

 oedema, 200, 202, 298–9
 on skin, 212
 operation 118–9
 orf (*see* contagious pustular dermatitis)
 osteoarthritis, 196
 osteochondrosis, 323
 osteomyelitis, 324–5
 otitis, infected, parasitic, simple, waxy (*see* ear conditions)
 overexertion 426

 paddling, 284
 pain (*see also* colic; arthritis; rheumatism), 119, 120–1, 128–9, 149, 157, 182, 196, 202, 274, 276
 abdominal, 190, 220, 247, 318, 321, 324, 329, 330, 342, 415
 pancreatic insufficiency, pancreatitis, 324–5
 panting, 9, 24, 26, 28, 35, 54–5, 60, 76, 82, 88, 92, 120, 126–7, 128, 278, 310, 365
 papillomatosis (*see* warts)

- paralysis (*see also* stroke), **122–3**, 307, 309, 370, 416
 hind legs, 397; posterior, 395
 paraplegia (*see* paralysis)
 parasites (*see also* fleas; worms), 73–4, 140–1, 189, 248, **264–5**, 302, 368, 371, 373–4, 276, 386, **302**, 364, **368**, 370, 386, 390–1, 394, 397, 398
Metastrongylus apri, 194
 parturition (*see also* birth), 168, 170–3, **278**, 310, 408
 parvovirus, **326–7**
 pasteurellosis, *pasteurella haemolytica* infection, **266–7**, 386, 393–4
 pediculosis, 296–7
 pecking, feathers, 364–5
 perspiration (*see* sweat)
 phimosis (*see* prolapse, penile)
 photosensitisation, **242**
 pica, 302
 pigs, **281–302**
 pining, **328**
 pityriasis rosea, 296–7
 placenta
 cotyledons: grey, 253; gritty, 253; leathery, 220; necrotic, 220, 253; white, 253; yellow, 220, 253
 membrane: left hanging, 244, 270; retained, 166, 171, 173, 219, 234–5, **244**, **270–1**, **279**, **292**
 pleurisy, 54, **124–5**, 127, 184
 pneumonia, 54, 67, 89, **126–7**, 184–5, **243**, 252, 264–5, **266–7**, 283, 292–5, 309, 320, 337, 360–1, 371, 386, 391, 403
 pododermatitis, 384
 poisons, poisoning, 75, 94, 102, 190, 366, 391
 ‘popeye’, 377
 post-parturition (*see* birth)
 pot-bellied, 247
 potentiation, potency, 4
 poultry, **357–68**
 pregnancy, 167–9, 219, 379
 false, phantom or pseudo, 176, 275, **314–5**; toxemia, **268–9**, **279**, 383
 premature birth, 168
 pre-parturition, 168–9
 prolapse
 penile, 403; uterine, 174–5; vaginal, 169, **272**
 prostate problems, **329**
 prostration, 288, 293, 330
 pruritus, 141
 pseudopregnancy (*see* pregnancy, phantom)
 pseudotuberculosis, 382
 pulse, 83, 137, 153, 182–3, 187, 190–1, 192, 199, 236
 pupils dilated, 67, 76, 182–3, 187, 191, 199, 348
 pus (*see also* wounds), 32, 35, 36, 39, 42–3, 53, 91, 194–5, 229, 239
 pyelonephritis, 300
 pyometra, 150, 172–3, 375–6
 pyrexia (*see also* temperature), 309, 424
 rabbits, **392–5**
 rabies, 158
 ‘rain scald’, 212–3
 rats, **396–9**
 ‘rattle belly’ (*see* colibacillosis)
 recumbent (*see* lying)
 ‘red eye’ (*see* eye injuries)
 regurgitation, 236, 348
 reproduction, **166–77**, **278**, 282, 374, 424
 resentment, 351
 respiratory problems (*see also* breathing), **292–5**, 379, 383, 386, 398
 restlessness, 9, 24, 28, 60, 74, 82, 83, 89, 120, **128–9**, 137, 149, 154, 182, 186, 191, 210, 270, 291, 310–1, 313, 314, 317, 332, 337, 339, 353
 retching, **160–1**, 320, 347
 retention of urine, 174–5
 reviving a weak animal, 245, **279**
 rheumatism, rheumatic pain (*see also*

- arthritis), 22, **130–1**, 206–7, **206–7**, 279, 291, 411, 425
- rhinitis, 403
- ringwomb, 169, **270–1**
- ringworm, **132–3**, **246**, 298–9, 371, 379, 384, 387, 391, 395, 398–9
- rising, difficulty in, 307
- rolling with pain, 60, 120, 182–3
- Rubarth's disease, 318
- rubbing, 27, 36, 38, 70, 87, 106, 114, 132, 140–3, 148, 151, 156, 162, 188, 210, 242, 246, 296, 351, 393, 397
- bottom on ground, 304; ear, 316; nose, 292, 386
- rumblings internal, 53, 62, 86–7
- ruminal tympany, **224–5**
- salivation, 91, 112–3, 148–9, 151, 152–3, 154, 161, 191, 222, 256
- copious, 331; drooling, 268; frothy, 264–5
- salmonella, salmonellosis (*see* bacterial infection)
- sarcoids, **208–9**
- scabies, 387
- scours, scouring (*see also* diarrhoea; enteritis), **247–8**, **278**, **286–7**
- scratching, 27, 38, 70, 87, 106, 108, 114, 132, 140–3, 151, 156, 162, 246, 296, 335, 350, 368, 387, 393, 397
- ears, 72, 316
- scurf (*see* dandruff)
- scurvy, 384, 400
- seborrhoea (*see* dermatitis)
- self-mutilation, 387
- senility, 96, **136–7**
- sensitive, 249, 310
- septicaemia, sepsis, **136–7**, 147, 152, 172–3, 234, 256, 330–1, 377, 382, 424
- servicing, 68, 300
- 'set fast' (*see* cramp)
- sheep, 163, **252–72**
- shell
- burnt, 401; fluid under, 401; 'soft', 402
- shivering, trembling, 82, 83, 102, 245
- shock (*see also* anxiety; fear), 13, 16–7, 18, 19, 23, 27, **28–9**, 35, 80–1, 119, 169, 174–5, 177, 205, 245, **358–9**, 361, 366–7, 371, 383, 387, 394, 406
- 'sicca' (*see* pleurisy)
- sinusitis (*see also* catarrh), 58, **138–9**, 180–1, 403, 419
- skin conditions (*see also* dermatitis; eczema; pruritus), 132–3, **140–5**, 158, **210–3**, 196–7, **296–9**, **368**, 379, 384, 387, 395, 409, 420, 425, 430
- dry, 69, 141–2; greasy, 143, 211, 421; hard, 141, 146; hot, 27, 142, 299; infected, 99, 188; inflamed, 141–2, 145; irritation, 296, 352; itching, 27, 132, 142; oozing, 147, 242; peeling, 212; 288; rough, 69, 142, 189; sinuses, 233; smell (*see also* discharges), 211; sore, 99, 145, 298; splitting, 16; sticky, 140–2; swelling, 27, 39, 51, 142–3, 146–7, 213, 221, 242, 352, 377, 395; thickened, 141–2, 188, 246; weals, 212; weeping, 141, 242; wet, 140
- discolouration: black, 141; blue, 288; grey, 143; pale, 282; pink, 298; purple, 288; red, 27, 36, 39, 44, 51, 69, 71, 109, 132, 140–5, 242, 288, 296, 299, 352, 399; yellow, 97, 100, 277
- eruptions (*see also* main entry): blisters, 16, 45, 113, 143–5, 262, 298, 350, 387, 412; burning, 299; circular patches, 132–3, 144, 246, 298; cracked, 142; crusted, 246, 396; diamond-shaped patches, 288; lesions, wet, 350; lumps, 208, 377; plaques, 212, 242; raised, 140; scabs, 296, 298, 350; scaly, 69, 109, 140–3,

General Index

- 379, 387, 399; symmetrical, 307;
ulcers, 298
'sleep disease', 387
sleeplessness, **128–9**
'slime disease', 376
slipped disc (*see* paralysis)
slow fever (*see* acetonaemia)
sluggishness, 46, 314
smell
 sweet, 321; unpleasant, 33, 34, 74,
 105, 133, 142–3, 350, 352
 from: anal glands, 304, 352; claws,
 228–9, 258–9; vagina, 191, 270
sneezing, 44, 58, 83, 88, 116–7, 138–9,
 146–7, 292–3, 336–7, 338, 340–1,
 373, 383, 386
snuffling, 292–3, 340, 386
soreness, 121
spavin, 196
spaying, 68
sporadic lymphangitis (*see* 'Monday
 morning leg')
sprains and strains, **30–2**, 131, 279, 425
spraying, **351**
sputum
 bloody, 184, 267; dark, 276; thick,
 184
squatting, 157
stagging, 'staggers' (*see also* balance),
 30, 84, 122, 231, 236, **249–50**, **261**,
 284, 311
stamping, 188
standing, difficulty in, 370
Staphylococcus (*see* bacterial infections)
stiffness (*see also* joints; muscles),
 88–9, 102, 121, 131, 154, 186,
 206–7, 216, 310, 337
 legs, 236
stings, **26–7**, 140, 143, 145, 406
stomach, swelling, 92
stomatitis (*see* 'mouth rot')
stones
 bladder or urinary, 280, **354–5**
stools (*see* faeces)
stroke, **148–9**
 stomatitis, 340, 403
straining, 103, 157, 224, 257, 258, 278,
 280, 300, 327, 329, 354, 363, 402
stretching, 312
'stud tail', **352**
stumbling (*see* staggering)
suck, failure to, 312, 338
sunburn, 16–7, 141, 143, 145, 298–9
suppuration, 417
swallowing, 112, 152
 difficulty in, 348; painful, 153
sweating, 55, 60, 67, 76, 120, 127,
 182–3, 186, 190–1, 198, 216, 287
 cold sweat, 245
swelling, 26, 30–1, 33, 36, 38, 42, 121,
 274, 324
 hard, 231, 233; hot, 215, 231;
 persistent, 233; red, 231
 of: abdomen, 275, 306–7, 314, 324,
 326, 377; cheek, 330; claws, 228,
 258, 344, 380; eyelids, 339, 400; feet,
 384; flanks, 224; foot pads, 358;
 head, 393; jaw, 320; legs, 202; limbs,
 200, 402; lips, 115; navel, 238; neck,
 393; stomach, 92; udder, 226, 231–3;
 vulva, 374
swine erysipelas (*see* erysipelas)
tail (*see also* 'stud tail'; 'wet tail')
 held straight, 216; 'scalded', 380,
 388; soiled, 256
teats, teat injuries, 233, **250–1**
 'black spot', 250; cracked, 233, 250;
 hard, horny, 250; injured, 233;
 ulcerated, 251; warts, 251
teeth (*see also* halitosis, gums), **148–9**
 abscess, 149; bleeding, 119; brown,
 148; decay, 149; grinding, 236, 247,
 268; loose, 91; overgrown, 378, 383,
 386, 394, 398; rotten, 90–1; tartar
 (scale), 52, 90, 148; toothache, 121,
 149
temperature, 33, 36, 38, 58, 74, 82, 83,
 88, 102, 110, 126, 134, 136–7, 153,
 155, 159, 171, 192, 216, 219, 220,

General Index

- 230, 231–2, 236, 242, 243, 244,
247–8, 256, 261, 266–7, 270, 276,
278, 285, 288, 291, 292–3, 298,
300, 309, 318, 324, 328, 330,
336–7, 338, 340, 344
low, 332
tendons and ligaments, 179, **214–5**, 426
terrapsins, **400–4**
tetanus, **216–7**
thirst, **150**
 for small drinks, 191, 287
thrive, failure to, 256–7, 294, 402
throat
 inflamed, 152; red, 152–3; sensitive,
 153; sore, 153
thyroid problems, thyrotoxicosis, **332**,
 335, **353**
ticks, 141, **150–1**, 390
tongue, **152**
 bluish, 126, 298; protruding, 245,
 264; sore, 151; swollen, 113, 151;
 ulcerated, 151, 336, 403
tonsillitis, 58, **152–3**, 309
tortoises, **400–4**
touch, oversensitive to, 216, 236, 249,
 261, 316–7
toxaemia, toxicity, **152–3**, 172, 225,
 231, 268–9, 276–7, **279**, 331, 348,
 352, 366, 383, 424
toxoplasmosis, 253, 274, 312
travel sickness, **154**
trembling, 222, 304, 321, 387
Trychophyton verrucosum (see fungus)
tuberculosis, **155**, 374, 377, 382
tumours (see also warts), **156**, 157, 162,
 308, 346, 353, 374, 380, 388, 399
 mammary, 399
twitching, 102, 105, 249, 284, 309,
 310–1, 321
‘tying up’ (see cramp)
Tyzzer’s disease, 388, 399
udders (see also teats)
 abscess in, 232; enlarged, 275; hard,
 231, 260, 291; hot, 231, 291; red,
 291; painful, 291; slack, 230;
 swollen, 260
ulcers (see also abscesses), 22, 78,
 112–3, 203, 233, 336, 350, 396
 corneal, 78–9; foot pads, 384; legs,
 395; palate, nose, 336; teats, 251;
 tongue, 336, 403
unconsciousness, 18, 19, 22
unmoving, unresponsive, 22, 28
unsteady (see staggering)
uraemia, 21
urinary calculus, **354–5**
urinary disorders (see also cystitis,
 incontinence, kidney disease), **157**,
 174–5, **280**, **300–1**
urine (see also blood in urine)
 bright, 201; brown, 186; cloudy, 69;
 crystals, 157, 280; dark, 69; gravel,
 354–5; highly coloured, 103; mucus,
 301; pus, 300; reddish, 301; sediment,
 354–5; thick, 69
urination, 174–5
 difficult, 183, 329; dribbling, 121,
 354; drips, 354; excess, 103, 301;
 frequent, 68; increased, 307, 308;
 involuntary (see incontinence);
 painful, 68–9, 103, 121, 300; poor
 flow, 68–9; retention, 216, 348, 354;
 slow, 69; straining, 121; strong smell,
 68, 200–1
urticaria (see nettle rash)
vaccination, **158–9**, 430
viruses, viral, 58, **159**, 262, 282, 286,
 309, 312, 318, 336, 338, 340, 386,
 391, 393
 feline, 336, 340, 342–7; *Distemper*,
 312; foot and mouth, 391;
 lymphocytosis, 376; *Paravaccinia*,
 279; *Parvovirus*, 312
vitamins
 A, avitaminosis, 400; C, deficiency,
 384
voice (see also cries out)
 high-pitched, 284; lost, 284

General Index

- vomiting, retching (*see also* diarrhoea),
 22, 67, 68, 84, 90–1, 97, 98, 101,
 102, 105, 107, 119, 154, 156,
 158–9, **160–1**, 163, 165, 277, 284,
 290, 308, 318, 321, 329, 342–3,
 344, 347, 409, 423
- bloody, 326–7; enteritis, with, 287
- vomits: food, undigested, 161; mucus,
 320; sputum, 67; water, 161
- vomiting and diarrhoea, 49, 53, 60–1,
 75–6, 94, 107, 120, 137, 152, 161,
 283, 290, 304, 324, 326–7, 330,
 344, 346
- warfarin, 46
- warts, **162**, **208–9**, **251**, 414
 - angleberries, 251; bleeding, 162, 251;
 - brown or black, 'cauliflower',
 - fissured, hard, horny, small, tall, thin,
 - yellow, 162; flat, 162, 208;
 - mushroom-shaped, 208; on teats, 251
- wasting, 222, 346, 377, 388, 399
- 'watery mouth' (*see* colibacillosis)
- weakness, 51, 76, 83, 92–3, 201, 205,
 245, 256, 283, 287, 312–3, 326,
 339, 343, 346, 364–5, 367, 371,
 390
- weight
 - increase, 332, 353
 - loss, 75, 94, 102, 105, 155, 189, 262,
- 264, 302, 304, 308, 312, 321, 324,
 332, 344 340, 353, 362, 380, 382,
 383, 386, 388, 394, 398, 399, 400,
 402
- slow gain, 264
- Weil's disease, 100, 321
- 'wet tail', 388
- wheezing (*see* breathing)
- whelping (*see* parturition)
- whining (*see also* crying out), 314, 328
- 'white spot', 376
- wind (*see* flatulence)
- wings, drooping, 362
- worms, 75, **163–4**, 189, 248, **264–5**,
 302, 304, 312, 371, 391
 - Dictyocaulus filaria*, 264; lungworm,
 - 294–5; roundworms, 52, 163, 302,
 - 394, 398, 404; tapeworms, 163, 302,
 - 380, 386, 394, 398
- wounds, **32–9**, 98, 404, 358, 368, 404
 - abrasions, scrapes, grazes, 32–3;
 - bites, 373; cuts and lacerations, 34–5;
 - gunshot, **366–7**; infected, 36–7, 281,
 - 395; puncture, 38–9, 194–5, 217, 367,
 - 396; skin, 381, 396, 316, 381, 396;
 - sores, 368
- yawning, 94, 107, 152, 154, **165**, 200
- zoonosis, 7

Remedy Index


- Aconite, 405
Agaricus Muscarius, 432
Allium Cepa, 433
Aloe Socotrina, 433
Antimonium Crudum, 434
Antimonium Tartaricum, 434
Apis Mellifica, 406
Argentum Nitricum, 407
Arnica, 408
Arsenicum Album, 409
Baptisia, 435
Baryta Carbonica, 435
Belladonna, 410
Berberis Vulgaris, 436
Borax, 436
Bryonia, 411
Bufo, 437
Calcarea Carbonica, 437
Calcarea Fluorica, 437
Calcarea Phosphorica, 438
Calendula, 438
Cantharis, 412
Carbo Vegetabilis, 413
Caulophyllum, 439
Causticum, 413
Chamomilla, 439
Chelidonium Majus, 440
China, 440
Cimicifuga Racemosa, 441
Cocculus, 441
Colchicum Autumnale, 441
Colocynthis, 414
Conium Maculatum, 442
Crataegus, 443
Croton Tiglium, 443
Drosera, 443
Dulcamara, 444
Echinacea, 444
Euphrasia, 415
Ferrum Metallicum, 445
Ferrum Phosphoricum, 445
Flor de Piedra, 445
Gelsemium, 416
Graphites, 446
Hamamelis, 446
Hepar Sulphuris, 417
Hypericum, 417
Ignatia, 447
Ipecacuanha, 447
Kali Bichromicum, 448
Kreosotum, 448
Lachesis, 448
Ledum, 449
Lycopodium, 418
Magnesium Phosphoricum, 450
Mercurius Corrosivus, 450
Mercurius Solubilis, 419
Natrium Muriaticum, 420
Nux Vomica, 421
Petroleum, 451
Phosphoric Acid, 451
Phosphorus, 422
Phytolacca, 452
Podophyllum, 452
Psorinum, 452
Pulsatilla, 423
Pyrogen, 424
Rhus Toxicodendron, 425
Ruta Graveolens, 426
Sabina, 453
Scutellaria, 453
Sepia, 454
Silica, 427
Spongia Tosta, 454
Staphysagria, 455
Sulphur, 428
Symphytum, 429
Thuja, 430
Urtica Urens, 431
Veratrum Album, 455

Francis Hunter

Everyday Homeopathy for Animals

486 pages, kart.
semble 2021

[Achetez maintenant](#)



Plus de livres sur l'homéopathie, les médecines alternatives et le bien-être www.narayana-verlag.de